

# MEDIUM/HEAVY TRUCK PROGRAM STANDARDS

Effective Date: July 1, 2025

© 2025 All Rights Reserved

ASE Education Foundation 1503 Edwards Ferry Rd. N.E., Suite 401 Leesburg, VA 20176 (703) 669-6650 – www.ASEeducationfoundation.org

# **Contents**

BACKGROUND	1
MEDIUM/HEAVY TRUCK PROGRAM STANDARDS	2
STANDARD 1 - PURPOSE	
STANDARD 2 - ADMINISTRATIVE PROGRAM SUPPORT	2
STANDARD 3 - LEARNING RESOURCES	3
STANDARD 4 - FUNDING	3
STANDARD 5 - STUDENT SERVICES	3
STANDARD 6 - ADVISORY COMMITTEE	4
STANDARD 7 - INSTRUCTION	5
STANDARD 8 - TOOLS & EQUIPMENT	7
STANDARD 9 - FACILITIES	8
STANDARD 10 - INSTRUCTIONAL STAFF	9
STANDARD 11 - WORK-BASED LEARNING	9
STANDARD 12 - E-LEARNING	10
POLICIES	11
ACCREDITATION PROCESS	
MEDIUM/HEAVY TRUCK MINIMUM REQUIREMENTS	
OUALIFICATIONS OF EVALUATION TEAM LEADERS (ETLS)	
TASK LIST INFORMATION	
TOOLS AND EQUIPMENT INFORMATION	
GO/NO-GO STANDARDS	
RECOGNITION FOR ACCREDITATION	
INTEGRATED ACADEMIC SKILLS RECOGNITION	
APPEALS AND ACTION FOR REVOCATION	
DEFINITIONS - EDUCATIONAL TERMS	
POLICIES ON ARTICULATION AGREEMENTS	29
DROCEDURES FOR INITIAL ACCREDITATION OF DENEWAL OF	
PROCEDURES FOR INITIAL ACCREDITATION OR RENEWAL OF ACCREDITATION	30
PROCESS OVERVIEW	
ON-SITE EVALUATION COST SHEET	
SPECIAL CONSIDERATIONS FOR RENEWAL OF ACCREDITATION	
EVALUATION GUIDE	37
AUTOMOTIVE PROGRAM EVALUATION	
ADVICABLY COMMITTEE TACKS WITHIN DEACENM STANDARDS	

MEDIUM/HEAVY TRUCK TASK LIST	
TASK LIST AND ASSUMPTIONS	40
FOUNDATIONAL TASKS	42
WORKPLACE EMPLOYABILITY SKILLS	43
ASE MEDIUM/HEAVY TRUCK ACCREDITATION TASK LISTS	44
TASK LIST PRIORITY ITEM TOTALS (by accreditation level)	108
DEFINITIONS - TECHNICAL TERMS	
TOOLS AND EQUIPMENT	113
HAND TOOLS	114
PERSONAL PROTECTIVE EQUIPMENT	
GENERAL LAB/SHOP EQUIPMENT	
SPECIALTY TOOLS AND EQUIPMENT	118

#### **BACKGROUND**

#### MEDIUM/HEAVY TRUCK TECHNICIAN TRAINING ACCREDITATION PROGRAM

The Board of the National Institute for Automotive Service Excellence (ASE) is responsible for accreditation of automotive (automobile, collision repair & refinish, medium/heavy truck) programs at secondary and post-secondary levels. ASE will grant accreditation to programs that comply with the evaluation procedure, meet established standards, and adhere to the policies in this document. Program accreditation is under the direct supervision of the Board of Directors and such personnel designated or employed by the ASE Education Foundation.

# **History**

The ASE standards for automobile program certification were introduced in 1982. Standards for collision repair & refinish programs were launched in 1989 and truck standards followed in 1992. The ASE Education Foundation's role in the process was to work with industry and education to update the standards on a regular basis and evaluate programs against those standards. Based on a positive evaluation, programs are accredited by ASE for a period of five (5) years.

In January 2018, a new model for medium/heavy truck program standards was published. This new model introduced standards based on three (3) levels rather than by medium/heavy truck area (brakes, electrical/electronic systems, etc.). The three levels are: Inspection, Maintenance, & Minor Repair (IMMR), Medium/Heavy Truck Service Technician (TST), and Medium/Heavy Master Truck Service Technician (MTST). Each successive level includes all the tasks of the previous level in addition to newly designated tasks. In other words, the TST task list includes all of the IMMR tasks plus additional tasks. The MTST task list includes all TST tasks plus additional tasks specifically for MTST.

The Program Standards and Program Evaluation Forms were reviewed and updated in 2020 to streamline and simplify the accreditation process. The task and tool lists were reviewed and updated in February 2025. All those changes are included in this document.

Programs may begin submitting applications using these materials July 1, 2025. Applications using earlier standards will no longer be accepted after December 31, 2025.

The cost to each program for accreditation will be as reasonable as possible to encourage program participation. This cost will include program evaluation materials, application (processing) fee, on-site team evaluation materials, and the honorarium and expenses of the Evaluation Team Leader (ETL).

Page 1 of 119

#### MEDIUM/HEAVY TRUCK PROGRAM STANDARDS

#### STANDARD 1 – PURPOSE

THE MEDIUM/HEAVY TRUCK TECHNICIAN TRAINING PROGRAM SHOULD HAVE CLEARLY STATED PROGRAM GOALS, RELATED TO THE NEEDS OF THE STUDENTS AND EMPLOYERS SERVED.

#### **Standard 1.1 – Employment Potential**

The employment potential for medium/heavy truck technicians, trained to the level for the specialty or general areas outlined in the program goals, should exist in the geographic area served by the program.

### Standard 1.2 – Program Description/Goals

The written description/goals of the program should be shared with potential students and may include admission requirements if applicable, employment potential, area(s) of specialty training offered, and the cost of all tuition and fees. Technical qualifications of the faculty and the overall goal(s) of the program should also be included.

#### STANDARD 2 – ADMINISTRATIVE PROGRAM SUPPORT

# PROGRAM ADMINISTRATION SHOULD ENSURE THAT INSTRUCTIONAL ACTIVITIES SUPPORT AND PROMOTE THE GOALS OF THE PROGRAM.

#### **Standard 2.1 – Administrative Support**

Positive administrative support from institutional and local governing bodies should be demonstrated. Indicators of administrative support would include support for staff in-service and update training; provision of appropriate facilities; up-to-date tools, equipment, training support materials, and curriculum; and support of continuing program improvement.

#### Standard 2.2 – Written Policies

Written policies should be adopted by the administration and policy board for use in decision-making situations and to provide guidance in achieving the program goals. Policies regarding safety, liability, and lab/shop operation should be written and prominently displayed as well as provided to all students and instructors.

#### Standard 2.3 – Provisions for Individual Differences

The training program should be structured in such a manner that students with different levels of cognitive and psychomotor skills can be accommodated.

Page 2 of 119 Effective 7/1/2025

#### STANDARD 3 – LEARNING RESOURCES

# SUPPORT MATERIAL CONSISTENT WITH BOTH PROGRAM GOALS AND PERFORMANCE OBJECTIVES SHOULD BE AVAILABLE TO STAFF AND STUDENTS.

#### **Standard 3.1 – Service Information**

Service information with current manufacturers' service procedures and specification data for vehicles manufactured within the last ten (10) years should be available. This information should be accessible to students in the lab/shop area.

#### Standard 3.2 – Multimedia

Appropriate up-to-date multimedia materials and technology should be readily available and utilized in the training process.

#### **Standard 3.3 – Student Resources**

Pertinent instructional texts, resources, and e-learning materials should be available for each student to satisfy the objectives of the mode of instruction used. Basic and specialty learning resources should have copyright dates that are not over six (6) years old.

#### STANDARD 4 – FUNDING

# FUNDING SHOULD BE PROVIDED TO MEET THE PROGRAM GOALS AND PERFORMANCE OBJECTIVES.

#### Standard 4.1 – Funding

Adequate funding should be allocated and used for the operation of the program. The funding should be allocated by the institutional administration in conjunction with the program faculty with input from the advisory committee. Funding reports should be made available to program staff.

#### STANDARD 5 – STUDENT SERVICES

# SYSTEMATIC COUNSELING SERVICES, PLACEMENT, AND FOLLOW-UP PROCEDURES SHOULD BE USED.

#### **Standard 5.1 – Pre-admission Program Advisement**

Prior to program admission, a student should be counseled regarding automotive careers.

#### **Standard 5.2 – Placement**

A student placement system should be used to assist students in obtaining employment in industry, related to their training.

Page 3 of 119 Effective 7/1/2025

#### Standard 5.3 – Annual Graduate Follow-up

A follow-up system should be used to determine graduates' employment location and for feedback regarding the efficiency, effectiveness, and appropriateness of training. The follow-up procedure should be designed to assure feedback regarding needed additions to or deletions from the training program, and tools and equipment. Follow-up of graduates employed outside of the medium/heavy truck industry should indicate reasons for non-truck service employment. When applicable, this information should be used to modify the training quality and/or content.

#### STANDARD 6 - ADVISORY COMMITTEE

# AN OFFICIALLY SANCTIONED PROGRAM ADVISORY COMMITTEE MUST BE USED TO PROVIDE INPUT ON PROGRAM GOALS.

#### Standard 6.1 – Membership

An Advisory Committee of at least five (5) industry members (not counting school personnel or educators from other schools), must convene at least two (2) working meetings a year to provide information, counsel, and recommendations on behalf of the community served by the training program. This Committee should be broadly based and include former students, employed technicians, and employers. All members of the Advisory Committee should not be from the same business.

#### Standard 6.2 – Review of Student Surveys

The Advisory Committee should provide input and review student surveys.

#### Standard 6.3 – Review of Program Funding

The Advisory Committee should provide input and review funding.

#### Standard 6.4 – Review of Graduate Follow-up and Employer Surveys

Information gathered from the annual follow-up of program graduates and employer surveys should be reviewed by the Advisory Committee to assess employment potential and provide input on program modifications.

# Standard 6.5 - Review of Course of Study

The Advisory Committee should provide guidance and approve all tasks added to or removed from the mandatory task list required for the program accreditation level being sought.

#### Standard 6.6 – Review of Tools, Equipment, and Facilities

The Committee should conduct annual inspections of tools and equipment to assure they are upto-date and comparable to industry standards for quality and safety. The Advisory Committee should review information from safety inspections and conduct an annual evaluation of the facilities to assure compliance with local, state and federal safety and environmental rules and regulations. Additionally, the committee should review all safety practices for appropriateness in meeting program goals.

Page 4 of 119 Effective 7/1/2025

#### STANDARD 7 – INSTRUCTION

# INSTRUCTION MUST BE SYSTEMATIC AND REFLECT PROGRAM GOALS. A TASK LIST AND SPECIFIC PERFORMANCE OBJECTIVES WITH CRITERION REFERENCED MEASURES MUST BE USED.

#### Standard 7.1 - Program

The training program should progress in logical steps, provide for alternate sequences, where applicable, and be made available to each student.

#### **Standard 7.2 – Preparation Time**

Adequate time should be provided for teacher preparation and program development.

#### Standard 7.3 – Teaching Load

The instructor/student ratio and class contact hours should allow time for interaction on a one-to-one basis. A safe working environment should be considered when determining teacher/student ratio.

#### **Standard 7.4 – Course of Study**

All tasks in the program task list have been given a priority rating. A specified minimum percentage of tasks rated P-1, P-2, and P-3 (Automobile and Truck programs) or HP-I and HP-G (Collision programs) must be included in the course of study, based on program's accreditation type and level. Instruction on the legal aspects and responsibilities of the service technician in areas such as Environmental Protection Agency regulations, safety regulations, OSHA regulations, and other appropriate requirements must be included in the curriculum. Instruction and practice in filling out work order forms, ordering parts, and basic record keeping should be a part of the training program. Tools and equipment must be available to perform the tasks in each of the areas for which accreditation is requested.

#### Standard 7.5 – Performance Standards and Student Progress

All instruction should be performance based, with an acceptable performance standard stated for each task. These standards should be shared with students and potential employers. A record of each student's progress should be maintained. The record should indicate tasks required for program completion and students should demonstrate competency of a task.

#### Standard 7.6 – Safety Standards

Safety instruction must be given prior to lab/shop work and be an integral part of the training program. A safety test must be included in the training program. Students and instructors should comply with personal and environmental safety practices associated with clothing; eye protection; hand tools; power equipment; proper ventilation; and the handling, storage, and disposal of chemicals/materials in accordance with local, state, and federal safety and environmental regulations.

Page 5 of 119 Effective 7/1/2025

#### Standard 7.7 – Personal Standards

All training activities and instructional material should emphasize the importance of maintaining high personal standards.

#### Standard 7.8 – Work Habits/Ethics

The training program should be organized in such a manner that work habits and ethical practices required on the job are an integral part of the instruction.

#### Standard 7.9 – Related Instruction

Instruction in related mathematics, science, communications, and interpersonal relations should be provided and coordinated with ongoing instruction in the training program.

# **Standard 7.10 – Testing**

Both written and performance-based tests should be used to validate student competency. Students should be encouraged to take industry recognized certification tests, such as the ASE Entry-Level Certification tests, the ASE Professional Certification test, and EPA-approved Section 609 credentials.

#### Standard 7.11 – Evaluation of Instruction

Instructional procedures should be evaluated in a systematic manner. This evaluation should be through regular reviews by students and the administration.

#### Standard 7.12 – On-Vehicle Service and Repair Work

On-vehicle service and repair work should be scheduled to benefit the student and supplement ongoing instruction on items specified in the task list. A student should have had instruction and practice on a specific repair task before on-vehicle service and repair work requiring that task is assigned. Vehicles donated by the manufacturers or other sources, customer-owned vehicles, and other training vehicles may be used as the primary source of on-vehicle service and repair work. Training program student-owned vehicles, school buses, and other vehicles owned and operated by the governing body of the school must not be the primary source of on-vehicle service and repair work vehicles. All vehicles in the lab/shop should have a completed industry-type work order attached to or on the vehicle.

#### Standard 7.13 – Customer Vehicles

A systematic method of collecting, documenting, and disbursing customer vehicle work repair receipts should be used. Instructional staff should not be required to collect payment for customer vehicle work repairs. (This applies only to programs that accept customer vehicles for instruction.)

#### Standard 7.14 – Articulation

Agreements between programs with equivalent competencies should be used to eliminate unnecessary duplication of instruction and foster continued study.

Page 6 of 119

Effective 7/1/2025

#### STANDARD 8 – TOOLS & EQUIPMENT

TOOLS AND EQUIPMENT USED MUST BE OF THE TYPE AND QUALITY FOUND IN THE REPAIR INDUSTRY AND MUST ALSO BE THE TYPE NEEDED TO PROVIDE TRAINING TO MEET THE PROGRAM GOALS AND PERFORMANCE OBJECTIVES.

#### Standard 8.1 – Safety

Equipment and tools used in the training program must have all shields, guards, and other safety devices in place, operable, and used. Safety glasses must be worn by all students, instructors, and visitors in the lab/shop area while lab is in session.

#### Standard 8.2 – Quantity and Quality

The tools and equipment used in the training program should reflect the program goals and performance objectives. Sufficient tools and equipment should be available for the training offered. The tools and equipment should meet industry quality standards.

#### **Standard 8.3 – Consumable Supplies**

Sufficient consumable supplies should be readily available to assure continuous instruction.

#### **Standard 8.4 – Preventive Maintenance**

A preventive maintenance schedule should be used to minimize equipment down-time.

#### Standard 8.5 – Replacement

An annual review process should be used to maintain up-to-date tools and equipment at industry and safety standards. Graduate follow-up surveys and Advisory Committee input should be used in this process.

#### Standard 8.6 – Tool Inventory and Distribution

An inventory system should be used to account for tools, equipment, parts, and supplies.

#### **Standard 8.7 – Parts Purchasing**

A systematic parts purchasing system should be in place.

#### Standard 8.8 – Hand Tools

Each student should have access to basic hand tools comparable to tools required for employment. Students should be encouraged to purchase a hand tool set during the period of instruction.

Page 7 of 119 Effective 7/1/2025

#### STANDARD 9 – FACILITIES

# THE PHYSICAL FACILITIES MUST BE ADEQUATE TO PERMIT ACHIEVEMENT OF THE PROGRAM GOALS AND PERFORMANCE OBJECTIVES.

#### **Standard 9.1 – Training Stations**

Training stations (bench and on-vehicle service and repair work) should be available in the type and number required for the performance of tasks outlined in the program goals and performance objectives.

#### Standard 9.2 – Safety

The facilities should meet all applicable safety standards and an emergency plan should be in place and posted in all classrooms and lab/shop areas.

#### Standard 9.3 – Facility Maintenance

A written maintenance program policy should be used to ensure facilities are suitable for instruction.

#### Standard 9.4 – Housekeeping

The classroom(s), lab/shop, and support area(s) should be kept clean and orderly.

#### **Standard 9.5 – Office Space**

An area separate from the lab/shop should be available and convenient for the instructor(s) to use as an office.

#### Standard 9.6 – Instructional Area

A classroom convenient to, but separate from, the lab/shop area should be available for instruction and other non-lab/shop activities.

#### **Standard 9.7 – Storage**

Storage areas for tools, parts, supplies, and trucks should be sufficient to support the activities outlined in the program goals and performance objectives. Security should be provided to prevent pilferage and vandalism.

### **Standard 9.8 – Support Facilities**

Clean-up areas should be provided for both male and female students and should be convenient to the instructional area.

#### Standard 9.9 – Ventilation

An exhaust fume removal system should be in place and operational. When appropriate, heating and cooling systems should be used to provide sufficient comfort for learning.

#### Standard 9.10 – First Aid Kit

If allowed by school policy, a first aid kit should be in place and should be maintained and comply with local regulations and school policy.

Page 8 of 119 Effective 7/1/2025

#### STANDARD 10 – INSTRUCTIONAL STAFF

# THE INSTRUCTIONAL STAFF MUST HAVE TECHNICAL COMPETENCY AND MEET ALL STATE AND LOCAL REQUIREMENTS FOR ACCREDITATION.

#### Standard 10.1 – Technical Competency

Instructors must hold current ASE certification to meet the requirements of the program's type and level of accreditation.

## **Standard 10.2 – Instructional Competency**

Instructors should meet all state, local, or institutional teaching requirements.

#### Standard 10.3 – Technical Updating

Faculty members should be provided technical materials required to maintain their competency. Instructors must complete a specified minimum amount of technical update training each year.

#### Standard 10.4 – Substitutes

A written policy regarding the use of "substitute" instructors should be provided to all instructors.

#### STANDARD 11 - WORK-BASED LEARNING

### WRITTEN POLICIES AND PROCEDURES MUST BE USED FOR ALL PROGRAM-SANCTIONED WORK-BASED LEARNING AND APPRENTICESHIP ACTIVITIES.

(This standard applies only to programs that are using work-based learning or apprenticeship training to meet minimum program hour requirements for the program's type and level of accreditation. A maximum of 25% of the instructional-hours requirement may be met by applicable work-based learning activities, e-learning activities, or a combination of both work-based learning and e-learning activities.)

#### Standard 11.1 – Standards

The work-based learning component must be an integral part of the automotive program and available to all students. Students spend part of the scheduled time, either on a daily basis or in a block-time configuration, on-site in related classroom instruction and part of the scheduled time off-site in a related and structured work environment.

#### Standard 11.2 – Agreements

All legally binding agreements should be written and signed by the student, the student's parent (if the student is under 18 years of age), the employer and the program instructor or the institution's designated work-based learning coordinator.

Page 9 of 119 Effective 7/1/2025

#### Standard 11.3 – Supervision

A supervising truck instructor or supervising work-based learning coordinator should be assigned responsibility, authority, and time to coordinate and monitor work-based learning components.

#### STANDARD 12 – E-LEARNING

WRITTEN POLICIES AND PROCEDURES MUST BE FOLLOWED WHEN E-LEARNING CURRICULAR MATERIALS ARE USED OUTSIDE OF SCHEDULED CLASSROOM/LAB/SHOP TIME.

(This standard applies only to programs that are using e-learning to meet minimum program hour requirements. A maximum of 25% of the instructional-hours requirement may be met by applicable work-based learning activities, e-learning activities, or a combination of both work-based learning and e-learning activities.)

#### Standard 12.1 – Access

Students must have access to the appropriate technology needed to access e-learning materials.

#### **Standard 12.2 – Curriculum and Student Progress**

All content/tasks taught by e-learning must be identified and a record of each student's progress must be maintained through the use of a Learning Management System (LMS).

#### **Standard 12.3 – Advisory Committee Input**

E-learning, for the purpose of meeting hour requirements, should be discussed and approved by the Advisory Committee.

Page 10 of 119

# POLICIES ACCREDITATION PROCESS

#### **Program Evaluation**

The accreditation process begins with an extensive program evaluation performed by training program instructors, administrators, and advisory committee members. Members of this group compare the program to national standards and have the opportunity to make improvements before submitting the application and a summary of the evaluation to the ASE Education Foundation.

### **Application Review**

The application for Initial Accreditation or Renewal of Accreditation is sent to the ASE Education Foundation, where it is reviewed to determine if the program qualifies for an on-site team evaluation.

Programs will have a maximum of 12 months to complete the accreditation process from the date their completed application for Initial or Renewal of Accreditation is received by the ASE Education Foundation. After 12 months, the program must submit a new application. This 12-month time frame may be shortened when applying under standards that are in the process of being phased out.

#### **Renewal of Accreditation**

Program accreditation is valid for five (5) years. Programs seeking accreditation renewal should submit a renewal application at least six months prior to their program's accreditation expiration date. If the program has not completed the renewal process prior to the program's accreditation expiration date, the accreditation will expire, and the program will be removed from the ASE accredited programs list. Programs whose accreditation has expired will have 60 days post expiration to submit a renewal application under current program requirements. Any program whose accreditation is expired beyond 60 days must follow the Initial Accreditation application process.

#### **On-Site Evaluation**

If the program qualifies, an Evaluation Team Leader (ETL), an educator (current or retired), of a an accredited program, trained by the ASE Education Foundation and with current ASE master certification credentials, is assigned to the program and an on-site visit is conducted.

#### **Recommendation for Accreditation**

When the standards are met, ASE program accreditation is valid for five (5) years from the official accreditation date issued. If a currently accredited program successfully completes the accreditation renewal process before the expiration date of the current five year accreditation timeframe, accreditation renewal does not begin until the current expiration date.

Page 11 of 119

If an accredited program fails to complete the accreditation renewal process before the expiration date of the current accreditation timeframe, the program accreditation ends until the renewal process has been successfully completed.

Programs having difficulty in meeting the hours or tools & equipment accreditation requirements should consider the following options:

- A. Borrowing equipment needed for instruction from a manufacturer, dealership, or independent repair shop.
- B. Arranging for instruction on tasks requiring equipment not available in the school program at a dealership or independent repair shop.

Programs choosing option A or B are required to show documentation on where the tasks are taught, by whom, and how students are evaluated.

# MEDIUM/HEAVY TRUCK MINIMUM REQUIREMENTS

- 1. The minimum program requirements are identical for Initial Accreditation and for Renewal of Accreditation.
- 2. Programs must meet the following hour requirements based on the level of accreditation sought.

Inspection, Maintenance, & Minor Repair

540 hours

combined classroom and
lab/shop instructional activities

740 hours

combined classroom and
lab/shop instructional activities

Master Truck Service Technology

1040 hours

combined classroom and
lab/shop instructional activities

to describe the service of the service

The ASE Education Foundation accepts what each school's accrediting entity (e.g. state education agency (SEA) or regional or national accrediting body) defines as an instructional hour. Because different SEAs or accrediting bodies may count instructional hours differently, this policy accommodates the unique situation in each school.

For example, if a 90-minute block is recognized as two hours of instruction by a school's accrediting entity and meets 180 days a year, you would calculate  $2 \times 180 = 360$  instructional hours for the year. If it is a 2-year program where the time block for the second year is the same as the first, you would calculate  $360 \times 2 = 720$  total program hours.

- 3. The average rating on each of Standards 6, 7, 8, 9 and 10 must be a four (4) on a five-point scale. The program will not be approved for an on-site evaluation if the average is less than four (4) on any of those standards. The program should make improvements before submitting the application to the ASE Education Foundation for review. A program will be denied accreditation if the on-site evaluation team average rating on Standards 6, 7, 8, 9 or 10 is less than four.
- 4. A "YES" response must be achieved on all six (6) criteria in Standard 12 if the program is using it to meet the instructional hour requirements for the purpose of accreditation. The program will not be approved for an on-site evaluation if it cannot support a "YES" response to each criterion on the program evaluation form. A program will be denied accreditation if the on-site evaluation team does not give a "YES" response to all six (6) criteria in Standard 12. This applies only to programs using the provisions in Standard 12 for the purpose of meeting instructional hour requirements.

Page 13 of 119 Effective 7/1/2025

- 5. A program may not be approved for an on-site evaluation if the average rating on Standards 1- 5 and 11 is less than a four on a five-point scale. A program may be denied accreditation if the on-site evaluation team average rating on Standards 1 5 and 11 is less than four. Approval for on-site evaluation or accreditation will be made by the ASE Education Foundation, based on the number of standards rated at 4 or 5 as well as the individual rating on any standard rated less than four.
- 6. All IMMR instructors must be ASE certified in T4, T6, T8, and one other Medium/Heavy Truck certification (T2, T3, T5, T7).

All TST and MTST instructors must hold current ASE certifications in T6 and T8, and in any other medium/heavy truck area(s) (T2, T3, T4, T5, and/or T7) they teach.

Instructor Qualifications		
IMMR	TC T0	T4 plus one other Medium/Heavy Truck ASE Certification.
TST MTST	T6, T8	Instructor Area(s) Taught. Program must cover T2-T8

T2 – Diesel Engines	T6 – Electrical/Electronic Systems
T3 – Drive Train	T7 – Heating, Ventilation, & Air Conditioning
T4 – Brakes	T8 – Preventive Maintenance Inspection
T5 – Suspension & Steering	

- 7. All instructors must complete twenty (20) hours of recognized industry technical update training each year, relevant to their program. Instructors may substitute ten (10) hours of documented hands-on work as a technician in a retail or fleet medium/heavy truck repair business outside the school (e.g., part-time work or summer externship) for one (1) hour of update technical training, up to a maximum of ten (10) hours of update technical training each year, toward the annual update training requirement. The work must be related to the areas they teach and take place in the same year for which substitute credit is sought. The ASE Education Foundation reserves the right to verify all hands-on work information reported and determine whether it meets all requirements.
- 8. The program Advisory Committee, consisting of at least five (5) industry members (not counting school personnel), must conduct at least two working meetings a year. Minutes of the meetings must be provided to the on-site evaluation team for review and must reflect relevant areas of the standards as having been considered by the Advisory Committee.

9. The Program Standards recognize that program content requirements vary by program type and by regional employment needs. Therefore, flexibility has been built into the task list by assigning each task a priority number. A program must include in their curriculum the designated percentage of tasks (or more) in each priority numbered category (P-1, P-2, and P-3) to be accredited. For IMMR, TST, and MTST Medium/Heavy Truck programs, the following minimum percentages are required:

At least 90% of all Priority 1 (P-1) tasks must be taught At least 70% of all Priority 2 (P-2) tasks must be taught At least 25% of all Priority 3 (P-3) tasks must be taught

- 10. A program that does not meet the minimum hour requirements may be eligible for accreditation if both of the following conditions are met for the level of accreditation being sought:
  - a. Show evidence that all graduates from the previous academic year have taken the professional level ASE certification examination, and
  - b. Show documentation that 75% of those graduates passed the professional level ASE certification tests. **NOTE:** The ASE Entry-Level Certification tests cannot be used to meet this requirement.
- 11. The concern for safety is paramount to the learning environment. Each program level has the following safety requirement preceding all related tasks:

Comply with personal and environmental safety practices associated with clothing; eye protection; hand tools; power equipment; proper ventilation; and the handling, storage, and disposal of chemicals/materials in accordance with local, state, and federal safety and environmental regulations.

## QUALIFICATIONS OF EVALUATION TEAM LEADERS (ETLs)

Evaluation Team Leaders (ETLs) are educators who have been trained by the ASE Education Foundation to lead the on-site evaluation. The ASE Education Foundation will assign an ETL once a program has been approved for an on-site evaluation. Every effort will be made to assign an ETL located close to the school to reduce the cost for the evaluation. Up to three additional team members, selected by the program and approved by the ETL, are required for a medium/heavy truck program on-site evaluation. (See the following page for additional information about team members and on-site teams.)

#### Persons selected as ETLs must:

- 1. have a minimum of six years of combined experience as a medium/heavy truck technician and a current or retired medium/heavy truck instructor (at least three years experience as a medium/heavy truck technician is required);
- 2. have a B.A. or B.S. in Education from a college or university recognized for teacher training by the state; and
- 3. be a current ASE certified master medium/heavy truck technician (T2-T8).

Or, if a state does not require medium/heavy truck instructors to have a B.A. or B.S. degree, the following qualifications will apply:

- 1. six years experience as a medium/heavy truck technician,
- 2. four years medium/heavy truck teaching experience at the secondary or post-secondary level, and
- 3. current ASE certified master medium/heavy truck technician (T2-T8).

ETL candidates who are active instructors must be directly associated with an accredited program. ETL candidates who are inactive instructors must have formerly been directly associated with an accredited program.

ETL training is valid for three years. However, an automatic three-year renewal is granted every time an ETL conducts an on-site evaluation. ETLs are required to attend additional training sessions or serve as a team member if they have not conducted an on-site evaluation within three years. This additional training is required even though the individual holds current ASE certification.

Anyone interested in becoming an Evaluation Team Leader should contact the ASE Education Foundation by phone at (703) 669-6650 or email at info@ASEeducationfoundation.org for more details.

Page 16 of 119 Effective 7/1/2025

# QUALIFICATIONS OF ON-SITE EVALUATION TEAM MEMBERS

The program requesting accreditation is responsible for recruiting and recommending on-site evaluation team members. The ETL must approve individuals recommended by the program. The on-site evaluation team members must be practicing medium/heavy truck technicians, or service managers or shop owners with prior experience as service technicians, from businesses in the area served by the training program.

#### Evaluation team members must have:

 at least three years full-time experience as a general medium/heavy truck technician and currently employed as a medium/heavy duty technicians, educator, field service engineer, OEM or aftermarket technical specialist, or medium/heavy truck service facility manager or owner.

ASE medium/heavy truck certification is recommended but not required. If you cannot find team members to meet the above requirements, consult with your ASE Education Foundation field manager.

In addition to the ETL, the Initial Accreditation evaluation team has three team members. If the program is generic, it is recommended the team members be from a mixture of dealer and aftermarket repair facilities.

In addition to the ETL, the Renewal of Accreditation evaluation team has two team members. If the program is generic, it is recommended the team members be from a mixture of dealer and aftermarket repair facilities.

Each program requesting accreditation must also identify their choice for an alternate evaluation team member should one of the other team members be unable to participate on the date(s) of the evaluation.

Team members may be advisory committee members as long as they <u>did not</u> participate in the program self-evaluation.

Team members must not be former instructors or graduates of the program within the past three years or relatives of the administrator or instructor.

Each program must identify their selections on the On-Site Evaluation Team Member List which is part of the application for Initial or Renewal of Accreditation.

Page 17 of 119 Effective 7/1/2025

#### TASK LIST INFORMATION

An essential element of any curriculum or training program is a valid task list. Medium/Heavy Truck technician instructors need a well-developed task list that serves as a solid base for course of study outlines and facilitates communication and articulation of their training programs with other institutions in the region.

It is a policy that the task list developed by the National Institute for Automotive Service Excellence (ASE) serves as the basis for the ASE Education Foundation task list. Panels of technical service experts from the automotive service industry and career technical education are called upon to develop and validate the task lists.

The ASE Entry-Level Certification tests are based on the ASE Education Foundation task lists. These tests can provide the student with their first industry-recognized certification through ASE.

Additional information on the development of the task list can be found in the Task List section.

All tasks have a Priority designation. The Program Standards recognize that program content requirements vary by program type and regional employment needs. Therefore, flexibility has been built into the task list by assigning each task a priority number. The priority number simply indicates the minimum percentage of tasks that a program must include in their curriculum in order to be accredited.

Page 18 of 119 Effective 7/1/2025

# TOOLS AND EQUIPMENT INFORMATION

The basic tools and equipment that <u>must</u> be available for use in the medium/heavy truck program are listed in the Tools and Equipment section. Many tools and much of the equipment are the same for some or all of the three levels. However, some equipment is specialized and <u>must</u> be available for use in the selected program level. The specialized tools/equipment lists for IMMR, TST and MTST are included in the Tools and Equipment section.

The student hand tool list covers all program levels. This list indicates the tools a student will need to own to be successful.

Although no brand names are listed, the equipment and tools must address the following programmatic issues:

- 1. <u>Safety</u> Equipment and tools must have all shields, guards, and other safety devices in place, operable, and used.
- 2. <u>Type and Quality</u> The tools and equipment used in an accredited program must be of the type and quality found in industry. They must also be adequate and in sufficient quantity to meet the program goals and student performance objectives.
- 3. <u>Consumable Supplies</u> Supplies should be in sufficient quantity to assure continuous instruction. Consumable supplies, such as solvents, sand paper, etc. are not listed.
- 4. <u>Maintenance</u> A preventive maintenance schedule should be used to minimize equipment down time.
- Replacement A systematic schedule for replacement should be used to maintain up-todate tools and equipment at industry and safety standards. Information gained from student program evaluations as well as advisory committee input should be used in the replacement process.
- 6. <u>Inventory</u> An inventory system should be used to account for tools, equipment, parts, and supplies.
- 7. <u>Parts Purchasing</u> A systematic parts-purchasing system should be used from work order to supplier.
- 8. <u>Hand Tools</u> Each student should be encouraged to purchase a hand tool set during the period of instruction.
- 9. <u>Storage</u> Adequate storage of tools should be provided. Space for storage of the students' hand tools should be provided.

Page 19 of 119 Effective 7/1/2025

### **GO/NO-GO STANDARDS**

The Program Standards for Initial Accreditation and Renewal of Accreditation are identical. Items listed below are considered **Go/No-Go** items and are critical for accreditation and are in **bold** print in the Medium/Heavy Truck Program Evaluation materials.

programs) convene a minimum of two working meetings per year?  Is the Advisory Committee included when conducting an annual evaluation of the facilities to assure adequacy in meeting program goals?  Does the medium/heavy truck program provide theory and "hands-on" training for 90% of the P-1, 70% of the P-2, and 25% of the P-3 tasks, as evidenced by cross-referencing the course of study, lesson plans, job sheets, and student progress charts?  Are all shields, guards, and other safety devices in place, operable, and used?  Do all students, instructors, and visitors comply with safety practices and wear safety glasses in the lab/shop area while lab is in session?  Are the tools and equipment available for the tasks taught at the program level being accredited?  Do instructors hold current ASE certification appropriate for the level of program accreditation being sought (IMMR, TST, or MTST)?  Do instructors attend a minimum of 20 hours per year of recognized industry update training (or equivalent) relevant to the program?	<u>6.1</u> A	in attendance (not counting school personnel or educators from other
evaluation of the facilities to assure adequacy in meeting program goals?  Does the medium/heavy truck program provide theory and "hands-on" training for 90% of the P-1, 70% of the P-2, and 25% of the P-3 tasks, as evidenced by cross-referencing the course of study, lesson plans, job sheets, and student progress charts?  Are all shields, guards, and other safety devices in place, operable, and used?  Do all students, instructors, and visitors comply with safety practices and wear safety glasses in the lab/shop area while lab is in session?  Are the tools and equipment available for the tasks taught at the program level being accredited?  Do instructors hold current ASE certification appropriate for the level of program accreditation being sought (IMMR, TST, or MTST)?  Do instructors attend a minimum of 20 hours per year of recognized		programs) convene a minimum of two working meetings per year?
<ul> <li>Does the medium/heavy truck program provide theory and "hands-on" training for 90% of the P-1, 70% of the P-2, and 25% of the P-3 tasks, as evidenced by cross-referencing the course of study, lesson plans, job sheets, and student progress charts?</li> <li>8.1A Are all shields, guards, and other safety devices in place, operable, and used?</li> <li>8.1B Do all students, instructors, and visitors comply with safety practices and wear safety glasses in the lab/shop area while lab is in session?</li> <li>8.2A Are the tools and equipment available for the tasks taught at the program level being accredited?</li> <li>Do instructors hold current ASE certification appropriate for the level of program accreditation being sought (IMMR, TST, or MTST)?</li> <li>Do instructors attend a minimum of 20 hours per year of recognized</li> </ul>	<u>6.61</u>	Is the Advisory Committee included when conducting an annual
training for 90% of the P-1, 70% of the P-2, and 25% of the P-3 tasks, as evidenced by cross-referencing the course of study, lesson plans, job sheets, and student progress charts?  8.1A Are all shields, guards, and other safety devices in place, operable, and used?  8.1B Do all students, instructors, and visitors comply with safety practices and wear safety glasses in the lab/shop area while lab is in session?  8.2A Are the tools and equipment available for the tasks taught at the program level being accredited?  10.1 Do instructors hold current ASE certification appropriate for the level of program accreditation being sought (IMMR, TST, or MTST)?  10.3B Do instructors attend a minimum of 20 hours per year of recognized		evaluation of the facilities to assure adequacy in meeting program goals?
evidenced by cross-referencing the course of study, lesson plans, job sheets, and student progress charts?  8.1A Are all shields, guards, and other safety devices in place, operable, and used?  8.1B Do all students, instructors, and visitors comply with safety practices and wear safety glasses in the lab/shop area while lab is in session?  8.2A Are the tools and equipment available for the tasks taught at the program level being accredited?  10.1 Do instructors hold current ASE certification appropriate for the level of program accreditation being sought (IMMR, TST, or MTST)?  10.3B Do instructors attend a minimum of 20 hours per year of recognized	<b>7.4</b> A	Does the medium/heavy truck program provide theory and "hands-on"
sheets, and student progress charts?  Are all shields, guards, and other safety devices in place, operable, and used?  B.1B Do all students, instructors, and visitors comply with safety practices and wear safety glasses in the lab/shop area while lab is in session?  Are the tools and equipment available for the tasks taught at the program level being accredited?  Do instructors hold current ASE certification appropriate for the level of program accreditation being sought (IMMR, TST, or MTST)?  Do instructors attend a minimum of 20 hours per year of recognized		training for 90% of the P-1, 70% of the P-2, and 25% of the P-3 tasks, as
<ul> <li>8.1A Are all shields, guards, and other safety devices in place, operable, and used?</li> <li>8.1B Do all students, instructors, and visitors comply with safety practices and wear safety glasses in the lab/shop area while lab is in session?</li> <li>8.2A Are the tools and equipment available for the tasks taught at the program level being accredited?</li> <li>10.1 Do instructors hold current ASE certification appropriate for the level of program accreditation being sought (IMMR, TST, or MTST)?</li> <li>10.3B Do instructors attend a minimum of 20 hours per year of recognized</li> </ul>		evidenced by cross-referencing the course of study, lesson plans, job
used?  Do all students, instructors, and visitors comply with safety practices and wear safety glasses in the lab/shop area while lab is in session?  Are the tools and equipment available for the tasks taught at the program level being accredited?  Do instructors hold current ASE certification appropriate for the level of program accreditation being sought (IMMR, TST, or MTST)?  Do instructors attend a minimum of 20 hours per year of recognized		sheets, and student progress charts?
wear safety glasses in the lab/shop area while lab is in session?  8.2A Are the tools and equipment available for the tasks taught at the program level being accredited?  10.1 Do instructors hold current ASE certification appropriate for the level of program accreditation being sought (IMMR, TST, or MTST)?  10.3B Do instructors attend a minimum of 20 hours per year of recognized	<u>8.1</u> A	
level being accredited?  10.1 Do instructors hold current ASE certification appropriate for the level of program accreditation being sought (IMMR, TST, or MTST)?  10.3B Do instructors attend a minimum of 20 hours per year of recognized	<u>8.11</u>	
level being accredited?  10.1 Do instructors hold current ASE certification appropriate for the level of program accreditation being sought (IMMR, TST, or MTST)?  10.3B Do instructors attend a minimum of 20 hours per year of recognized	<b>8.2</b> A	Are the tools and equipment available for the tasks taught at the program
10.1 Do instructors hold current ASE certification appropriate for the level of program accreditation being sought (IMMR, TST, or MTST)?  10.3B Do instructors attend a minimum of 20 hours per year of recognized		
program accreditation being sought (IMMR, TST, or MTST)?  10.3B Do instructors attend a minimum of 20 hours per year of recognized	10.1	e
10.3B Do instructors attend a minimum of 20 hours per year of recognized		
	10.3	

For programs using e-learning for the purpose of meeting accreditation instructional hour requirements, support for a 'YES' response must be provided for each criterion below:

<u>12.1A</u>	Is there documentation that students have access to appropriate technology for e-learning purposes?
<u>12.2A</u>	Are the content/tasks that are to be delivered via e-learning clearly highlighted in the Course of Study?
<u>12.2B</u>	Is there documentation that e-learning is incorporated into the content/tasks in the program plan?
<u>12.2C</u>	Do the instructional hours to be credited toward meeting up to 25 percent of the program hour requirements correlate with the vendor's average completion time for each instructional module?
<u>12.2D</u>	Is there documentation of the implementation and use of e-learning instructional materials as evidenced in a Learning Management System (LMS)?
<u>12.3A</u>	Are Advisory Committee meeting minutes available to confirm that the committee has discussed and approved e-learning?

Page 20 of 119

Programs must be able to support a <u>yes</u> response for all eight items (fourteen items if using Standard 12 – E-learning). Programs must also meet the hour requirements listed in item 2 of the <u>Medium/Heavy Truck Minimum Requirements</u> appropriate for the level of accreditation sought. If the program does not meet these go/no-go requirements, <u>do not apply for accreditation until it it does.</u>

In addition, an on-site evaluation will not be scheduled unless the <u>average score</u> on each of Standards 6, 7, 8, 9, and 10 is at least a 4 on the Medium/Heavy Truck Program Evaluation. Please refer to the Medium/Heavy Truck Program Requirements for more information.

Instructors must be ASE certified in accordance with the requirements for the program level being accredited. Please refer to item 6 of the Medium/Heavy Truck Minimum Requirements.

#### RECOGNITION FOR ACCREDITATION

A program approved for Initial Accreditation or Renewal of Accreditation will receive a plaque that includes the school's name and the expiration date of accreditation. A statement will read:

"THE INSTRUCTION, COURSE OF STUDY, FACILITIES AND EQUIPMENT OF THIS INSTITUTION HAVE BEEN EVALUATED BY THE ASE EDUCATION FOUNDATION AND MEET STANDARDS OF QUALITY FOR THE TRAINING OF MEDIUM/HEAVY TRUCK TECHNICIANS AT THE FOLLOWING LEVEL:

-	
Institutions receiving ASE proon the graduate's diploma or	rogram accreditation are encouraged to put the following statement certificate:
1	this diploma has participated in a medium/heavy truck technician t was accredited by ASE and has completed instruction at the
-	

A screened ASE Education Foundation logo may be overprinted with the above statement and placed on the graduate's diploma. A logo is provided in the promotional material a program receives upon accreditation.

Programs granted Initial Accreditation will also receive a 24"x 30" sign indicating that the training program is ASE accredited.

#### INTEGRATED ACADEMIC SKILLS RECOGNITION

A technician's job description consists of far more than the performance of manipulative tasks required to service today's complex vehicles. Successful technicians must possess an array of workplace skills and a unique blend of academic and technical skills.

To that end, the ASE Education Foundation Board of Directors has approved an updated version of integrated academic skills in the disciplines of English, mathematics, and science for automotive technicians. This new document, titled *Being Relevant Matters* was made possible through a grant program created by the ACT Foundation. It provides a road map for teachers and school administrators to balance the needs of technical education with the ever-increasing academic requirements for high school students who have opted for a career/technical education over the college prep path.

Teams of automotive and academic teachers, representing the disciplines of English/language arts, mathematics and science, identified academic principles and subject matter embedded in various automotive tasks. These were then formatted into content descriptions that include templates for crafting credit-worthy integrated or stand-alone academic classes.

The ASE Education Foundation will issue a certificate of excellence to those programs that provide documentation including, but not limited to, student assignments or activities, classroom/lab instructional materials, student performance records, and interviews with academic instructors.

Programs that wish to receive recognition must complete the Integrated Academic Skills Recognition form and return it with the application for Initial Accreditation or Renewal of Accreditation. Documentation on integrated academic skills activities must be available for the ETL at the time of the on-site evaluation.

Programs may receive recognition in English, mathematics, science, or any combination of the three areas.

The Integrated Academic Skills guide *Being Relevant Matters* is available on the ASE Education Foundation website at www.ASEeducationfoundation.org.

Page 23 of 119

Effective 7/1/2025

#### APPEALS AND ACTION FOR REVOCATION

#### APPEALS: PROGRAMS APPLYING FOR ACCREDITATION

A complaint received from any school concerning the procedures, evaluation or accreditation of the medium/heavy truck technician training program must be made in writing to the ASE Education Foundation in Leesburg, VA. It will be immediately referred to a Grievance Examiner who will acknowledge receipt of the complaint in writing to the complainants. Thereafter, a Grievance Examiner will investigate the complaint and prepare a report. A copy of the report will be given to the complainants and to an Appeals Committee within thirty (30) days of the receipt of the complaint.

The Appeals Committee will review the findings and recommendations of the Grievance Examiner, together with the complaint and any data supplied in connection therewith. The Appeals Committee will be empowered to dismiss the matter or to initiate such action as it may deem appropriate.

If the complainants desire to review the Appeals Committee's evaluation, they may do so at the office of the Grievance Examiner in Leesburg, VA. However, they will not be permitted to make copies of the results.

#### **ACTION FOR REVOCATION: ASE ACCREDITED PROGRAMS**

The Appeals Committee will also advise the ASE Education Foundation President of its judgments and recommendations for action in any cases of malpractice or misrepresentation involving the misuse of ASE program accreditation for a medium/heavy truck technician training program. Upon receipt of a complaint alleging misuse or misrepresentation by an accredited program, a Grievance Examiner will be notified. The Grievance Examiner will notify the parties against whom the complaint has been filed, in writing, indicating the alleged wrongdoing. The parties will be further advised that they may submit a written explanation concerning the circumstances of the complaint within thirty (30) days. After the Grievance Examiner has considered the complaint and received the explanation, if any, the Grievance Examiner will determine whether there is a reasonable basis for a possible wrongdoing. If the Grievance Examiner finds such a basis, the Grievance Examiner will inform the parties of the findings. At that time, the Grievance Examiner will inform the parties of their right to a hearing before an Appeals Committee. The parties will have fifteen (15) days to notify the Grievance Examiner, in writing, of their decision.

In the event the involved parties elect to be bound by the findings of the Grievance Examiner without a hearing, the Grievance Examiner will submit a written report with recommendations to the Chair of the Appeals Committee. This report will be submitted within sixty (60) days of the receipt of the waiver of a hearing. The Chair of the Appeals Committee will mail a copy of the Grievance Examiner's findings and recommendations to the parties. In the event that the involved parties elect to appear at a hearing, the Chair of the Appeals Committee will call a Board of Inquiry. This Board will consist of four ASE Education Foundation and/or ASE Board members. The Board of Inquiry will be convened in Leesburg, VA at a date and time determined

Page 24 of 119

by the Chair. The Board will notify the involved parties, in writing, regarding the time and place of the hearing.

The Grievance Examiner will be responsible for investigating and presenting all matters pertinent to the alleged wrongdoing to the Board of Inquiry. The involved parties will be entitled to be at the hearings with or without counsel. The parties will be given an opportunity to present such evidence or testimony as they deem appropriate.

The Board of Inquiry will notify the Chair of the Appeals Committee of its findings and recommendations in writing within ten (10) days after the hearing is completed.

The Appeals Committee will review the findings and recommendations of either the Grievance Examiner if a hearing was waived, or the Board of Inquiry if a hearing was held. The Appeals Committee will determine if the record on the complaint supports a finding of conduct contrary to or in violation of reasonable practices. If two-thirds of the Appeals Committee so find, the Committee will recommend to the ASE Education Foundation President the appropriate sanctions or courses of action against the parties charged.

#### **DEFINITIONS – EDUCATIONAL TERMS**

- 1. **ARTICULATION:** A formal written agreement, usually between a secondary and post-secondary institution that are geographically within a reasonable daily commuting distance of each other. The agreement will clearly denote students completing specific secondary courses in accordance with predetermined performance criteria will have partially completed commensurate requirements for a completion certificate or diploma awarded by the postsecondary institution. Commensurate requirements could be in the form of credit equivalents, advanced placement, task completion, etc. at the post-secondary institution.
- 2. **CURRICULUM:** All the objectives of the lesson plan with respect to the content and learning activities, arranged in a sequence for a particular instructional area. An orderly arrangement of integrated subjects, activities, time allocations, and experiences which students pursue for the attainment of a specific educational goal.
- 3. **COMPETENCY:** (Hands-on) Performance of task to the level or degree specified in the performance standard and curriculum for the task.
- 4. **COMPETENCY:**(Written) Understanding of task to the level or degree specified in the performance standard and curriculum for the task.
- 5. <u>CRITERION REFERENCED MEASURE(S)</u>: An exercise based on a performance objective for a task and designed to measure attainment of that objective. (Also called performance test(s) or criterion-referenced test.)
- 6. <u>E-LEARNING</u>: An electronically based, instructor managed, and student driven learning process— may be outside or in place of the regularly scheduled classroom and support of lab/shop required time frame—and includes integrated and scored auditable assessment and reporting in compliance with the ASE Education Foundation's e-learning general framework criteria.
- 7. **GOAL:** A statement of the intended outcome of participation in the training program.
- 8. **HOUR:** For ASE Education Foundation purposes, as instructional hour as defined by a school's accrediting entity (e.g. state agency (SEA) or regional or national accrediting body). Different SEAs or accrediting bodies may count instructional hours differently. For example, if a 90-minute block is recognized as two hours of instruction by a school's accrediting entity and meets 180 days a year, you would calculate 2 x 180 = 360 instructional hours for the year for ASE program accreditation.
- 9. <u>LIVE WORK</u>: The processing, assignment, and student performance of the appropriate tasks on vehicles donated by manufacturers or other sources, customer-owned, and other training vehicles.

- 10. <u>LEARNING MANAGEMENT SYSTEM (LMS)</u>: An electronically based, instructor managed, and student driven process that enhances and/or supplements learning—outside the regularly scheduled classroom and lab/shop time frame—*and includes integrated and scored auditable assessment and reporting* in compliance with the ASE Education Foundation's e-learning general framework criteria.
- 11. **MASTERY:** (See Competency Hands-on and Competency Written).
- 12. **OBJECTIVE, PERFORMANCE:** A written statement describing an intended outcome (competent task performance) in terms of student performance. (also called "behavioral" objective or instructional objective).
- 13. ON-VEHICLE SERVICE AND REPAIR WORK: The processing, assignment, and student performance of the appropriate tasks on vehicles donated by manufacturers or other sources, customer-owned, and other training vehicles.
- 14. **PERSONAL CHARACTERISTIC:** Attributes that are not readily measurable and are generally in the affective or cognitive domains.
- 15. **PRIORITY RATINGS:** Indicates the minimum percentage of tasks that a program must include in its curriculum in order to be accredited.
- 16. **STANDARD:** "...Something established for use as a rule or basis of comparison in measuring or judging capacity, quantity, content, extent, value, quality, etc." Webster's New World Dictionary (1991)
- 17. **STANDARD (PERFORMANCE):** A written specification of the results of acceptable task performance.
- 18. <u>STANDARD (PERSONAL)</u>: An attribute or characteristic of an individual that facilitates entry into or advancement within an occupation.
- 19. <u>STANDARD (PROGRAM)</u>: A specific quality or desired characteristic of a training program designed to prepare individuals for employment or advancement.
- 20. <u>TASK</u>: A psychomotor or cognitive entry-level learning activity consisting of one or more measureable steps accomplished through an instructor presentation, demonstration, visualization or a student application.
- 21. **TRAINING STATION:** An area with appropriate tools and equipment, large enough to allow the development of both safety and competency in task performance.

- 22. **WORK-BASED LEARNING:** For ASE program accreditation purposes, work-based learning is a formalized and structured credit bearing instructional dimension of the automotive training program that is an integral part of the institution's master schedule, is available to all automotive students at the appropriate grade level, and meets the following criteria:
- a) A written customized training plan and performance standards that each student is expected to meet, to be signed off by the student, the student's parent or legal guardian, the authorized work-based learning site representative, and the work-based learning coordinator.
- b) A written agreement between the sponsoring educational institution and the work-based learning site that is in compliance with state/federal rules and regulations governing work-based learning programs.
- c) A written plan of oversight and supervision designating who has the authority to coordinate, monitor and evaluate the work-based learning program, including individual student performance.

\*

<u>Must</u> or <u>shall</u> is an imperative need, duty or requirement; an essential or indispensable item; mandatory.

<u>Should</u> is used to express a recommendation, not mandatory, but attainment would increase program quality.

May or could expresses freedom to follow a suggested alternative.

## POLICIES ON ARTICULATION AGREEMENTS

There is no provision for articulated accreditation for medium/heavy truck training programs under the current Medium/Heavy Truck program standards. Regardless, ASE Education Foundation Board action, as well as language in the Carl D. Perkins Vocational Education Act, encourages articulation between programs at the secondary and post-secondary levels.

Articulation agreements may be entered into between any consenting institutions and are generally defined by a formal written agreement. This agreement usually defines the terms of the articulation, including, but not limited to, the terms under which a student completing specific coursework at one institution may receive credit\* from the other institution. Articulation agreements encourage, but cannot require, graduates of secondary programs to go on to post-secondary education.

\* Credit is defined as a form of recognition for work that has been completed at the secondary level. It includes, but is not limited to, granting academic credit, advanced placement, task completion, etc.

Page 29 of 119

# PROCEDURES FOR INITIAL ACCREDITATION OR RENEWAL OF ACCREDITATION

#### PROCESS OVERVIEW

**NOTE**: The ASE Education Foundation recommends that programs maintain a file containing copies of all reference and documentation materials developed during all phases of the accreditation process.

### 1. Application Materials

The program requesting accreditation can download the program evaluation form and application from the ASE Education Foundation website at <a href="www.ASEeducationfoundation.org">www.ASEeducationfoundation.org</a>. Initial Accreditation requires the program have at least one graduated class before application submission.

Programs may begin submitting applications using the 2025 standards July 1, 2025. Applications using earlier standards will no longer be accepted after December 31, 2025.

To begin the accreditation process, the following must be completed before an application is submitted:

- An extensive program evaluation must be conducted by school personnel and a minimum of (4) Advisory Committee members using the Program Self Evaluation form.
- Standards 1 10 and 11/12 if applicable must be rated.
- Initial Accreditation An average rating of 4 for Standards 1 10 and 11/12 if applicable is required prior to submitting the application to the ASE Education Foundation for review.

An application for Accreditation or Renewal of Accreditation must include:

- Program Evaluation Summary Sheet
- On-site Evaluation Team Member List
- Instructor Qualifications Forms and Instructor Training Forms
- Advisory Committee List
- Integrated Academics Recognition Forms (optional)
- Payment Worksheet—Purchase Order, Check, or Credit Card Authorization for Base Application Fee and additional fees as applicable (applications will be returned if received without payment)

#### **RENEWAL OF ACCREDITATION – Please note:**

- Programs seeking accreditation renewal should submit a renewal application at least six months prior to their program's accreditation expiration date.
- If the program has not completed the renewal process prior to the program's accreditation expiration date, the accreditation will expire, and the program will be removed from the ASE Education Foundation accredited programs list.

Page 30 of 119 Effective 7/1/2025

• Programs whose accreditation has expired will have **60** days post expiration to submit a renewal application under current program requirements. **Any program whose accreditation** is expired beyond **60** days must follow the Initial Accreditation application process.

#### 2. Review of Application

The ASE Education Foundation will review the materials within 30 days. Following the review, the Program Administrator will be notified about the status of the application. The program will be identified as one of the following:

- a. Qualified for on-site evaluation for the level listed on the application.
- b. Not qualified for an on-site evaluation at that time. The ASE Education Foundation will indicate specific improvements that must be made before the on-site evaluation can be approved.

#### 3. Evaluation Team Leader (ETL) Assigned, Program Coordinator Makes Contacts

- The ASE Education Foundation will assign an Evaluation Team Leader (ETL) to the program.
- The program administrator and primary contact will be notified of the ETL assignment and provided with the necessary ETL contact information.
- Included with the notification of ETL assignment will be an On-site Evaluation
  Agreement. The On-site Evaluation Agreement outlines the required documentation to be
  provided to the ETL. This agreement must be completed and returned to the ETL and a
  copy provided to the ASE Education Foundation after the on-site date has been
  established.
- The ETL will contact the Program Coordinator to arrange a date for the on-site evaluation. It is acceptable for the Program Coordinator to initiate contact with the ETL.
- With a legitimate reason, the Program Coordinator may contact the ASE Education
  Foundation to request a different ETL. A request for a different ETL must be in writing
  and specific as to the reason for the request. (The ETL assigned must NOT be a present
  or former teacher or administrator, or a member of the Advisory Committee of the
  program to be evaluated.)
- 4. Send On-Site Evaluation Agreement, Copy of the Application, Course of Study, List of On-Site Evaluation Team Members, Program Graduate Employer Contact Form, and Necessary Payment Forms to the ETL

A copy of the items listed below must be received by the ETL at least **two weeks prior** to the on-site evaluation or the on-site must be rescheduled.

Items required prior to on-site evaluation:

- On-site Evaluation Agreement signed by the program administrator
- Copy of the Initial or Renewal of Accreditation Application
- Course of Study which includes:
  - Syllabus for each class
  - o Tasks to be taught specified according to Priority designations P-1, P-2, P-3
  - Number of contact hours
  - o Sequence of instruction to be included in the program
  - o List of training materials used in training
  - o Sample evaluation form used to track student progress
- Advisory Committee minutes
  - o One year's worth for Initial Accreditation
  - o Five years' worth for Renewal of Accreditation
- Program Graduate Employer Contact form

For programs using e-learning (Standard 12) to meet the hour requirements the following must be included in addition to the above list:

- Tasks and information to be taught using e-learning materials outside of classroom/lab/shop time
- Number of hours allocated to using e-learning instructional materials outside of classroom/lab/shop time correlated with vendor/developer's average completion time for each module
- Sample of the Learning Management System (LMS) used to track student progress

The On-site Evaluation Team Member List must be included for the ETL to review and approve. Once a date has been set and the on-site evaluation team members have been approved by the ETL, the program coordinator must contact the on-site evaluation team members to make arrangements for the evaluation day(s).

A Program Graduate Employer Contact form with the names of 6 previous graduates must be provided. The program instructor or administrator should contact the employers prior to the on-site visit informing the employer a representative from ASE Education Foundation will be in contact with them regarding their experience as a student and graduate.

#### 5. On-Site Evaluation

<u>Initial Accreditation</u> requires <u>2 consecutive days</u> while students are in class for the on-site evaluation review of all the standards. However, if more than one program is applying for accreditation (general automotive and GM ASEP, for example), additional team members and additional days may be required to complete the on-site evaluation. The ASE Education Foundation will determine the need for additional team members and days.

**Renewal of Accreditation** requires a 1-day on-site evaluation while students are in class. The on-site evaluation team reviews Standards 2.1A, 6-10 (and Standard 12 if applicable) as well as all **go/no-go** (critical) items. However, if the Program Self Evaluation average on Standards 1-5 or Standard 11 is less than 4, the on-site evaluation team must also review

these standards. The ASE Education Foundation will determine whether an additional day or additional team members will be required to complete the evaluation.

# **6.** ETL Reports Results

The ETL will submit all on-site evaluation materials and a final report to the ASE Education Foundation with a recommendation for or against program accreditation.

#### 7. Program Accreditation

The ASE Education Foundation will review the final report and all additional evaluation materials to determine whether the program meets the requirements for accreditation and will make their recommendation to the Board of Directors. The President will approve accreditation as sanctioned by the Board of Directors.

Programs that do not earn accreditation will be given a written report specifying improvements that must be made to qualify for accreditation.

The Program Administrator will be notified of all decisions regarding the approval status of all programs applying for accreditation. Any appeals must follow the stated appeals process.

# 8. Display and Reporting of Accreditation

A wall plaque identifying the accredited level will be forwarded from the ASE Education Foundation to the program administrator. Schools **must** accurately report the level of accreditation.

# 9. Accredited Technician Training Program List

The ASE Education Foundation maintains a current listing of all ASE accredited programs. The list is made available on the website at <a href="www.ASEeducationfoundation">www.ASEeducationfoundation</a>. Programs that do not complete the renewal process by their expiration date will be removed from the list.

# 10. Annual Report

Each year all accredited programs are required to update all contact information.

# 11. Compliance Review

A program is accredited for five years. A compliance report is completed by the program Advisory Committee after 2½ years. The compliance report is used to verify that a program is maintaining the program standards. The ASE Education Foundation will notify the program administrator at the 2-year anniversary of accreditation that a compliance review is due. The report is due 6 months after the notification date. If the report is not received within 60 days past the due date, the program's status will be set to "Due to Reaccredit" and the program will be removed from the roster of accredited programs. The program may be

Page 33 of 119

required to have an on-site visit conducted by an ETL and ASE Education Foundation Directors, staff, consultants, or other designated representatives to verify program compliance prior to the program status being restored to "Accredited."

Additionally, the ASE Education Foundation may randomly select programs at the 2½-year period for an on-site compliance review by an ETL and ASE Education Foundation Directors, staff, consultants, or other designated representatives. Selected programs will be notified, in advance, of the on-site review. Programs should be prepared to provide documentation on how they are maintaining the standards. All costs for this on-site review will be paid by the ASE Education Foundation.

Compliance review forms are available on the website at <a href="www.ASEeducationfoundation.org">www.ASEeducationfoundation.org</a>.

#### 12. Renewal of Accreditation

A program is accredited for five years. The ASE Education Foundation will contact the program twelve (12) months prior to the accreditation expiration date. Programs can download the accreditation materials at <a href="https://www.ASEeducationfoundation.org">www.ASEeducationfoundation.org</a> and follow the process outlined above.

# ON-SITE EVALUATION COST SHEET

	INITIAL ACCREDITATION FEE	RENEWAL OF ACCREDITATION FEE
Base Accreditation Processing Fee	\$2,530.00	\$1,895.00
Manufacturer Specific Accreditation Processing Fee (if applicable this fee is in addition to the Base Accreditation Fee)	\$1,085.00	\$930.00

**NOTE:** Payment for the ETL honorarium and the ETL expenses are now included in the base accreditation and manufacturer fees (if applicable) and are paid to the ETL by the ASE Education Foundation at the conclusion of the on-site visit. Each on-site visit requires the assigned ETL plus additional team members, usually recruited from local repair shops and dealerships. At most schools, the additional team members volunteer their time. Other schools choose to pay those team members for their time and efforts. This is up to each school to decide, and the prices do <u>not</u> include any team member payments other than the ETL.

It is anticipated that team members recruited from local independent repair facilities and dealerships will serve without charge to the institution.

The ASE Education Foundation must receive the application fee with the completed application. Applications received without payment will be returned to the program for resubmission with payment.

Costs of Initial Accreditation and Renewal of Accreditation are subject to change. Contact the ASE Education Foundation for current information.

#### SPECIAL CONSIDERATIONS FOR RENEWAL OF ACCREDITATION

#### **Evaluation**

The Renewal of Accreditation process requires a one-day on-site program evaluation while students are in class. Team members only evaluate Standards 6-10 unless the ETL is given other instructions by the ASE Education Foundation. The ETL must submit a Final Report Form for each program evaluated.

# Conducting an On-Site Program Evaluation when the Self Evaluation has rated a Standard Below 4

Renewal of Accreditation requires that four members of the Advisory Committee complete the Program Evaluation form. If a rating on one or more standards is below a 4 on the 5-point scale, it will be necessary for the on-site evaluation team to rate those standards in addition to Standards 6-10. The ASE Education Foundation will advise the ETL if it will be necessary to rate additional standards. An additional team member or an additional day may be required for the on-site evaluation. The ASE Education Foundation will make that determination before the on-site evaluation is scheduled.

# **Renewal of Accreditation for Two or More Programs**

It may be necessary to schedule an additional day or add team members if more than one program is due to renew their accreditation at the same time (example: general automotive, GM ASEP, etc.). The ASE Education Foundation will make that determination before the on-site evaluation is scheduled. The ETL must submit a separate Final Report Form for each program.

Page 36 of 119 Effective 7/1/2025

# EVALUATION GUIDE AUTOMOTIVE PROGRAM EVALUATION

Everyone associated with an automotive training program, whether it is automobile, collision repair & refinish, or medium/heavy truck, should be aware that an extensive program self-evaluation must be conducted by school personnel and certain criteria must be met to be approved for an on-site team evaluation. Documentation must be available for the on-site team to verify that the program meets all requirements for accreditation. The good news is the on-site team will evaluate exactly the same items the school evaluated.

Both the Program Standards and Program Evaluation form contain helpful hints to assist programs through the accreditation process. These hints were developed by a group of experienced ETLs, ASE Education Foundation staff and Directors. The result is a collection of suggestions for schools and ETLs alike to be used as a guide for preparing, reviewing, and evaluating the documentation needed for program accreditation. These suggestions are meant as examples but there are many other documents that can be used to show how programs meet the standards for accreditation.

When evaluating the statements on the Program Evaluation form read the statement on the form, refer to the Program Standard for additional information on each standard sub-section. It is helpful to make notes of reference materials used to rate the standard. While preparing for the on-site evaluation, make copies of the information, clearly mark the reference, and highlight specific information for each sub-section. For example, Standard 1.2 A. asks to rate program materials available (brochure or catalog) on the inclusion of admission requirements, employment potential, etc. Have a copy of the school catalog available for the team with the section identified with a sticky note and specific information highlighted.

The evaluation team will look at the same statement and will use the information provided to them to rate the items. The evaluation team should make comments on any sub-section that is rated above or less than 4.

# ADVISORY COMMITTEE TASKS WITHIN PROGRAM STANDARDS

The Advisory Committee is possibly the most important tool that any automotive technician training program can have, particularly when it is used properly and to its full extent. Regular meetings and good documentation of the meetings in the form of minutes is a must. The following are standards that must specifically be addressed by/with the program advisory committee and be reflected in the minutes. In order to ensure that these items are addressed, this document might be used as a guideline for developing an agenda for an advisory committee meeting. Programs should not limit the use of the advisory committee to only these items, but these items MUST be addressed:

Standard	Contents	Documentation
6.1 A	Does the Advisory Committee, consisting of at least 5 industry members in attendance (not counting school personnel or educators from other programs) convene a minimum of two working meetings per year?	Meeting minutes from at least two meetings per year (one year for Initial Accreditation; five years for Renewal of Accreditation).
6.1 B	Rate the input of committee members in terms of participation, providing input on program improvement, and attendance as indicated in the minutes.	Meeting minutes
6.1 C	Rate the mix of committee members in terms of being representative of the following groups: medium/heavy truck technicians, local employers, former students, others (automotive trainers, parents, educators from other programs, etc.)	List of all advisory committee members and their affiliations.
6.2A	Rate the use of the Advisory Committee review of student surveys in the evaluation process.	Highlight pertinent discussion in Advisory Committee meeting minutes.
6.3A	Rate the Advisory Committee input in reviewing funds allocated to and used by the program.	Highlight pertinent discussion in Advisory Committee meeting minutes.
6.3 B	Rate the Advisory Committee input on whether the funding is adequate for program operation.	Provide funding information and highlight pertinent discussion regarding adequacy of funding in Advisory Committee minutes.
6.4A	Rate the Advisory Committee's review of information from the annual follow-up completed by the graduate and employer	Describe the annual review process and provide an example from the annual survey data and Advisory

	surveys and resulting recommendations for	committee minutes with
	modifications to the training program,	pertinent information
		highlighted.
6.5A	Rate the use of the Advisory Committee to	Highlight pertinent
	provide input on the addition/deletion of tasks	information in the Advisory
	and its approval of task changes	Committee minutes.
6.6A	Rate the Advisory Committee use of the	Highlight pertinent discussion
	annual review process to provide input on	in Advisory Committee
	maintaining up-to-date tools and equipment.	meeting minutes.
6.6B	Is the Advisory Committee included when	Highlight pertinent
	conducting an annual evaluation of the	information in Advisory
	facilities to assure safety and adequacy in	Committee minutes.
	meeting program goals?	
*12.3 A	Are Advisory Committee meeting minutes	Highlight pertinent
	available to confirm that the committee	information in the Advisory
	has discussed e-learning?	Committee meeting
		minutes.

<sup>\*</sup>Standard 12 applies only to programs using e-learning outside of scheduled classroom/lab/shop time to meet instructional hour requirements for the purpose of achieving accreditation.

# MEDIUM/HEAVY TRUCK TASK LIST TASK LIST AND ASSUMPTIONS

The ASE Education Foundation task list was reviewed and updated in February 2025. A national committee was assembled in Sterling, Virginia to review the standards used in the medium/heavy truck accreditation program. The committee consisted of individuals representing the major truck manufacturers, truck repair shop owners and technicians, truck instructors and trainers, and truck equipment and parts suppliers.

The committee reviewed the task list, tools and equipment list, program hours, and instructor qualifications. The committee was also provided with the most current National Institute for Automotive Service Excellence (ASE) Medium/Heavy Truck Technician Tests Task Lists for reference purposes.

All the tasks are assigned a priority number: P-1, P-2, or P-3. Information regarding the priority ratings can be found in the Policies section of the Program Standards. **Note: A task is a psychomotor or cognitive entry-level learning activity consisting of one or more measurable steps accomplished through an instructor presentation, demonstration, visualization, or a student application.** 

Theory instruction and hands-on performance of all the basic tasks will provide initial training for **entry-level** employment in the automotive service field or prepare the student for further training. Competency in the tasks will indicate to employers that the graduate has the skills needed for entry-level employment in the medium/heavy truck service field.

#### 1. It is assumed that:

- \* at all levels of accreditation, appropriate theory, safety, and support instruction will be required for performing each task;
- \* the instruction has included identification and use of appropriate tools and testing and measurement equipment required to accomplish certain tasks;
- \* the student has received the necessary training to locate and use current reference and training materials from accepted industry publications and resources; and
- \* at all levels of accreditation, the student has developed an understanding of workflow documentation (written or electronic), including the ability to create and update work/repair orders, warranty reports, and inspection reports, to include information regarding problem resolution and the results of the work performed for the customer and manufacturer. This process will incorporate the "Three C's" (concern/complaint, cause, and correction) as a format to communicate this information.

#### 2. It is assumed that:

\* all diagnostic and repair tasks described in this document are to be accomplished in accordance with manufacturer's recommended procedures and safety precautions as published.

Page 40 of 119

#### 3. It is assumed that:

- \* individual courses of study will differ across medium/heavy truck technician training programs;
- \* development of appropriate learning delivery systems and tests which monitor student progress will be the responsibility of the individual training program;
- \* individual training programs being evaluated for accreditation should document performance standards for each task covered and taught in the curriculum;
- \* the learning progress of students will be monitored and evaluated against these performance standards; and
- \* a system is in place that informs all students of their individual progress through all phases of the training program.

#### 4. It is assumed that:

- \* all students will receive instruction in the storage, handling, and use of Hazardous Materials as required in Hazard Communication Title 29, Code of Federal Regulations Part 1910.1200, "Right to Know Law", and state and local requirements; and
- \* hazardous and toxic materials will be handled, removed, and recycled or disposed of according to federal, state, and local regulations.

#### 5. It is assumed that:

- \* all required Foundational Tasks and Workplace Skills are being taught; and
- \* programs teach all eight (8) areas of medium/heavy truck technology included in the task list, with the possible exception of Hydraulics.

Note: The Technology and Maintenance Council (TMC) of the American Trucking Association (ATA) publishes a "Recommended Maintenance Practices Manual" as a resource for industry practices. Contact TMC at tmc.trucking.org for more information.

#### FOUNDATIONAL TASKS

# Each of these tasks are required to be included at all levels of accreditation.

# **Shop and Personal Safety**

- 1. Identify general shop safety rules and procedures.
- 2. Utilize safe procedures for handling of tools and equipment.
- 3. Identify and use proper placement of floor jacks and jack stands.
- 4. Identify and use proper procedures for safe lift operation.
- 5. Utilize proper ventilation procedures for working within the lab/shop area.
- 6. Identify marked safety areas.
- 7. Identify the location and the types of fire extinguishers and other fire safety equipment; demonstrate knowledge of the procedures for using fire extinguishers and other fire safety equipment.
- 8. Identify the location and use of eye wash stations.
- 9. Identify the location of the posted evacuation routes.
- 10. Comply with the required use of safety glasses, ear protection, gloves, and shoes during lab/shop activities.
- 11. Identify and wear appropriate clothing for lab/shop activities.
- 12. Secure hair and jewelry for lab/shop activities.
- 13. Demonstrate awareness of the safety aspects of vehicle systems that can operate automatically when the vehicle is off, such as supplemental restraint systems (SRS), electronic brake control systems, and electrified vehicle systems.
- 14. Demonstrate awareness of the safety aspects of high voltage circuits (such as high intensity discharge (HID) lamps, ignition systems, injection systems, electrified vehicle powertrain, etc.).
- 15. Locate and demonstrate knowledge of safety data sheets (SDS).
- 16. Identify and use proper procedures for lock-out/tag-out.
- 17. Maintain service bay and shared work area cleanliness and organization.

#### **Tools and Equipment**

- 1. Identify tools and their usage in medium/heavy truck applications.
- 2. Identify standard and metric designation.
- 3. Demonstrate safe handling and use of appropriate tools.
- 4. Demonstrate proper cleaning, storage, and maintenance of tools and equipment.
- 5. Demonstrate proper use of precision measuring tools (i.e., micrometer, dial-indicator, dial-caliper, torque wrench, etc.).
- 6. Identify and report any tools that are damaged and need repair or replacement.

#### **Preparing Vehicle for Service**

- 1. Identify information needed and the service requested on a repair order.
- 2. Identify purpose and demonstrate proper use of covers and mats.
- 3. Demonstrate use of the three C's (concern/complaint, cause, and correction).
- 4. Review vehicle service history if available.

5. Complete work order to include customer information, vehicle identifying information, customer concern, related service history, cause, and correction.

# **Preparing Vehicle for Customer**

1. Ensure vehicle is prepared to return to customer per school/company policy (floor mats, steering wheel cover, etc.).

# WORKPLACE EMPLOYABILITY SKILLS

# Personal Standards (see Standard 7.7)

- 1. Reports to work daily on time; able to take directions and motivated to accomplish the task at hand.
- 2. Dresses appropriately and uses language and manners suitable for the workplace.
- 3. Maintains appropriate personal hygiene.
- 4. Meets and maintains employment eligibility criteria, such as drug/alcohol-free status, clean driving record, etc.
- 5. Demonstrates honesty, integrity and reliability.

# Work Habits / Ethic (see Standard 7.8)

- 1. Complies with workplace policies/laws, including proper and responsible use of personal electronic devices.
- 2. Contributes to the success of the team, assists others and requests help when needed.
- 3. Works well with all customers and coworkers.
- 4. Negotiates solutions to interpersonal and workplace conflicts.
- 5. Contributes ideas and initiative.
- 6. Follows directions.
- 7. Communicates (written/electronic and verbal) effectively with customers and coworkers.
- 8. Reads and interprets workplace documents; writes clearly and concisely.
- 9. Analyzes and resolves problems that arise in completing assigned tasks.
- 10. Organizes and implements a productive plan of work.
- 11. Uses scientific, technical, engineering and mathematics principles and reasoning to accomplish assigned tasks.
- 12. Identifies and addresses the needs of all customers, providing helpful, courteous and knowledgeable service and advice as needed.
- 13. Shows respect for tools and property used in the school and workplace environment.
- 14. Contributes to an inclusive environment where every coworker and customer feels welcomed, heard, and valued.

Page 43 of 119

# ASE MEDIUM/HEAVY TRUCK ACCREDITATION TASK LISTS

The tasks included in the Inspection, Maintenance, and Minor Repair option are entry-level technician inspection tasks designed to introduce the student to correct procedures and practices of vehicle inspection in a teaching/learning environment. They are not intended to satisfy the Annual Federal Vehicle Inspection requirement as prescribed in the Federal Motor Carrier Safety Regulations, Part 396, Appendix A to Subchapter B, Minimum Periodic Inspection Standards.

# **DIESEL ENGINES**

For every task, the following safety task must be strictly enforced: Comply with personal and environmental safety practices associated with eye/foot/hand/hearing protection, clothing, hand tools, power equipment, lifting practices, and ventilation. Handle, store, and dispose of fuels/chemicals/materials in accordance with federal, state, and local regulations.

The first tasks are to listen to and verify the operator's concern, review past maintenance and repair documents, and determine necessary action.

Inspection, Maintenance, and Minor Repair (IMMR) - 540 Hours I. DIESEL ENGINES A. General	Truck Service Technology (TST) - 740 Hours I. DIESEL ENGINES A. General	Master Truck Service Technology (MTST) - 1040 Hours I. DIESEL ENGINES A. General
1. Research vehicle service information, including fluid type, vehicle service history, service precautions, and technical service bulletins.	1. Research vehicle service information, including fluid type, vehicle service history, service precautions, and technical service bulletins.	1. Research vehicle service P-1 information, including fluid type, vehicle service history, service precautions, and technical service bulletins.
2. Inspect level and condition of fuel, oil, diesel exhaust fluid (DEF), and coolant.	2. Inspect level and condition of fuel, oil, diesel exhaust fluid (DEF), and coolant.	2. Inspect level and condition of fuel, oil, diesel exhaust fluid (DEF), and coolant.
3. Inspect engine assembly for fuel, oil, coolant, air, and other leaks.	3. Inspect engine assembly for fuel, oil, coolant, air, and other leaks; determine needed action.	3. Inspect engine assembly for fuel, oil, coolant, air, and other leaks; determine needed action.

Page 44 of 119

Effective 7/1/2025

4. Identify system components, configurations, and types of the following: cylinder head(s), valve train, engine block, engine lubrication, engine cooling, air induction, exhaust, fuel, and engine braking.  I. DIESEL ENGINES B. Cylinder Head and Valve Train	P-1	4. Identify system components, configurations, and types of the following: cylinder head(s), valve train, engine block, engine lubrication, engine cooling, air induction, exhaust, fuel, and engine braking.  I. DIESEL ENGINES B. Cylinder Head and Valve Train	P-1	4. Identify system components, configurations, and types of the following: cylinder head(s), valve train, engine block, engine lubrication, engine cooling, air induction, exhaust, fuel, and engine braking.  I. DIESEL ENGINES B. Cylinder Head and Valve Train	P-1
1. Inspect external electronic wiring harness and brackets for wear, bending, cracks, and proper securement.	P-2	1. Inspect electronic wiring harness and brackets for wear, bending, cracks, and proper securement; determine needed action.	P-1	1. Inspect electronic wiring harness and brackets for wear, bending, cracks, and proper securement; determine needed action.	P-1
		2. Inspect valve train components; determine needed action.	P-2	2. Inspect valve train components; determine needed action.	P-2
		3. Adjust valve bridges (crossheads); adjust valve clearances and injector settings.	P-1	3. Adjust valve bridges (crossheads); adjust valve clearances and injector settings.	P-1
				4. Inspect, measure, and replace/reinstall camshaft; measure end play and backlash; determine needed action.	P-3
				5. Remove, inspect, clean, and reinstall cylinder head; inspect cylinder head and gasket for damage; measure mating surfaces for warpage; check condition of passages, core/expansion plugs, and gallery plugs; inspect threaded holes, studs, dowel pins, and bolts for serviceability; determine needed action.	P-3

I. DIESEL ENGINES C. Engine Block	I. DIESEL ENGINES C. Engine Block	I. DIESEL ENGINES C. Engine Block
1. Inspect crankshaft P-2 vibration damper; inspect engine mounts.	1. Inspect crankshaft P-vibration damper; inspect engine mounts; determine needed action.	1. Inspect crankshaft P-1 vibration damper; inspect engine mounts; determine needed action.
2. Inspect and maintain P-2 crankcase ventilation components.	2. Remove, inspect, service, and install pans, covers, gaskets, seals, wear rings, and crankcase ventilation components.	2. Remove, inspect, service, P-1 and install pans, covers, gaskets, seals, wear rings, and crankcase ventilation components; determine needed action.
	3. Align flywheel housing; inspect flywheel housing(s) to transmission housing/engine mating surface(s); measure flywheel housing face and bore runout; determine needed action.	3. Install and align flywheel housing; inspect flywheel housing(s) to transmission housing/engine mating surface(s); and measure flywheel housing face and bore runout; determine needed action.
	4. Inspect flywheel/flexplate (including ring gear) and mounting surfaces for cracks and wear; measure runout; determine needed action.	2. 4. Inspect flywheel/flexplate P-2 (including ring gear) and mounting surfaces for cracks and wear; measure runout; determine needed action.
		5. Disassemble and clean engine block; inspect engine block for cracks/damage; measure mating surfaces for warpage; check condition of passages, core/expansion plugs, and gallery plugs; inspect threaded holes, studs, dowel pins, and bolts for serviceability; determine needed action.

	6. Inspect cylinder sleeve counter bore and lower bore; check bore distortion; determine needed action.	P-3
	7. Clean, inspect, and measure cylinder walls or liners for wear and damage; determine needed action.	P-3
	8. Replace/reinstall cylinder liners and seals; check and adjust liner height (protrusion).	P-3
	9. Inspect camshaft bearings for wear and damage; determine needed action.	P-3
	10. Inspect, measure, and replace/reinstall camshaft; measure end play and backlash; determine needed action.	P-3
	11. Clean and inspect crankshaft for surface cracks and journal damage; check condition of oil passages; check passage plugs; measure journal diameter; determine needed action.	P-3
	12. Inspect main bearings for wear patterns and damage; replace as needed; check bearing clearances; check and correct crankshaft end play.	P-3
	13. Inspect, install, and time gear train; measure gear backlash; determine needed action.	P-3

				14. Inspect connecting rod and bearings for wear patterns; measure pistons, pins, retainers, and bushings; determine needed action.	P-3
				15. Determine piston-to-cylinder wall clearance; check ring-to-groove fit and end gap; install rings on pistons.	P-3
				16. Assemble pistons and connecting rods; install in block; install rod bearings and check clearances.	P-3
				17. Check condition of piston cooling jets (nozzles); determine needed action.	P-3
I. DIESEL ENGINES D. Lubrication Systems		I. DIESEL ENGINES D. Lubrication Systems		I. DIESEL ENGINES D. Lubrication Systems	
1. Test engine oil pressure and check operation of pressure sensor, gauge, and/or sending unit; test engine oil temperature and check operation of temperature sensor.	P-2	1. Test engine oil pressure; check operation of pressure sensor, gauge, and/or sending unit; test engine oil temperature and check operation of temperature sensor; determine needed action.	P-1	1. Test engine oil pressure; check operation of pressure sensor, gauge, and/or sending unit; test engine oil temperature; check operation of temperature sensor; determine needed action.	P-1
2. Check engine oil level, condition, and consumption; take engine oil sample.	P-1	2. Check engine oil level, condition, and consumption; take engine oil sample; determine needed action.	P-1	2. Check engine oil level, condition, and consumption; take engine oil sample; determine needed action.	P-1
3. Determine proper lubricant; perform oil and filter service.	P-1	3. Determine proper lubricant; perform oil and filter service.	P-1	3. Determine proper lubricant; perform oil and filter service.	P-1
		4. Inspect, clean, and test oil cooler and components.	P-2	4. Inspect, clean, and test oil cooler and components; determine needed action.	P-2

	5. Inspect turbocharger lubrication systems.	P-2	5. Inspect turbocharger lubrication systems; determine needed action.	P-2
			6. Inspect and measure oil pump, drives, inlet pipes, and pick-up screens; check drive gear clearances; determine needed action.	P-3
			7. Inspect oil pressure regulator valve(s), by-pass and pressure relief valve(s), oil thermostat, and filters; determine needed action.	P-3
I. DIESEL ENGINES E. Cooling System	I. DIESEL ENGINES E. Cooling System		I. DIESEL ENGINES E. Cooling System	
1. Check engine coolant type, level, condition, and test coolant for freeze protection and additive package concentration.	1. Check engine coolant type, level, and condition; test coolant for freeze protection and additive package concentration.	P-1	1. Check engine coolant type, level, and condition; test coolant for freeze protection and additive package concentration.	P-1
2. Verify coolant temperature; check operation of temperature and level sensors, gauge, and/or sending unit.	2. Test coolant temperature; test operation of temperature and level sensors, gauge, and/or sending unit; determine needed action.	P-1	2. Test coolant temperature; test operation of temperature and level sensors, gauge, and/or sending unit; determine needed action.	P-1
3. Inspect and reinstall/replace pulleys, tensioners and drive belts; adjust drive belts and check alignment.	3. Inspect and reinstall/replace pulleys, tensioners and drive belts; adjust drive belts and check alignment.	P-1	3. Inspect and reinstall/replace pulleys, tensioners and drive belts; adjust drive belts and check alignment.	P-1
4. Recover coolant, flush, and refill with recommended coolant/additive package; bleed cooling system.	4. Recover coolant; flush and refill with recommended coolant/additive package; bleed cooling system.	P-1	4. Recover coolant; flush and refill with recommended coolant/additive package; bleed cooling system.	P-1

5. Inspect coolant conditioner/filter assembly for leaks; inspect valves, lines, and fittings; replace as needed.	P-2	5. Inspect coolant conditioner/filter assembly for leaks; inspect valves, lines, and fittings; replace as needed.	P-1	5. Inspect coolant conditioner/filter assembly for leaks; inspect valves, lines, and fittings; replace as needed.	P-1
6. Inspect water pump, hoses, and clamps.	P-1	6. Inspect water pump, hoses, and clamps; determine needed action.	P-1	6. Inspect water pump, hoses, and clamps; determine needed action.	P-1
7. Inspect and pressure test cooling system(s); pressure test cap, tank(s), and recovery systems; inspect radiator and mountings.	P-1	7. Inspect and pressure test cooling system(s); pressure test cap, tank(s), and recovery systems; inspect radiator and mountings; determine needed action.	P-1	7. Inspect and pressure test cooling system(s); pressure test cap, tank(s), and recovery systems; inspect radiator and mountings; determine needed action.	P-1
8. Inspect thermostatic cooling fan system (hydraulic, pneumatic, and electronic) and fan shroud.	P-1	8. Inspect thermostatic cooling fan system (hydraulic, pneumatic, and electronic) and fan shroud; determine needed action.	P-1	8. Inspect, test, and repair thermostatic cooling fan system (hydraulic, pneumatic, and electronic) and fan shroud; determine needed action.	P-1
9. Identify engine block heater(s).	P-2	9. Identify engine block heater(s).	P-2	9. Test engine block heater(s); determine needed action.	P-2
		10. Diagnose engine coolant consumption; determine needed action.	P-1	10. Diagnose engine coolant consumption; determine needed action.	P-1
		11. Inspect thermostat(s), by-passes, housing(s), and seals; replace as needed.	P-1	11. Inspect thermostat(s), by-passes, housing(s), and seals; replace as needed.	P-1
I. DIESEL ENGINES F. Air Induction and Exhaust Systems		I. DIESEL ENGINES F. Air Induction and Exhaust Systems		I. DIESEL ENGINES F. Air Induction and Exhaust Systems	
1. Inspect turbocharger(s), wastegate(s), and piping systems.	P-2	1. Inspect turbocharger(s), wastegate(s), and piping systems; determine needed action.	P-2	1. Inspect turbocharger(s), wastegate(s), and piping systems; determine needed action	P-2

2. Check air induction system including: cooler assembly, piping, hoses, clamps, and mountings; replace air filter as needed; reset restriction indicator (if applicable).	-1	2. Check air induction system including: cooler assembly, piping, hoses, clamps, and mountings; replace air filter as needed; reset restriction indicator (if applicable).	P-1	2. Diagnose air induction system problems; inspect, clean, and/or replace cooler assembly, piping, hoses, clamps, and mountings; replace air filter as needed; reset restriction indicator (if applicable).	P-1
3. Inspect intake manifold, paskets, and connections.	-1	3. Inspect intake manifold, gaskets, and connections; determine needed action.	P-1	3. Inspect intake manifold, gaskets, and connections; determine needed action.	P-1
		4. Perform air intake system restriction and leakage tests; determine needed action.	P-1	4. Perform air intake system restriction and leakage tests; determine needed action.	P-1
		5. Check exhaust back pressure.	P-3	5. Check exhaust back pressure; determine needed action.	P-3
		6. Inspect variable ratio geometry turbocharger (VGT), controls, and actuators (pneumatic, hydraulic, and electronic).	P-2	6. Inspect variable ratio geometry turbocharger (VGT), controls, and actuators (pneumatic, hydraulic, and electronic); determine needed action.	P-2
		7. Demonstrate knowledge of charge air cooler operation and testing.	P-1	7. Demonstrate knowledge of charge air cooler operation and testing.	P-1
		8. Inspect and/or replace preheater/inlet air heater or glow plug system and controls.	P-3	8. Diagnose preheater/inlet air heater or glow plug system and controls; determine needed action.	P-3
I. DIESEL ENGINES G. Fuel System		I. DIESEL ENGINES G. Fuel System		I. DIESEL ENGINES G. Fuel System	
1. Check fuel level and P condition.	-1	1. Check fuel level and condition; determine needed action.	P-1	1. Check fuel level and condition; determine needed action.	P-1

2. Inspect fuel tanks, vents, caps, mounts, valves, screens, crossover system, hoses, lines, and fittings.	P-1	2. Inspect fuel tanks, vents, caps, mounts, valves, screens, crossover system, hoses, lines, and fittings; determine needed action.	P-1	2. Inspect fuel tanks, vents, caps, mounts, valves, screens, crossover system, hoses, lines, and fittings; determine needed action.	P-1
3. Inspect low pressure fuel system components (fuel pump, pump drives, screens, fuel/water separators/indicators, hoses, lines, filters, heaters, coolers, ECM cooling plates, check valves, pressure regulator valves, restrictive fittings, and mounting hardware).	P-1	3. Inspect low pressure fuel system components (fuel pump, pump drives, screens, fuel/water separators/indicators, hoses, lines, filters, heaters, coolers, ECM cooling plates, check valves, pressure regulator valves, restrictive fittings, and mounting hardware); determine needed action.	P-1	3. Inspect low pressure fuel system components (fuel pump, pump drives, screens, fuel/water separators/indicators, hoses, lines, filters, heaters, coolers, ECM cooling plates, check valves, pressure regulator valves, restrictive fittings, and mounting hardware); determine needed action.	P-1
4. Replace fuel filter; prime and bleed fuel system.	P-1	4. Replace fuel filter; prime and bleed fuel system.	P-1	4. Replace fuel filter; prime and bleed fuel system.	P-1
5. Inspect high pressure fuel system components (fuel pump, pump drives, hoses, injection lines, filters, hold-downs, fittings, seals, and mounting hardware).	P-1	5. Inspect high pressure fuel system components (fuel pump, pump drives, hoses, injection lines, filters, hold-downs, fittings, seals, and mounting hardware).	P-1	5. Inspect high pressure fuel system components (fuel pump, pump drives, hoses, injection lines, filters, hold-downs, fittings, seals, and mounting hardware).	P-1
		6. Demonstrate knowledge and understanding of the different types of fuel systems.	P-1	6. Demonstrate knowledge and understanding of the different types of fuel systems.	P-1
		7. Perform fuel supply and return system tests; determine needed action.	P-1	7. Perform fuel supply and return system tests; determine needed action.	P-1
I. DIESEL ENGINES H. Engine Brakes		I. DIESEL ENGINES H. Engine Brakes		I. DIESEL ENGINES H. Engine Brakes	
1. Demonstrate knowledge of engine compression and/or exhaust brake operation.	P-1	1. Demonstrate knowledge of engine compression and/or exhaust brake operation.	P-1	1. Demonstrate knowledge of engine compression and/or exhaust brake operation.	P-1

	2. Inspect and adjust engine compression and/or exhaust brake systems; determine needed action.	P-3	2. Inspect and adjust engine compression and/or exhaust brake systems; determine needed action.	P-3
	3. Inspect, test, and adjust engine compression and/or exhaust brake control circuits, switches, and solenoids; determine needed action.	P-3	3. Inspect, test, and adjust engine compression and/or exhaust brake control circuits, switches, and solenoids; determine needed action.	P-3
	I. DIESEL ENGINES I. Emission Controls		I. DIESEL ENGINES I. Emission Controls	
P-1	1. Inspect engine exhaust system, exhaust gas recirculation (EGR) system, and exhaust aftertreatment system for leaks, mounting, proper routing, and damaged or missing components; determine needed action.	P-1	1. Inspect engine exhaust system, exhaust gas recirculation (EGR) system, and exhaust aftertreatment system for leaks, mounting, proper routing, and damaged or missing components; determine needed action.	P-1
P-2	2. Demonstrate knowledge of exhaust gas recirculation (EGR) system operation including: EGR valve, cooler, piping, electronic sensors, controls, and wiring; determine needed action.	P-1	2. Diagnose problems/faults in the exhaust gas recirculation (EGR) system including: EGR valve, cooler, piping, electronic sensors, controls, and wiring; determine needed action	P-1
P-2	3. Inspect and test exhaust aftertreatment system components and controls including diesel oxidation catalyst (DOC), selective catalytic reduction (SCR), diesel exhaust fluid (DEF), diesel particulate filter (DPF), and sensors; check regeneration system operation; determine needed action.	P-1	3. Inspect, test, and repair or replace exhaust aftertreatment system components and controls including diesel oxidation catalyst (DOC), selective catalytic reduction (SCR), diesel exhaust fluid (DEF), diesel particulate filter (DPF), and sensors; check regeneration system operation; determine needed action.	P-1
	P-2	compression and/or exhaust brake systems; determine needed action.  3. Inspect, test, and adjust engine compression and/or exhaust brake control circuits, switches, and solenoids; determine needed action.  I. DIESEL ENGINES I. Emission Controls  P-1 1. Inspect engine exhaust system, exhaust gas recirculation (EGR) system, and exhaust aftertreatment system for leaks, mounting, proper routing, and damaged or missing components; determine needed action.  P-2 2. Demonstrate knowledge of exhaust gas recirculation (EGR) system operation including: EGR valve, cooler, piping, electronic sensors, controls, and wiring; determine needed action.  P-2 3. Inspect and test exhaust aftertreatment system components and controls including diesel oxidation catalyst (DOC), selective catalytic reduction (SCR), diesel exhaust fluid (DEF), diesel particulate filter (DPF), and sensors; check regeneration system operation; determine needed	compression and/or exhaust brake systems; determine needed action.  3. Inspect, test, and adjust engine compression and/or exhaust brake control circuits, switches, and solenoids; determine needed action.  I. DIESEL ENGINES I. Emission Controls  P-1  1. Inspect engine exhaust system, exhaust gas recirculation (EGR) system, and exhaust aftertreatment system for leaks, mounting, proper routing, and damaged or missing components; determine needed action.  P-2  2. Demonstrate knowledge of exhaust gas recirculation (EGR) system operation including: EGR valve, cooler, piping, electronic sensors, controls, and wiring; determine needed action.  P-2  3. Inspect and test exhaust aftertreatment system components and controls including diesel oxidation catalyst (DOC), selective catalytic reduction (SCR), diesel exhaust fluid (DEF), diesel particulate filter (DPF), and sensors; check regeneration system operation; determine needed	compression and/or exhaust brake systems; determine needed action.  3. Inspect, test, and adjust engine compression and/or exhaust brake control circuits, switches, and solenoids; determine needed action.  I. DIESEL ENGINES I. Emission Controls  P-1 1. Inspect engine exhaust system, exhaust gas recirculation (EGR) system, and exhaust aftertreatment system for leaks, mounting, proper routing, and damaged or missing components; determine needed action.  P-2 2. Demonstrate knowledge of exhaust gas recirculation (EGR) system operation including: EGR valve, cooler, piping, electronic sensors, controls, and wiring; determine needed action.  P-2 3. Inspect and test exhaust aftertreatment system components and controls including diesel oxidation catalyst (DOC), selective catalytic reduction (SCR), diesel exhaust fluid (DEF), diesel particulate filter (DPF), and sensors; check regeneration system operation; determine needed action.

	4. Identify emission control system components and configurations.	P-1	4. Identify emission control system components and configurations.	P-1
	5. Diagnose emissions and driveability concerns caused by the exhaust gas recirculation (EGR) system; inspect, test, service and/or replace electrical/electronic sensors, controls, wiring, tubing, exhaust passages, cooler(s), and hoses of exhaust gas recirculation (EGR) system; determine needed action.	P-2	5. Diagnose emissions and driveability concerns caused by the exhaust gas recirculation (EGR) system; inspect, test, service and/or replace electrical/electronic sensors, controls, wiring, tubing, exhaust passages, cooler(s) and hoses of exhaust gas recirculation (EGR) systems; determine needed action.	P-1
	6. Using manufacturers'/service information, interpret diagnostic trouble codes (DTCs) and scan tool data related to the emissions control systems; determine needed action.	P-1	6. Using manufacturers'/service information, interpret diagnostic trouble codes (DTCs) and scan tool data related to the emissions control systems; determine needed action.	P-1
I. DIESEL ENGINES J. Driveability and Electronic Engine Controls	I. DIESEL ENGINES J. Driveability and Electronic Engine Controls		I. DIESEL ENGINES J. Driveability and Electronic Engine Controls	
1. Check engine operation (starting and running) including: noise, vibration, smoke, etc.	1. Check engine operation (starting and running) including: noise, vibration, smoke, etc.; determine needed action.	P-1	1. Diagnose engine operation (starting and running) including: noise, vibration, smoke, etc.; determine needed action.	P-1
2. Perform cylinder P-3 contribution test using electronic service tool(s).	2. Perform cylinder contribution test using electronic service tool(s).	P-1	2. Perform cylinder contribution test using electronic service tool(s).	P-1
3. Demonstrate knowledge of computerized control system components and configurations.	3. Demonstrate knowledge of computerized control system components and configurations.	P-1	3. Demonstrate knowledge of computerized control system components and configurations.	P-1

4. Use appropriate electronic P-1 4. Use appropriate electronic P-1 4. Use appropriate electronic P-1 service tool(s) to check and service tool(s) to check and service tool(s)to check and record diagnostic codes; record diagnostic codes; record diagnostic codes; check and record check and record check and record trip/operational data; reset trip/operational data; reset trip/operational data; reset maintenance monitor (if maintenance monitor (if maintenance monitor (if applicable), verify repair; applicable). applicable. clear diagnostic codes only when directed. 5. Access and use service P-1 5. Access and use service P-1 5. Access and use service P-1 information to locate stepinformation to perform stepinformation to perform stepby-step (troubleshooting) by-step (troubleshooting) by-step (troubleshooting) procedures. diagnosis. diagnosis. P-2 P-1 6. Diagnose engine no-6. Diagnose engine nocrank, cranks but fails to crank, cranks but fails to start, hard starting, and starts start, hard starting, and starts but does not continue to run but does not continue to run problems; determine needed problems; determine needed action. action. P-2 P-1 7. Diagnose engine surging, 7. Diagnose engine surging, rough operation, misfiring, rough operation, misfiring, low power, slow low power, slow deceleration, slow deceleration, slow acceleration, and/or shut acceleration, and/or shut down problems; determine down problems; determine needed action. needed action. P-2 P-2 8. Perform intake manifold 8. Perform intake manifold pressure (boost) test; pressure (boost) test; determine needed action. determine needed action. P-2 P-1 9. Use diagnostic tool, 9. Use diagnostic tool, digital multimeter (DMM), digital multimeter (DMM), and/or digital storage and/or digital storage oscilloscope (DSO) to oscilloscope (DSO) to inspect or test computerized inspect or test computerized engine control system engine control system sensors, actuators, circuits, sensors, actuators, circuits, and electronic control and electronic control modules (ECM). modules (ECM); determine needed action.

	10. Demonstrate knowledge of the process for reprogramming or recalibrating the engine control module.	P-2	10. Demonstrate knowledge of the process for reprogramming or recalibrating the engine control module.	P-2
	11. Diagnose drivability and emissions problems resulting from malfunctions of interrelated systems (ADAS, HVAC, automatic transmissions, auxiliary power units (APU), non-OEM installed accessories, or similar systems); determine needed action.	P-2	11. Diagnose drivability and emissions problems resulting from malfunctions of interrelated systems (ADAS, HVAC, automatic transmissions, auxiliary power units (APU), non-OEM installed accessories, or similar systems); determine needed action.	P-2
	12. Demonstrate knowledge of failures in the data communications bus networks.	P-2	12. Diagnose failures in the data communications bus networks; determine needed action.	P-2
			13. Demonstrate knowledge of setting performance parameters using electronic service tools and service information system access.	P-3
IMMR Diesel Engines Task Count	TST Diesel Engines Task Count		MTST Diesel Engines Task Count	
P-1 25	P-1	43	P-1	47
P-2 10	P-2 P-3	15	P-2 P-3	12
P-3 1 Total 36	Total	5 63	Total	22 81

# **DRIVE TRAIN**

For every task, the following safety task must be strictly enforced: Comply with personal and environmental safety practices associated with eye/foot/hand/hearing protection, clothing, hand tools, power equipment, lifting practices, and ventilation. Handle, store, and dispose of fuels/chemicals/materials in accordance with federal, state, and local regulations.

The first tasks are to listen to and verify the operator's concern, review past maintenance and repair documents, and determine necessary action.

Inspection, Maintenance, and Minor Repair (IMMR) - 540 Hours II. DRIVE TRAIN A. General	Truck Service Technology (TST) - 740 Hours  II. DRIVE TRAIN A. General	Master Truck Service Technology (MTST) - 1040 Hours II. DRIVE TRAIN A. General
1. Research vehicle service information, including fluid type, vehicle service history, service precautions/service mode, and technical service bulletins.	1. Research vehicle service information, including fluid type, vehicle service history, service precautions/service mode, and technical service bulletins.	1. Research vehicle service information, including fluid type, vehicle service history, service precautions/service mode, and technical service bulletins.
2. Identify drive train components, transmission type, and configuration.	2. Identify drive train components, transmission type, and configuration.	2. Identify drive train P-1 components, transmission type, and configuration.
3. Use appropriate electronic P-1 service tool(s) and procedures to check and record diagnostic codes.	3. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings.	3. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings; verify repair; clear diagnostic codes only when directed.

Page 57 of 119

II. DRIVE TRAIN B. Clutch	II. DRIVE TRAIN B. Clutch	II. DRIVE TRAIN B. Clutch
1. Inspect and adjust clutch, clutch brake, linkage, cables, levers, brackets, bushings, pivots, springs, and clutch safety switch (includes push-type and pull-type); check pedal height and travel.	1. Inspect and adjust clutch, clutch brake, linkage, cables, levers, brackets, bushings, pivots, springs, and clutch safety switch (includes push-type and pull-type); check pedal height and travel; determine needed action.	1. Inspect and adjust clutch, P-1 clutch brake, linkage, cables, levers, brackets, bushings, pivots, springs, and clutch safety switch (includes push-type and pull-type); check pedal height and travel; determine needed action.
2. Inspect clutch primary (master) cylinder fluid level and condition; check clutch primary (master) cylinder, secondary (slave) cylinder, lines, and hoses for leaks and damage.	2. Inspect clutch primary (master) cylinder fluid level and condition; check clutch primary (master) cylinder, secondary (slave) cylinder, lines, and hoses for leaks and damage; determine needed action.	2. Inspect clutch primary (master) cylinder fluid level and condition; check clutch primary (master) cylinder, secondary (slave) cylinder, lines, and hoses for leaks and damage; determine needed action.
3. Inspect and lubricate release (throw-out) bearing, sleeve, bushings, springs, housing, levers, release fork, fork pads, rollers, shafts, and seals.	3. Inspect, lubricate, or replace release (throw-out) bearing, sleeve, bushings, springs, housing, levers, release fork, fork pads, rollers, shafts, and seals.	3. Inspect, lubricate, or replace release (throw-out) bearing, sleeve, bushings, springs, housing, levers, release fork, fork pads, rollers, shafts, and seals.
	4. Inspect, repair, and/or replace hydraulic clutch secondary (slave) and primary (master) cylinders, lines, and hoses; bleed system.	4. Inspect, repair, and/or replace hydraulic clutch secondary (slave) and primary (master) cylinders, lines, and hoses; bleed system.
	5. Inspect and/or replace P-1 single-disc clutch pressure plate and clutch disc.	5. Inspect and/or replace P-1 single-disc clutch pressure plate and clutch disc.
	6. Inspect and/or replace P-1 two-plate clutch pressure plate, clutch discs, intermediate plate, and drive pins/lugs.	6. Inspect and/or replace two-plate clutch pressure plate, clutch discs, intermediate plate, and drive pins/lugs.

7. Inspect and/or replace clutch brake assembly; inspect input shaft and bearing retainer; determine needed action.	7. Inspect and/or replace clutch brake assembly; inspect input shaft and bearing retainer; determine needed action.	P-1
8. Inspect and/or replace self-adjusting/continuous-adjusting clutch mechanisms.	8. Inspect and/or replace self-adjusting/continuous-adjusting clutch mechanisms.	P-1
9. Inspect and/or replace P-1 pilot bearing.	9. Inspect and/or replace pilot bearing.	P-1
10. Perform clutch actuator/assembly calibration procedure for automated manual transmission (AMT).	10. Perform clutch actuator/assembly calibration procedure for automated manual transmission (AMT).	P-3
	11. Identify causes of clutch noise, binding, slippage, pulsation, vibration, grabbing, dragging, and chatter problems; determine needed action.	P-1
	12. Remove and install flywheel; inspect mounting area on crankshaft; inspect and/or replace rear main oil seal; measure crankshaft end play; determine needed action.	P-1
	13. Inspect flywheel and starter ring gear; measure flywheel face; measure pilot bore runout; determine needed action.	P-1

II. DRIVE TRAIN C. Transmission	II. DRIVE TRAIN C. Transmission	14. Inspect flywheel housing-to-transmission housing/engine mating surface(s); measure flywheel housing face and bore runout; determine needed action.  II. DRIVE TRAIN C. Transmission
1. Inspect transmission P-1 shifter and linkage; inspect transmission mounts, insulators, and mounting bolts.	1. Inspect transmission P-1 shifter and linkage; inspect and/or replace transmission mounts, insulators, and mounting bolts.	1. Inspect transmission shifter and linkage; inspect and/or replace transmission mounts, insulators, and mounting bolts.
2. Inspect transmission for P-1 leakage.	2. Inspect transmission for leakage; determine needed action.	2. Inspect transmission for leakage; determine needed action.
3. Inspect transmission cover plates, gaskets, seals, and cap bolts; inspect seal surfaces and vents.	3. Inspect and/or replace transmission cover plates, gaskets, seals, and cap bolts; inspect seal surfaces and vents; determine needed action.	3. Inspect and/or replace transmission cover plates, gaskets, seals, and cap bolts; inspect seal surfaces and vents; determine needed action.
4. Check transmission fluid P-1 level and condition.	4. Check transmission fluid P-1 level and condition; determine needed action.	4. Check transmission fluid P-1 level and condition; determine needed action.
5. Inspect transmission oil filters, coolers, and related components.	5. Inspect transmission oil P-2 filters, coolers, and related components; determine needed action and service as required.	5. Inspect transmission oil filters, coolers, and related components; determine needed action and service as required.
6. Inspect speedometer P-2 components.	6. Inspect speedometer components; determine needed action.	6. Inspect speedometer components; determine needed action.

7. Inspect and test function of REVERSE light, NEUTRAL start, and warning device circuits.	7. Inspect and test function P-1 of REVERSE light, NEUTRAL start, and warning device circuits; determine needed action.	7. Inspect and test function P-1 of REVERSE light, NEUTRAL start, and warning device circuits; determine needed action.
	8. Inspect, adjust, and replace transmission covers, rails, forks, levers, bushings, sleeves, detents, interlocks, springs, and lock bolts/safety wires.	8. Inspect, adjust, and replace transmission covers, rails, forks, levers, bushings, sleeves, detents, interlocks, springs, and lock bolts/safety wires.
	9. Identify causes of transmission noise, shifting concerns, lockup, jumping out-of-gear, overheating, and vibration problems.	9. Identify causes of transmission noise, shifting concerns, lockup, jumping out-of-gear, overheating, and vibration problems; determine needed repairs.
	10. Inspect, test, repair, and/or replace air/electric shift controls, lines, hoses, valves, regulators, filters, and cylinder assemblies.	10. Inspect, test, repair, and/or replace air/electric shift controls, lines, hoses, valves, regulators, filters, and cylinder assemblies.
	11. Remove and reinstall P-2 transmission.	11. Remove and reinstall P-2 transmission.
	12. Inspect input shaft, gear, P-3 spacers, bearings, retainers, and slingers.	12. Inspect input shaft, gear, spacers, bearings, retainers, and slingers; determine needed action.
	13. Inspect and adjust power P-3 take-off (PTO) assemblies, controls, and shafts.	13. Inspect and adjust power take-off (PTO) assemblies, controls, and shafts; determine needed action.
	14. Inspect and test P-2 transmission temperature gauge, wiring harnesses, and sensor/sending unit.	14. Inspect and test transmission temperature gauge, wiring harnesses, and sensor/sending unit; determine needed action.

	15. Inspect operation of automatic transmission, components, and controls; diagnose automatic transmission system problems; determine needed action.	P-2	15. Inspect and test operation of automatic transmission, components, and controls; diagnose automatic transmission system problems; determine needed action.	P-2
	16. Inspect operation of automated mechanical transmission (AMT), components, and controls; diagnose AMT system problems; determine needed action.	P-2	16. Inspect and test operation of automated mechanical transmission (AMT), components, and controls; diagnose AMT system problems; determine needed action.	P-2
II. DRIVE TRAIN D. Driveshaft and Universal Joints	II. DRIVE TRAIN D. Driveshaft and Universal Joints		II. DRIVE TRAIN D. Driveshaft and Universal Joints	
1. Inspect and service if applicable driveshafts, slip joints, yokes, drive flanges, support bearings, universal joints, boots, seals, and retaining/mounting hardware; check phasing of all shafts.	1. Inspect, service if applicable, and/or replace driveshafts, slip joints, yokes, drive flanges, support bearings, universal joints, boots, seals, and retaining/mounting hardware; check phasing of all shafts.	P-1	1. Inspect, service if applicable, and/or replace driveshafts, slip joints, yokes, drive flanges, support bearings, universal joints, boots, seals, and retaining/mounting hardware; check phasing of all shafts; determine needed action.	P-1
	2. Identify causes of driveshaft and universal joint noise and vibration problems.	P-1	2. Identify causes of driveshaft and universal joint noise and vibration problems; determine needed action.	P-1
	3. Measure driveline angles; determine needed action.	P-2	3. Measure driveline angles; determine needed action.	P-2
II. DRIVE TRAIN E. Drive Axles	II. DRIVE TRAIN E. Drive Axles		II. DRIVE TRAIN E. Drive Axles	

1. Check for fluid leaks; inspect drive axle housing assembly, cover plates, gaskets, seals, vent/breather, and magnetic plugs.	P-1	1. Check and repair fluid leaks; inspect drive axle housing assembly, cover plates, gaskets, seals, vent/breather, and magnetic plugs.	P-1	1. Check and repair fluid leaks; inspect drive axle housing assembly, cover plates, gaskets, seals, vent/breather, and magnetic plugs.	P-1
2. Check drive axle fluid level and condition; check drive axle filter	P-1	2. Check drive axle fluid level and condition; check drive axle filter; determine needed action.	P-1	2. Check drive axle fluid level and condition; check drive axle filter; determine needed action.	P-1
3. Inspect air-operated power divider (inter-axle differential) assembly.	P-2	3. Inspect and/or adjust air- operated power divider (inter-axle differential) assembly including: diaphragms, seals, springs, yokes, pins, lines, hoses, fittings, and controls.	P-2	3. Inspect, adjust, repair, and/or replace air-operated power divider (inter-axle differential) assembly including: diaphragms, seals, springs, yokes, pins, lines, hoses, fittings, and controls.	P-2
4. Inspect drive axle shafts.	P-2	4. Inspect drive axle shafts; determine needed action.	P-2	4. Inspect drive axle shafts; determine needed action.	P-2
5. Remove and replace wheel assembly; check rear wheel seal and axle flange for leaks.	P-1	5. Remove and replace wheel assembly; check rear wheel seal and axle flange for leaks; determine needed action.	P-1	5. Remove and replace wheel assembly; check rear wheel seal and axle flange for leaks; determine needed action.	P-1
6. Inspect for drive axle wheel bearing noise and check for wheel bearing damage; replace wheel seal.	P-1	6. Identify causes of drive axle wheel bearing noise and check for wheel bearing damage; determine needed action and replace wheel seal.	P-1	6. Identify causes of drive axle wheel bearing noise and check for wheel bearing damage; perform needed action and replace wheel seal.	P-1
		7. Inspect, repair, or replace drive axle lubrication system pump, troughs, collectors, slingers, tubes, and filters.	P-3	7. Inspect, repair, or replace drive axle lubrication system pump, troughs, collectors, slingers, tubes, and filters.	P-3

8. Identify causes of drive axle(s) drive unit noise and overheating problems.	P-2	8. Identify causes of drive axle(s) drive unit noise and overheating problems; determine needed action.	P-2
9. Inspect and test drive axle temperature gauge, wiring harnesses, and sending unit/sensor; determine needed action.	P-2	9. Inspect and test drive axle temperature gauge, wiring harnesses, and sending unit/sensor; determine needed action.	P-2
10. Remove and replace differential carrier assembly.	P-3	10. Remove and replace differential carrier assembly.	P-3
		11. Inspect and/or replace components of differential case assembly including spider gears, cross shaft, side gears, thrust washers, case halves, and bearings.	P-3
		12. Inspect and replace components of locking differential case assembly.	P-3
		13. Inspect differential carrier housing and caps, side bearing bores, and pilot (spigot, pocket) bearing bore; determine needed action.	P-3
		14. Inspect and replace ring and drive pinion gears, spacers, sleeves, bearing cages, and bearings.	P-3
		15. Measure ring gear runout; determine needed action.	P-3
		16. Measure and adjust drive pinion bearing preload.	P-3

				17. Measure and adjust drive pinion depth.	P-3
				18. Measure and adjust side bearing preload and ring gear backlash.	P-3
				19. Check and interpret ring gear and pinion tooth contact pattern; determine needed action.	P-3
				20. Inspect, adjust, or replace ring gear thrust block/screw.	P-3
IMMR Drive Train Task		TST Drive Train Task		MTST Drive Train Task	
Count	1.0	Count	22	Count	26
P-1	16	P-1	23	P-1	26
P-2	4	P-2	13	P-2	14
P-3	0	P-3	6	P-3	16
Total	20	Total	42	Total	56

# **BRAKES**

For every task, the following safety task must be strictly enforced: Comply with personal and environmental safety practices associated with eye/foot/hand/hearing protection, clothing, hand tools, power equipment, lifting practices, and ventilation. Handle, store, and dispose of fuels/chemicals/materials in accordance with federal, state, and local regulations.

The first tasks are to listen to and verify the operator's concern, review past maintenance and repair documents, and determine necessary action.

Inspection, Maintenance, and Minor Repair (IMMR) - 540 Hours III. BRAKES A. General	Truck Service Technology (TST) - 740 Hours III. BRAKES A. General	Master Truck Service Technology (MTST) - 1040 Hours III. BRAKES A. General
1. Research vehicle service information, including fluid type, vehicle service history, service precautions, and technical service bulletins.	1. Research vehicle service information, including fluid type, vehicle service history, service precautions, and technical service bulletins.	1. Research vehicle service p-1 information, including fluid type, vehicle service history, service precautions, and technical service bulletins.
2. Identify brake system components and configurations (including air and hydraulic systems, parking brake, power assist, and vehicle dynamic brake systems).	2. Identify brake system components and configurations (including air and hydraulic systems, parking brake, power assist, and vehicle dynamic brake systems).	2. Identify brake system components and configurations (including air and hydraulic systems, parking brake, power assist, and vehicle dynamic brake systems).
3. Identify brake performance problems caused by the mechanical/foundation brake system (air and hydraulic).	3. Identify brake performance problems caused by the mechanical/foundation brake system (air and hydraulic).	3. Identify brake P-1 performance problems caused by the mechanical/foundation brake system (air and hydraulic).
4. Use appropriate electronic P-1 service tool(s) and procedures to check and record diagnostic codes.	4. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings; clear diagnostic codes only when directed.	4. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings; clear diagnostic codes only when directed.

III. BRAKES B. Air Brakes: Air Supply and Service Systems	III. BRAKES B. Air Brakes: Air Supply and Service Systems	III. BRAKES B. Air Brakes: Air Supply and Service Systems
1. Inspect air supply system components such as compressor, governor, air drier, tanks, and lines; inspect service system components such as lines, fittings, mountings, and valves (hand brake/trailer control, brake relay, quick release, tractor protection, emergency/spring brake control/modulator, pressure relief/safety).	1. Inspect and test air supply system components such as compressor, governor, air drier, tanks, and lines; inspect service system components such as lines, fittings, mountings, and valves (hand brake/trailer control, brake relay, quick release, tractor protection, emergency/spring brake control/modulator, pressure relief/safety); determine needed action.	1. Inspect, test, repair, and/or replace air supply system components such as compressor, governor, air drier, tanks, and lines; inspect service system components such as lines, fittings, mountings, and valves (hand brake/trailer control, brake relay, quick release, tractor protection, emergency/spring brake control/modulator, pressure relief/safety); determine needed action.
2. Verify proper gauge operation and readings; verify low pressure warning alarm operation; perform air supply system tests such as pressure build-up, governor settings, and leakage; drain air tanks and check for contamination.	2. Test gauge operation and readings; test low pressure warning alarm operation; perform air supply system tests such as pressure build-up, governor settings, and leakage; drain air tanks and check for contamination; determine needed action.	2. Test gauge operation and readings; test low pressure warning alarm operation; perform air supply system tests such as pressure buildup, governor settings, and leakage; drain air tanks and check for contamination; determine needed action.
3. Demonstrate knowledge and understanding of air supply and service system components and operations.	3. Demonstrate knowledge and understanding of air supply and service system components and operations.	3. Demonstrate knowledge and understanding of air supply and service system components and operations.
4. Inspect air compressor inlet; inspect oil supply and coolant lines, fittings, and mounting brackets.	4. Inspect air compressor inlet; inspect oil supply and coolant lines, fittings, and mounting brackets; repair or replace as needed.	4. Inspect air compressor inlet; inspect oil supply and coolant lines, fittings, and mounting brackets; repair or replace as needed.

5. Inspect and test one-way (single) check valves, two-way (double) check valves, manual and automatic drain valves.	P-1	5. Inspect and test one-way (single) check valves, two-way (double) check valves, manual and automatic drain valves; determine needed action.	P-1	5. Inspect and test one-way (single) check valves, two-way (double) check valves, manual and automatic drain valves; determine needed action.	P-1
6. Inspect and service air drier filter/cartridge.	P-1	6. Inspect and service air drier systems, filters, valves, heaters, wiring, and connectors; determine needed action.	P-1	6. Inspect and service air drier systems, filters, valves, heaters, wiring, and connectors; determine needed action.	P-1
7. Inspect and test brake application (foot/treadle) valve, fittings, and mounts; check pedal operation.	P-1	7. Inspect and test brake application (foot/treadle) valve, fittings, and mounts; check pedal operation; determine needed action.	P-1	7. Inspect and test brake application (foot/treadle) valve, fittings, and mounts; check pedal operation; determine needed action.	P-1
		8. Inspect air compressor drive gear components (gears, belts, tensioners, and/or couplings); determine needed action.	P-3	8. Inspect air compressor drive gear components (gears, belts, tensioners, and/or couplings); determine needed action.	P-3
		needed action.		needed action.	
III. BRAKES C. Air Brakes: Mechanical/Foundation Brake System		III. BRAKES C. Air Brakes: Mechanical/Foundation Brake System		III. BRAKES C. Air Brakes: Mechanical/Foundation Brake System	
C. Air Brakes: Mechanical/Foundation	P-1	III. BRAKES C. Air Brakes: Mechanical/Foundation	P-1	III. BRAKES C. Air Brakes: Mechanical/Foundation	P-1

P-1 P-1 P-1 3. Inspect and lubricate 3. Inspect and lubricate 3. Inspect and lubricate camshafts (S-cam), tubes, camshafts (S-cams), tubes, camshafts (S-cams), tubes, rollers, bushings, seals, rollers, bushings, seals, rollers, bushings, seals, spacers, retainers, brake spacers, retainers, brake spacers, retainers, brake spiders, shields, anchor pins, spiders, shields, anchor pins, spiders, shields, anchor pins, and springs; determine and springs; perform needed and springs; perform needed needed action. action. action. P-1 P-1 4. Remove brake drum: P-1 4. Remove brake drum: 4. Remove brake drum: clean and inspect brake clean and inspect brake clean and inspect brake drum and mounting surface; drum and mounting surface; drum and mounting surface; measure brake drum measure brake drum measure brake drum diameter: measure brake diameter: measure brake diameter: measure brake lining thickness; inspect lining thickness; inspect lining thickness; inspect brake lining condition; brake lining condition; brake lining condition; determine needed action. determine needed action. determine needed action. P-1 P-1 P-1 5. Inspect rotor and 5. Inspect rotor and 5. Inspect rotor and mounting surface; measure mounting surface; measure mounting surface; measure rotor thickness, thickness rotor thickness, thickness rotor thickness, thickness variation, and lateral runout: variation, and lateral runout: variation, and lateral runout; determine needed action. determine needed action. determine needed action. 6. Inspect, clean, and adjust P-1 6. Inspect, clean, and adjust P-1 6. Inspect, clean, and adjust P-1 air disc brake caliper air disc brake caliper air disc brake caliper assemblies; inspect and assemblies; inspect and assemblies; inspect and measure disc brake pads; measure disc brake pads; measure disc brake pads; inspect mounting hardware; inspect mounting hardware inspect mounting hardware determine needed action. and replace as required; and replace as required; perform needed action. perform needed action. 7. Identify concerns related 7. Diagnose concerns related P-1 P-1 to the to the mechanical/foundation mechanical/foundation brake system including poor brake system including poor stopping, brake noise, stopping, brake noise, premature wear, pulling, premature wear, pulling, grabbing, or dragging; grabbing, or dragging; determine needed action. determine needed action. III. BRAKES III. BRAKES III. BRAKES D. Air Brakes: Parking D. Air Brakes: Parking D. Air Brakes: Parking **Brake System Brake System Brake System** 

1. Inspect parking (spring) brake chamber for leaks; determine needed action.	P-1	1. Inspect, test, and/or replace parking (spring) brake chamber.	P-1	1. Inspect, test, and/or replace parking (spring) brake chamber.	P-1
2. Inspect and test parking (spring) brake valves, lines, hoses, and fittings; determine needed action.	P-1	2. Inspect, test, and/or replace parking (spring) brake valves, lines, hoses, and fittings.	P-1	2. Inspect, test, and/or replace parking (spring) brake valves, lines, hoses, and fittings.	P-1
3. Inspect and test parking (spring) brake application and release valve; determine needed action.	P-1	3. Inspect, test, and/or replace parking (spring) brake application and release valve.	P-1	3. Inspect, test, and/or replace parking (spring) brake application and release valve.	P-1
4. Manually release (cage) and reset (uncage) parking (spring) brakes.	P-1	4. Manually release (cage) and reset (uncage) parking (spring) brakes.	P-1	4. Manually release (cage) and reset (uncage) parking (spring) brakes.	P-1
5. Demonstrate knowledge of anti-compounding brake function.	P-3	5. Identify and test anti- compounding brake function.	P-2	5. Identify and test anti- compounding brake function; determine needed action.	P-2
6. Demonstrate knowledge of electronically applied parking brake systems.	P-3	6. Demonstrate knowledge of electronically applied parking brake systems.	P-3	6. Demonstrate knowledge of electronically applied parking brake systems.	P-3
III. BRAKES E. Hydraulic Brakes: Hydraulic System		III. BRAKES E. Hydraulic Brakes: Hydraulic System		III. BRAKES E. Hydraulic Brakes: Hydraulic System	
1. Check primary (master) cylinder fluid level and condition; determine proper fluid type for application.	P-1	1. Check primary (master) cylinder fluid level and condition; determine proper fluid type for application.	P-1	1. Check primary (master) cylinder fluid level and condition; determine proper fluid type for application.	P-1
2. Inspect hydraulic brake system components for leaks and damage.	P-1	2. Inspect hydraulic brake system for leaks and damage; test, repair, and/or replace hydraulic brake system components.	P-1	2. Inspect hydraulic brake system for leaks and damage; test, repair, and/or replace hydraulic brake system components.	P-1

3. Check hydraulic brake system operation including pedal travel, pedal effort, and pedal feel.	3. Check hydraulic brake system operation including pedal travel, pedal effort, and pedal feel; determine needed action.	P-1	3. Check hydraulic brake system operation including pedal travel, pedal effort, and pedal feel; determine needed action.	P-1
	4. Identify poor stopping, premature wear, pulling, dragging, imbalance, or poor pedal feel caused by problems in the hydraulic system; determine needed action.	P-2	4. Diagnose poor stopping, premature wear, pulling, dragging, imbalance, or poor pedal feel caused by problems in the hydraulic system; determine needed action.	P-2
	5. Test primary (master) cylinder for internal/external leaks and damage; replace as needed.	P-2	5. Test primary (master) cylinder for internal/external leaks and damage; replace as needed.	P-2
	6. Test metering (hold-off), load sensing/proportioning, proportioning, and combination valves; determine needed action.	P-3	6. Test metering (hold-off), load sensing/proportioning, proportioning, and combination valves; determine needed action.	P-3
	7. Test warning light circuit sensors, switches, bulbs/LEDs, wiring, and connectors; determine needed action.	P-2	7. Test warning light circuit sensors, switches, bulbs/LEDs, wiring, and connectors; determine needed action.	P-2
	8. Bleed and/or flush hydraulic brake system.	P-2	8. Bleed and/or flush hydraulic brake system.	P-2
III. BRAKES F. Hydraulic Brakes: Mechanical/Foundation Brake System	III. BRAKES F. Hydraulic Brakes: Mechanical/Foundation Brake System		III. BRAKES F. Hydraulic Brakes: Mechanical/Foundation Brake System	
1. Clean and inspect rotor and mounting surface; measure rotor thickness, thickness variation, and lateral runout; determine needed action.	1. Clean and inspect rotor and mounting surface; measure rotor thickness, thickness variation, and lateral runout; determine needed action.	P-1	1. Clean and inspect rotor and mounting surface; measure rotor thickness, thickness variation, and lateral runout; determine necessary action.	P-1

2. Inspect and clean disc brake caliper assemblies; inspect and measure disc brake pads; inspect mounting hardware and slides; determine needed action.	P-1	2. Inspect and clean disc brake caliper assemblies; inspect and measure disc brake pads; inspect mounting hardware and slides; perform needed action.	P-1	2. Inspect and clean disc brake caliper assemblies; inspect and measure disc brake pads; inspect mounting hardware and slides; perform needed action.	P-1
3. Remove brake drum; clean and inspect brake drum and mounting surface; measure brake drum diameter; measure brake lining thickness; inspect brake lining condition; inspect wheel cylinders; determine needed action.	P-3	3. Remove brake drum, clean and inspect brake drum and mounting surface; measure brake drum diameter; measure brake lining thickness; inspect brake lining condition; inspect wheel cylinders; perform needed action.	P-3	3. Remove brake drum, clean and inspect brake drum and mounting surface; measure brake drum diameter; measure brake lining thickness; inspect brake lining condition; inspect wheel cylinders; perform needed action.	P-3
III. BRAKES G. Hydraulic Brakes: Parking Brake System		III. BRAKES G. Hydraulic Brakes: Parking Brake System		III. BRAKES G. Hydraulic Brakes: Parking Brake System	
1. Check parking brake operation; inspect parking brake application and holding devices.	P-1	1. Check parking brake operation; inspect parking brake application and holding devices; adjust, repair, and/or replace as needed.	P-1	1. Check parking brake operation; inspect parking brake application and holding devices; adjust, repair, and/or replace as needed.	P-1
III. BRAKES H. Power Assist Systems		III. BRAKES H. Power Assist Systems		III. BRAKES H. Power Assist Systems	
1. Check brake assist/booster system (vacuum or hydraulic) hoses, pump, switches, and control valves; check fluid level and condition (if applicable).	P-1	1. Check brake assist/booster system (vacuum or hydraulic) hoses, pump, switches, and control valves; check fluid level and condition (if applicable).	P-1	1. Check brake assist/booster system (vacuum or hydraulic) hoses, pumps, switches, and control valves; check fluid level and condition (if applicable).	P-1
2. Check operation of emergency (back-up/reserve) brake assist	P-1	2. Check operation of emergency (back-up/reserve) brake assist	P-1	2. Check operation of emergency (back-up/reserve) brake assist	P-1

	3. Identify concerns related to the power assist system (vacuum or hydraulic), including stopping problems caused by the brake assist (booster) system; determine needed action.	P-2	3. Identify concerns related to the power assist system (vacuum or hydraulic), including stopping problems caused by the brake assist (booster) system; determine needed action.	P-2
	4. Inspect, test, repair, and/or replace hydraulic brake assist/booster systems, hoses, and control valves.	P-1	4. Inspect, test, repair, and/or replace hydraulic brake assist/booster systems, hoses, and control valves.	P-1
III. BRAKES I. Vehicle Dynamic Brake Systems (Air and Hydraulic): Antilock Brake System (ABS), Automatic Traction Control (ATC) System, and Electronic Stability Control (ESC) System, Automatic Emergency Braking (AEB) System	III. BRAKES I. Vehicle Dynamic Brake Systems (Air and Hydraulic): Antilock Brake System (ABS), Automatic Traction Control (ATC) System, and Electronic Stability Control (ESC) System, Automatic Emergency Braking (AEB) System		III. BRAKES I. Vehicle Dynamic Brake Systems (Air and Hydraulic): Antilock Brake System (ABS), Automatic Traction Control (ATC) System, and Electronic Stability Control (ESC) System, Automatic Emergency Braking (AEB) System	
1. Observe antilock brake system (ABS) warning light operation including trailer and dash mounted trailer ABS warning light.	1. Observe antilock brake system (ABS) warning light operation including trailer and dash mounted trailer ABS warning light; determine needed action.	P-1	1. Observe antilock brake system (ABS) warning light operation including trailer and dash mounted trailer ABS warning light; determine needed action.	P-1
2. Observe automatic P-2 traction control (ATC) and electronic stability control (ESC) warning light operation.	2. Observe automatic traction control (ATC) and electronic stability control (ESC) warning light operation; determine needed action.	P-2	2. Observe automatic traction control (ATC) and electronic stability control (ETC) warning light operation; determine needed action.	P-2
3. Test vehicle/wheel speed P-3 sensors and circuits.	3. Test vehicle/wheel speed sensors and circuits; adjust, repair, and/or replace as needed.	P-1	3. Test vehicle/wheel speed sensors and circuits; adjust, repair, and/or replace as needed.	P-1

4. Demonstrate knowledge P-3 of Automatic Emergency Braking (AEB) systems.	4. Demonstrate knowledge of Automatic Emergency Braking (AEB) systems.	P-3	4. Demonstrate knowledge of Automatic Emergency Braking (AEB) systems.	P-3
	5. Identify stopping concerns related to the vehicle dynamic brake systems: ABS, ATC, and ESC; determine needed action.	P-2	5. Identify stopping concerns related to the vehicle dynamic brake systems: ABS, ATC, and ESC; determine needed action.	P-2
	6. Diagnose problems in the vehicle dynamic brake control systems: ABS, ATC, and ESC; determine needed action.	P-3	6. Diagnose problems in the vehicle dynamic brake control systems: ABS, ATC, and ESC; determine needed action.	P-2
	7. Check and test operation of vehicle dynamic brake system (air and hydraulic) mechanical and electrical components; determine needed action.	P-1	7. Check and test operation of vehicle dynamic brake system (air and hydraulic) mechanical and electrical components; determine needed action.	P-1
	8. Bleed ABS hydraulic circuits.	P-2	8. Bleed ABS hydraulic circuits.	P-2
	9. Verify power line carrier (PLC) operation.	P-3	9. Verify power line carrier (PLC) operation.	P-3
III. BRAKES J. Wheel Bearings	III. BRAKES J. Wheel Bearings		III. BRAKES J. Wheel Bearings	
1. Clean, inspect, lubricate, and/or replace wheel bearings and races/cups; replace seals and wear rings; inspect spindle/tube; inspect and replace retaining hardware; adjust wheel bearings; check hub assembly fluid level and condition; verify end play with dial indicator method.	1. Clean, inspect, lubricate, and/or replace wheel bearings and races/cups; replace seals and wear rings; inspect spindle/tube; inspect and replace retaining hardware; adjust wheel bearings; check hub assembly fluid level and condition; verify end play with dial indicator method.	P-1	1. Clean, inspect, lubricate, and/or replace wheel bearings and races/cups; replace seals and wear rings; inspect spindle/tube; inspect and replace retaining hardware; adjust wheel bearings; check hub assembly fluid level and condition; verify end play with dial indicator method.	P-1

2. Identify, inspect, and/or replace unitized/preset hub bearing assemblies.	P-1	2. Identify, inspect, and/or replace unitized/preset hub bearing assemblies.	P-1	2. Identify, inspect, and/or replace unitized/preset hub bearing assemblies.	P-1
<b>IMMR Brakes Task Count</b>		TST Brakes Task Count		MTST Brakes Task Count	
P-1 3	32	P-1	36	P-1	36
P-2	1	P-2	9	P-2	10
P-3 5	5	P-3	7	P-3	6
Total 3	38	Total	52	Total	52

# SUSPENSION AND STEERING

For every task, the following safety task must be strictly enforced: Comply with personal and environmental safety practices associated with eye/foot/hand/hearing protection, clothing, hand tools, power equipment, lifting practices, and ventilation. Handle, store, and dispose of fuels/chemicals/materials in accordance with federal, state, and local regulations.

Inspection, Maintenance, and Minor Repair (IMMR) - 540 Hours IV. SUSPENSION AND STEERING A. General	Truck Service Technology (TST) - 740 Hours IV. SUSPENSION AND STEERING A. General	Master Truck Service Technology (MTST) - 1040 Hours IV. SUSPENSION AND STEERING A. General
1. Research vehicle service information, including fluid type, vehicle service history, service precautions, and technical service bulletins.	1. Research vehicle service information, including fluid type, vehicle service history, service precautions, and technical service bulletins.	1. Research vehicle service p-1 information, including fluid type, vehicle service history, service precautions, and technical service bulletins.
2. Disable and enable supplemental restraint system (SRS); verify indicator lamp operation.	2. Disable and enable supplemental restraint system (SRS); verify indicator lamp operation.	2. Disable and enable P-1 supplemental restraint system (SRS); verify indicator lamp operation.
3. Identify suspension and steering system components and configurations.	3. Identify suspension and steering system components and configurations.	3. Identify suspension and steering system components and configurations.
4. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings.	4. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings.	4. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings; verify repairs and clear diagnostic codes only when directed.

IV. SUSPENSION AND STEERING B. Steering Column	IV. SUSPENSION AND STEERING B. Steering Column	IV. SUSPENSION AND STEERING B. Steering Column
1. Check steering wheel for free play, binding, and proper centering; inspect and service steering shaft U-joint(s), slip joint(s), bearings, bushings, and seals; phase steering shaft.	1. Check steering wheel for free play, binding, and proper centering; inspect and service steering shaft U-joint(s), slip joint(s), bearings, bushings, and seals; phase steering shaft.	1. Check steering wheel for free play, binding, and proper centering; inspect and service steering shaft U-joint(s), slip joint(s), bearings, bushings, and seals; phase steering shaft.
2. Check operation of tilt and telescoping steering column.	2. Identify causes of fixed and driver adjustable steering column and shaft noise, looseness, and binding problems.	2. Diagnose causes of fixed P-1 and driver adjustable steering column and shaft noise, looseness, and binding problems.
3. Check cab mounts, suspension, and ride height.	3. Check cab mounts and suspension and adjust cab ride height as required.	3. Check cab mounts and suspension and adjust cab ride height as required.
	4. Remove the steering wheel (includes steering wheels equipped with electrical/electronic controls and components); install and center the steering wheel.	4. Remove the steering wheel (includes steering wheels equipped with electrical/electronic controls and components); install and center the steering wheel.
	5. Inspect, test, replace, and calibrate steering angle sensor.	5. Inspect, test, replace, and P-2 calibrate steering angle sensor.
IV. SUSPENSION AND STEERING C. Steering Pump and Gear Units	IV. SUSPENSION AND STEERING C. Steering Pump and Gear Units	IV. SUSPENSION AND STEERING C. Steering Pump and Gear Units
1. Check power steering pump and gear operation, mountings, lines, and hoses; check fluid level and condition; service filter; inspect system for leaks.	1. Check power steering pump and gear operation, mountings, lines, and hoses; check fluid level and condition; service filter; inspect system for leaks.	1. Check power steering pump and gear operation, mountings, lines, and hoses; check fluid level and condition; service filter; inspect system for leaks.

2. Flush and refill power steering system; purge air from system.	P-2	2. Flush and refill power steering system; purge air from system.	P-1	2. Flush and refill power steering system; purge air from system.	P-1
3. Demonstrate knowledge of poppet valves.	P-3	3. Inspect and/or replace power steering gear(s) (single and/or dual) and mountings; adjust or set poppet valves as required.	P-2	3. Inspect and/or replace power steering gear(s) (single and/or dual) and mountings; adjust or set poppet valves as required.	P-2
		4. Identify causes of power steering system noise, binding, darting/oversteer, reduced wheel cut, steering wheel kick, pulling, non-recovery, turning effort, looseness, hard steering, overheating, fluid leakage, and fluid aeration problems.	P-1	4. Diagnose causes of power steering system noise, binding, darting/oversteer, reduced wheel cut, steering wheel kick, pulling, non-recovery, turning effort, looseness, hard steering, overheating, fluid leakage, and fluid aeration problems.	P-1
		5. Inspect, service, and/or replace power steering reservoir, seals, and gaskets.	P-2	5. Inspect, service, and/or replace power steering reservoir, seals, and gaskets.	P-2
		6. Inspect and/or replace power steering system cooler, lines, hoses, clamps, mountings, and fittings.	P-2	6. Inspect and/or replace power steering system cooler, lines, hoses, clamps, mountings, and fittings.	P-2
IV. SUSPENSION AND STEERING D. Steering Linkage		IV. SUSPENSION AND STEERING D. Steering Linkage		IV. SUSPENSION AND STEERING D. Steering Linkage	
1. Inspect and lubricate tie rod ends, ball joints, kingpins, pitman arms, idler arms, and other steering linkage components.	P-1	1. Inspect, service, repair, and/or replace tie rod ends, ball joints, kingpins, pitman arms, idler arms, and other steering linkage components.	P-1	1. Inspect, service, repair, and/or replace tie rod ends, ball joints, kingpins, pitman arms, idler arms, and other steering linkage components.	P-1

IV. SUSPENSION AND STEERING E. Suspension Systems		IV. SUSPENSION AND STEERING E. Suspension Systems		IV. SUSPENSION AND STEERING E. Suspension Systems	
1. Inspect shock absorbers, bushings, brackets, and mounts; determine needed action.	P-1	1. Inspect, service, repair, and/or replace shock absorbers, bushings, brackets, and mounts.	P-1	1. Inspect, service, repair, and/or replace shock absorbers, bushings, brackets, and mounts.	P-1
2. Inspect leaf springs, center bolts, clips, pins, bushings, shackles, U-bolts, insulators, brackets, and mounts; determine needed action.	P-1	2. Inspect, repair, and/or replace leaf springs, center bolts, clips, pins, bushings, shackles, U-bolts, insulators, brackets, and mounts.	P-1	2. Inspect, repair, and/or replace leaf springs, center bolts, clips, pins, bushings, shackles, U-bolts, insulators, brackets, and mounts.	P-1
3. Inspect axle and axle aligning devices such as: radius rods, track bars, stabilizer bars, and torque arms; inspect related bushings, mounts, and shims.	P-1	3. Inspect, repair, and/or replace axle and axle aligning devices such as: radius rods, track bars, stabilizer bars, and torque arms; inspect related bushings, mounts, shims and attaching hardware.	P-1	3. Inspect, repair, and/or replace axle and axle aligning devices such as: radius rods, track bars, stabilizer bars, and torque arms; inspect related bushings, mounts, shims and attaching hardware.	P-1
4. Inspect tandem suspension equalizer components.	P-3	4. Inspect, repair, and/or replace tandem suspension equalizer components.	P-3	4. Inspect, repair, and/or replace tandem suspension equalizer components.	P-3
5. Inspect air springs, mounting plates, springs, suspension arms, and bushings.	P-1	5. Inspect, repair, and/or replace air springs, mounting plates, springs, suspension arms, and bushings.	P-1	5. Inspect, repair, and/or replace air springs, mounting plates, springs, suspension arms, and bushings.	P-1
6. Inspect and test air suspension pressure regulator and height control valves, lines, hoses, dump valves, and fittings.	P-1	6. Inspect, test, repair, and/or replace air suspension pressure regulator and height control valves, lines, hoses, dump valves, and fittings.	P-1	6. Inspect, test, repair, and/or replace air suspension pressure regulator and height control valves, lines, hoses, dump valves, and fittings.	P-1
7. Measure and record ride height.	P-2	7. Measure, record and adjust ride height; determine needed action.	P-1	7. Measure, record and adjust ride height; determine needed action.	P-1

	8. Inspect and service kingpins, steering knuckle bushings, locks, bearings, seals, and covers.	P-1	8. Inspect and service kingpins, steering knuckle bushings, locks, bearings, seals, and covers.	P-1
	9. Identify rough ride problems.	P-3	9. Diagnose rough ride problems; determine needed action.	P-3
IV. SUSPENSION AND STEERING F. Wheel Alignment	IV. SUSPENSION AND STEERING F. Wheel Alignment Diagnosis and Repair		IV. SUSPENSION AND STEERING F. Wheel Alignment Diagnosis and Repair	
1. Demonstrate P-2 understanding of alignment angles.	1. Demonstrate understanding of alignment angles.	P-1	1. Demonstrate understanding of alignment angles.	P-1
	2. Identify causes of vehicle wandering, pulling, shimmy, hard steering, and off-center steering wheel problems.	P-1	2. Diagnose causes of vehicle wandering, pulling, shimmy, hard steering, and off-center steering wheel problems.	P-1
	3. Check and record camber.	P-2	3. Check and record camber.	P-2
	4. Check and record caster.	P-2	4. Check, record, and adjust caster.	P-2
	5. Check, record, and adjust toe settings.	P-1	5. Check, record, and adjust toe settings.	P-1
	6. Check rear axle(s) alignment (thrustline/centerline) and tracking.	P-2	6. Check rear axle(s) alignment (thrustline/centerline) and tracking.	P-2
	7. Identify turning/Ackerman angle (toe-out-on-turns) problems.	P-3	7. Identify turning/Ackerman angle (toe-out-on-turns) problems.	P-3
	8. Check front axle alignment (centerline).	P-2	8. Check front axle alignment (centerline).	P-2

IV. SUSPENSION AND STEERING G. Wheels and Tires	IV. SUSPENSION AND STEERING G. Wheels and Tires	IV. SUSPENSION AND STEERING G. Wheels and Tires
1. Inspect tire condition; identify tire wear patterns; measure tread depth; verify tire matching (diameter and tread); inspect valve stem and cap; set tire pressure; verify tire pressure monitoring system (TPMS) operation (if applicable).	1. Inspect tire condition; identify tire wear patterns; measure tread depth; verify tire matching (diameter and tread); inspect valve stem and cap; set tire pressure; verify tire pressure monitoring system (TPMS) operation (if applicable); determine needed action.	1. Inspect tire condition; identify tire wear patterns; measure tread depth; verify tire matching (diameter and tread); inspect valve stem and cap; set tire pressure; verify tire pressure monitoring system (TPMS) operation (if applicable); determine needed action.
2. Demonstrate knowledge of causes for wheel/tire vibration, shimmy, pounding, and hop (tramp) problems.	2. Identify wheel/tire P-2 vibration, shimmy, pounding, and hop (tramp) problems; determine needed action.	2. Diagnose wheel/tire P-2 vibration, shimmy, pounding, and hop (tramp) problems; determine needed action.
3. Check wheel mounting hardware; check wheel condition and runout; remove and install wheel/tire assemblies (steering and drive axle); torque fasteners to manufacturer's specification using torque wrench.	3. Check wheel mounting hardware; check wheel condition and runout; remove and install wheel/tire assemblies (steering and drive axle); torque fasteners to manufacturer's specification using torque wrench.	3. Check wheel mounting hardware; check wheel condition and runout; remove and install wheel/tire assemblies (steering and drive axle); torque fasteners to manufacturer's specification using torque wrench.
4. Demonstrate knowledge of DOT tire identification numbers/markings for new and retread/recap tires; inspect tire and wheel for proper application (size, load range, position, and tread design); determine needed action.	4. Demonstrate knowledge of DOT tire identification numbers/markings for new and retread/recap tires; inspect tire and wheel for proper application (size, load range, position, and tread design); determine needed action.	4. Demonstrate knowledge of DOT tire identification numbers/markings for new and retread/recap tires; inspect tire and wheel for proper application (size, load range, position, and tread design); determine needed action.

IV. SUSPENSION AND STEERING H. Frame and Coupling Devices		IV. SUSPENSION AND STEERING H. Frame and Coupling Devices		IV. SUSPENSION AND STEERING H. Frame and Coupling Devices	
1. Inspect, service, and/or adjust fifth wheel, pivot pins, bushings, locking mechanisms, mounting hardware, air lines, and fittings.	P-1	1. Inspect, service, and/or adjust fifth wheel, pivot pins, bushings, locking mechanisms, mounting hardware, air lines, and fittings.	P-1	1. Inspect, service, and/or adjust fifth wheel, pivot pins, bushings, locking mechanisms, mounting hardware, air lines, and fittings.	P-1
2. Inspect frame and frame members for cracks, breaks, corrosion, distortion, elongated holes, looseness, and damage.	P-1	2. Inspect frame and frame members for cracks, breaks, corrosion, distortion, elongated holes, looseness, and damage; determine needed action.	P-1	2. Inspect frame and frame members for cracks, breaks, corrosion, distortion, elongated holes, looseness, and damage; determine needed action.	P-1
3. Inspect frame hangers, brackets, and cross members.	P-3	3. Inspect and install and/or replace frame hangers, brackets, and cross members; determine needed action.	P-3	3. Inspect, install, and/or replace frame hangers, brackets, and cross members; determine needed action.	P-3
4. Check pintle hook and mounting (if applicable).	P-2	4. Inspect, repair, or replace pintle hooks and draw bars (if applicable).	P-2	4. Inspect, repair, or replace pintle hooks and draw bars (if applicable).	P-2
		5. Inspect, service, and/or adjust sliding fifth wheel, tracks, stops, locking systems, air cylinders, springs, lines, hoses, and controls.	P-2	5. Inspect, service, and/or adjust sliding fifth wheel, tracks, stops, locking systems, air cylinders, springs, lines, hoses, and controls.	P-2
IMMR Suspension and Steering Task Count		TST Suspension and Steering Task Count		MTST Suspension and Steering Task Count	
P-1 P-2	17 7	P-1 P-2	24 14	P-1 P-2	24 14
P-3 Total	3 27	P-3 Total	4 42	P-3 Total	4 42
Total	41	Total	42	Total	44

## ELECTRICAL/ELECTRONIC SYSTEMS

For every task, the following safety task must be strictly enforced: Comply with personal and environmental safety practices associated with eye/foot/hand/hearing protection, clothing, hand tools, power equipment, lifting practices, and ventilation. Handle, store, and dispose of fuels/chemicals/materials in accordance with federal, state, and local regulations.

Comply with manufacturers' current safety practices, documentation, and training associated with high voltage/electric vehicle lock-out/tag-out and service procedures.

The first tasks are to listen to and verify the operator's concern, review past maintenance and repair documents, and determine necessary action.

Inspection, Maintenance, and Minor Repair (IMMR) - 540 Hours V. ELECTRICAL/ ELECTRONIC SYSTEMS A. General	Truck Service Technology (TST) - 740 Hours V. ELECTRICAL/ ELECTRONIC SYSTEMS A. General	Master Truck Service Technology (MTST) - 1040 Hours V. ELECTRICAL/ ELECTRONIC SYSTEMS A. General
1. Research vehicle service P-1 information, including vehicle service history, service precautions, and technical service bulletins.	1. Research vehicle service p-1 information including, vehicle service history, service precautions, and technical service bulletins.	1. Research vehicle service P-1 information, including vehicle service history, service precautions, and technical service bulletins.
2. Demonstrate knowledge of electrical/electronic series, parallel, and seriesparallel circuits using principles of electricity (Ohm's Law).	2. Demonstrate knowledge of electrical/electronic series, parallel, and seriesparallel circuits using principles of electricity (Ohm's Law).	2. Demonstrate knowledge of electrical/electronic series, parallel, and seriesparallel circuits using principles of electricity (Ohm's Law).
3. Demonstrate operation and proper use of digital multimeters and other test equipment when measuring source voltage, voltage drop (including grounds), current flow, continuity, and resistance.	3. Demonstrate operation and proper use of digital multimeters and other test equipment when measuring source voltage, voltage drop (including grounds), current flow, continuity, and resistance.	3. Demonstrate operation and proper use of digital multimeters and test equipment when measuring source voltage, voltage drop (including grounds), current flow, continuity, and resistance.

Page 83 of 119

Effective 7/1/2025

P-1 P-1 P-1 4. Demonstrate knowledge 4. Demonstrate knowledge 4. Demonstrate knowledge of the causes and effects of of the causes and effects of of the causes and effects of shorts, grounds, opens, and shorts, grounds, opens, and shorts, grounds, opens, and resistance problems in resistance problems in resistance problems in electrical/electronic circuits. electrical/electronic circuits; electrical/electronic circuits; identify and locate faults in identify and locate faults in electrical/electronic circuits. electrical/electronic circuits. P-1 P-1 P-1 5. Use wiring diagrams to 5. Use wiring diagrams 5. Use wiring diagrams trace electrical/electronic during the diagnosis during the diagnosis (troubleshooting) of (troubleshooting) of circuits. electrical/electronic circuit electrical/electronic circuit problems. problems. P-1 6. Measure parasitic (key-P-1 6. Measure parasitic (key-P-1 6. Measure parasitic (keyoff) battery drain. off) battery drain; determine off) battery drain; determine needed action. needed action. P-1 P-1 P-1 7. Demonstrate knowledge 7. Demonstrate knowledge 7. Demonstrate knowledge of the function, operation, of the function, operation, of the function, operation, and testing of fusible links, and testing of fusible links, and testing of fusible links, circuit breakers, relays, circuit breakers, relays, circuit breakers, relays, solenoids, actuators, diodes, solenoids, actuators, diodes, solenoids, actuators, diodes, and fuses; perform and fuses; perform and fuses. inspection and testing; inspection and testing: determine needed action. determine needed action. P-1 8. Inspect, repair (including P-1 8. Inspect, test, repair P-1 8. Inspect, test, repair solder repair, mechanical (including solder repair, (including solder repair, mechanical crimp repair, mechanical crimp repair, crimp repair, and sealed heat shrink), and/or replace and sealed heat shrink), and sealed heat shrink), connectors, seals, terminal and/or replace components, and/or replace components, connectors, seals, terminal ends, and wiring; verify connectors, seals, terminal proper routing and ends, harnesses, and wiring; ends, harnesses, and wiring; verify proper routing and verify proper routing and securement. securement: determine securement: determine needed action. needed action.

9. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings.	P-1	9. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings.	P-1	9. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings, verify repair; clear diagnostic codes only when directed.	P-1
10. Check for malfunctions caused by faults in the data bus communications network.	P-2	10. Check for malfunctions caused by faults in the data bus communications network.	P-2	10. Diagnose faults in the data bus communications network; determine needed action.	P-2
11. Identify electrical/electronic system components and configuration.	P-1	11. Identify electrical/electronic system components and configuration.	P-1	11. Identify electrical/electronic system components and configuration.	P-1
		12. Demonstrate operation and proper use of oscilloscopes to check frequency, pulse width, and waveforms of electrical/electronic signals; interpret readings; determine needed repairs.	P-2	12. Demonstrate operation and proper use of oscilloscopes to check frequency, pulse width, and waveforms of electrical/electronic signals; interpret readings; determine needed repairs.	P-2
				13. Demonstrate understanding of the process for software transfer, software updates, and/or reprogramming of electronic modules.	P-3
V. ELECTRICAL/ ELECTRONIC SYSTEMS B. Battery System (low voltage)		V. ELECTRICAL/ ELECTRONIC SYSTEMS B. Battery System (low voltage)		V. ELECTRICAL/ ELECTRONIC SYSTEMS B. Battery System (low voltage)	
1. Identify battery type and system configuration.	P-1	1. Identify battery type and system configuration.	P-1	1. Identify battery type and system configuration.	P-1

2. Confirm proper battery capacity for application; perform battery state-of-charge test; perform battery capacity test, determine needed action.	P-1	2. Confirm proper battery capacity for application; perform battery state-of-charge test; perform battery capacity test, determine needed action.	P-1	2. Confirm proper battery capacity for application; perform battery state-of-charge test; perform battery capacity test, determine needed action.	P-1
3. Inspect and clean battery, battery cables, connectors, battery boxes, mounts, and hold-downs; determine needed action.	P-1	3. Inspect and clean battery, battery cables, connectors, battery boxes, mounts, and hold-downs; service, repair, or replace as needed.	P-1	3. Inspect and clean battery, battery cables, connectors, battery boxes, mounts, and hold-downs; service, repair or replace as needed.	P-1
4. Charge battery using appropriate method for battery type.	P-1	4. Charge battery using appropriate method for battery type.	P-1	4. Charge battery using appropriate method for battery type.	P-1
5. Jump-start vehicle using a booster battery and jumper cables or using an appropriate auxiliary power supply.	P-1	5. Jump-start vehicle using a booster battery and jumper cables or using an appropriate auxiliary power supply.	P-1	5. Jump-start vehicle using a booster battery and jumper cables or using an appropriate auxiliary power supply.	P-1
6. Identify low voltage disconnect (LVD) systems.	P-2	6. Check low voltage disconnect (LVD) systems; determine needed action.	P-2	6. Check low voltage disconnect (LVD) systems; determine needed action.	P-1
		7. Test battery cables and connectors; repair or replace as needed.	P-1	7. Test battery cables and connectors; repair or replace as needed.	P-1
		8. Identify electrical/electronic modules, radios, and other accessories that require reinitialization or code entry after reconnecting vehicle battery.	P-3	8. Identify electrical/electronic modules, radios, and other accessories that require reinitialization or code entry after reconnecting vehicle battery.	P-3
V. ELECTRICAL/ ELECTRONIC SYSTEMS C. Starting System		V. ELECTRICAL/ ELECTRONIC SYSTEMS C. Starting System		V. ELECTRICAL/ ELECTRONIC SYSTEMS C. Starting System	

1. Demonstrate understanding of starter system operation.	P-1	1. Demonstrate understanding of starter system operation.	P-1	1. Demonstrate understanding of starter system operation.	P-1
2. Perform starter circuit cranking voltage and voltage drop tests.	P-1	2. Perform starter circuit cranking voltage and voltage drop tests; determine needed action.	P-1	2. Perform starter circuit cranking voltage and voltage drop tests; determine needed action.	P-1
3. Inspect starter control circuit switches (key switch, push button, and/or magnetic switch), relays, connectors, terminals, wires, and harnesses (including over-crank protection).	P-1	3. Inspect and test starter control circuit switches (key switch, push button, and/or magnetic switch), relays, connectors, terminals, wires, and harnesses (including over-crank protection); determine needed action.	P-1	3. Inspect and test starter control circuit switches (key switch, push button, and/or magnetic switch), relays, connectors, terminals, wires, and harnesses (including over-crank protection); determine needed action.	P-1
		4. Identify causes of nocrank or slow crank condition; differentiate between electrical and engine mechanical problems; determine needed action.	P-1	4. Diagnose causes of nocrank or slow crank condition; differentiate between electrical and engine mechanical problems; determine needed action.	P-1
		5. Perform starter current draw tests; determine needed action.	P-3	5. Perform starter current draw tests; determine needed action.	P-3
		6. Remove and replace starter; inspect flywheel ring gear or flex plate.	P-2	6. Remove and replace starter; inspect flywheel ring gear or flex plate.	P-2
V. ELECTRICAL/ ELECTRONIC SYSTEMS D. Charging System		V. ELECTRICAL/ ELECTRONIC SYSTEMS D. Charging System		V. ELECTRICAL/ ELECTRONIC SYSTEMS D. Charging System	
1. Identify and understand operation of the alternator.	P-1	1. Identify and understand operation of the alternator.	P-1	1. Identify and understand operation of the alternator.	P-1
2. Check instrument panel mounted gauges and/or indicator lamps.	P-1	2. Test instrument panel mounted gauges and/or indicator lamps; determine needed action.	P-1	2. Test instrument panel mounted gauges and/or indicator lamps; determine needed action.	P-1

3. Inspect alternator drive belt condition; check pulleys and tensioners for wear; check fans and mounting brackets; verify proper belt alignment.	P-1	3. Inspect, adjust, and/or replace alternator drive belt; check pulleys and tensioners for wear; check fans and mounting brackets; verify proper belt alignment; determine needed action.	P-1	3. Inspect, adjust, and/or replace alternator drive belt; check pulleys and tensioners for wear; check fans and mounting brackets; verify proper belt alignment; determine needed action.	P-1
4. Inspect cables, wires, and connectors in the charging circuit including remote sense circuit.	P-1	4. Inspect cables, wires, and connectors in the charging circuit including remote sense circuit; determine needed action.	P-1	4. Inspect cables, wires, and connectors in the charging circuit including remote sense circuit; determine needed action	P-1
5. Perform charging system voltage and amperage output tests; perform AC ripple test.	P-1	5. Perform charging system voltage and amperage output tests; perform AC ripple test; determine needed action.	P-1	5. Perform charging system voltage and amperage output tests; perform AC ripple test; determine needed action.	P-1
		6. Perform charging circuit voltage drop tests; determine needed action.	P-1	6. Perform charging circuit voltage drop tests; determine needed action.	P-1
		7. Remove, inspect, and/or replace alternator.	P-2	7. Remove, inspect, and/or replace alternator.	P-2
V. ELECTRICAL/ ELECTRONIC SYSTEMS E. Lighting Systems		V. ELECTRICAL/ ELECTRONIC SYSTEMS E. Lighting Systems		V. ELECTRICAL/ ELECTRONIC SYSTEMS E. Lighting Systems	
1. Inspect for brighter-than- normal, intermittent, dim, or no-light operation; determine needed action.	P-1	1. Identify causes of brighter-than-normal, intermittent, dim, or no-light operation; determine needed action.	P-1	1. Diagnose causes of brighter-than-normal, intermittent, dim, or no-light operation; determine needed action.	P-1
2. Test, replace, and aim headlights.	P-3	2. Test, replace, and aim headlights	P-3	2. Test, replace, and aim headlights.	P-3
3. Inspect cables, wires, and connectors in the lighting systems.	P-1	3. Inspect cables, wires, and connectors in the lighting systems.	P-1	3. Inspect cables, wires, and connectors in the lighting systems.	P-1

4. Inspect tractor-to-trailer P-1 electrical connectors, cables, and holders.	4. Inspect tractor-to-trailer electrical connectors, cables, and holders.	P-1	4. Diagnose faults in tractor- to-trailer electrical connector(s), cables, and holders; determine needed action.	P-2
	5. Inspect switches, relays, bulbs/LEDs, wires, terminals, connectors, sockets, and control components/modules of exterior lighting systems; determine needed action.	P-2	5. Diagnose faults in switches, relays, bulbs/LEDs, wires, terminals, connectors, sockets, and control components/modules of exterior lighting systems; determine needed action.	P-2
	6. Inspect switches, relays, bulbs/LEDs, wires, terminals, connectors, sockets, and control components/modules of interior lighting systems; determine needed action.	P-2	6. Diagnose faults in switches, relays, bulbs/LEDs, wires, terminals, connectors, sockets, and control components/modules of interior lighting systems; determine needed action.	P-2
	7. Inspect switches, relays, bulbs/LEDs, wires, terminals, connectors, sockets, and control components/modules of auxiliary lighting circuits; determine needed action	P-2	7. Diagnose faults in switches, relays, bulbs/LEDs, wires, terminals, connectors, sockets, and control components/modules of auxiliary lighting circuits; determine needed action.	P-2
V. ELECTRICAL/ ELECTRONIC SYSTEMS F. Instrument Cluster and Driver Information Systems	V. ELECTRICAL/ ELECTRONIC SYSTEMS F. Instrument Cluster and Driver Information Systems		V. ELECTRICAL/ ELECTRONIC SYSTEMS F. Instrument Cluster and Driver Information Systems	
1. Check gauge and warning P-1 indicator operation.	1. Check gauge and warning indicator operation.	P-1	1. Check gauge and warning indicator operation.	P-1

2. Demonstrate knowledge of the sensor/sending units, gauges, switches, relays, bulbs/LEDs, wires, terminals, connectors, sockets, printed circuits, and control components/modules of the instrument cluster, driver information system, and warning systems.	P-2	2. Identify faults in the sensor/sending units, gauges, switches, relays, bulbs/LEDs, wires, terminals, connectors, sockets, printed circuits, and control components/modules of the instrument cluster, driver information systems, and warning systems; determine needed action.	P-2	2. Diagnose faults in the sensor/sending units, gauges, switches, relays, bulbs/LEDs, wires, terminals, connectors, sockets, printed circuits, and control components/modules of the instrument cluster, driver information systems, and warning systems; determine needed action.	P-2
		3. Inspect electronic speedometer, odometer, and tachometer systems.	P-3	3. Inspect, test, replace, and calibrate (if applicable) electronic speedometer, odometer, and tachometer systems.	P-3
V. ELECTRICAL/ ELECTRONIC SYSTEMS G. Cab and Chassis Electrical Systems		V. ELECTRICAL/ ELECTRONIC SYSTEMS G. Cab and Chassis Electrical Systems		V. ELECTRICAL/ ELECTRONIC SYSTEMS G. Cab and Chassis Electrical Systems	
1. Check operation of horn(s), wiper/washer, and occupant restraint systems.	P-1	1. Check operation of horn(s), wiper/washer, and occupant restraint systems.	P-1	1. Diagnose operation of horn(s), wiper/washer, and occupant restraint systems.	P-1
		2. Demonstrate knowledge of the operation of advanced driver assistance systems (ADAS) and related circuits (such as: speed control, collision avoidance, lane departure warning and assist, and camera systems).	P-3	2. Demonstrate knowledge of the operation of advanced driver assistance systems (ADAS) and related circuits (such as: speed control, collision avoidance, lane departure warning and assist, and camera systems).	P-3
		3. Demonstrate knowledge of comfort and convenience systems and related circuits (such as: power windows, power seats, power locks, remote keyless entry, steering wheel controls, and cruise control).	P-3	3. Demonstrate knowledge of comfort and convenience systems and related circuits (such as: power windows, power seats, power locks, remote keyless entry, steering wheel controls, and cruise control).	P-3

	4. Demonstrate knowledge of entertainment systems and related circuits (such as: radio, DVD, navigation, speakers, antennas, and voice-activated accessories).	P-3	4. Demonstrate knowledge of entertainment systems and related circuits (such as: radio, DVD, navigation, speakers, antennas, and voice-activated accessories).	P-3
	5. Demonstrate knowledge of power inverter, protection devices, connectors, terminals, wiring, and control components/modules of auxiliary power systems.	P-3	5. Demonstrate knowledge of power inverter, protection devices, connectors, terminals, wiring, and control components/modules of auxiliary power systems.	P-3
	6. Demonstrate knowledge of telematics systems.	P-3	6. Demonstrate knowledge of telematics systems.	P-3
V. ELECTRICAL/ ELECTRONIC SYSTEMS H. Electrified Vehicle High Voltage Safety	V. ELECTRICAL/ ELECTRONIC SYSTEMS H. Electrified Vehicle High Voltage Safety		V. ELECTRICAL/ ELECTRONIC SYSTEMS H. Electrified Vehicle High Voltage Safety	
1. Demonstrate knowledge of hazards related to high voltage system/electric vehicles, including electrocution, fire, explosion, arc flash, gases and fumes, hazardous chemicals, and EMF, and how to properly respond to emergency situations.	1. Demonstrate knowledge of hazards related to high voltage system/electric vehicles, including electrocution, fire, explosion, arc flash, gases and fumes, hazardous chemicals, and EMF, and how to properly respond to emergency situations.	P-1	1. Demonstrate knowledge of hazards related to high voltage system/electric vehicles, including electrocution, fire, explosion, arc flash, gases and fumes, hazardous chemicals, and EMF, and how to properly respond to emergency situations.	P-1
2. Demonstrate knowledge of high voltage system and component coloring, warning labels, lights, signage, and lock-out/tagout procedures.	2. Demonstrate knowledge of high voltage system and component coloring, warning labels, lights, signage, and lock-out/tagout procedures.	P-1	2. Demonstrate knowledge of high voltage system and component coloring, warning labels, lights, signage, and lock-out/tag-out procedures.	P-1
3. Demonstrate ability to identify which components and circuits contain high voltage.	3. Demonstrate ability to identify which components and circuits contain high voltage.	P-1	3. Demonstrate ability to identify which components and circuits contain high voltage.	P-1

P-1 P-1 P-1 4. Demonstrate knowledge 4. Demonstrate knowledge 4. Demonstrate knowledge of steps needed to assess of steps needed to assess of steps needed to assess possible hazards prior to possible hazards prior to possible hazards prior to servicing a high servicing a high servicing a high voltage/electric vehicle, voltage/electric vehicle, voltage/electric vehicle, including awareness of including awareness of including awareness of automatic systems that may automatic systems that may automatic systems that may operate while the key operate while the key operate while the key switch/ignition is off. switch/ignition is off. switch/ignition is off. 5. Understand limitations on P-1 5. Understand limitations on P-1 5. Understand limitations on P-1 which systems, components, which systems, components, which systems, components, and circuits of a high and circuits of a high and circuits of a high voltage/electric vehicle a voltage/electric vehicle a voltage/electric vehicle a technician is capable of technician is capable of technician is capable of safely servicing based on safely servicing based on safely servicing based on their level of training and their level of training and their level of training and qualification, and vehicle qualification, and vehicle qualification, and vehicle manufacturers service manufacturers service manufacturers service guidelines and warranty. guidelines and warranty. guidelines and warranty. P-3 P-2 6. Demonstrate knowledge 6. Demonstrate knowledge of special multimeters, of special multimeters, insulated tools, and other insulated tools, and other test equipment required for test equipment required for use in high voltage/electric use in high voltage/electric vehicle circuits. vehicle circuits. 7. Demonstrate knowledge P-3 7. Demonstrate knowledge P-2 of personal protective of personal protective equipment (PPE) required equipment (PPE) required for use in high for use in high voltage/electric vehicle voltage/electric vehicle circuits. circuits. 8. Demonstrate knowledge P-3 8. Demonstrate knowledge P-2 of proper procedures used to of proper procedures used to disconnect/isolate the high disconnect/isolate the high voltage traction battery. voltage traction battery. P-2 9. Demonstrate knowledge P-3 9. Demonstrate knowledge of the use of a live-dead-live of the use of a live-dead-live test to verify isolation of the test to verify isolation of the high voltage traction battery. high voltage traction battery.

		10. Demonstrate knowledge of the testing and verification of ground circuit isolation between vehicle chassis ground and the high voltage circuits and components.	P-3	10. Demonstrate knowledge of the testing and verification of ground circuit isolation between vehicle chassis ground and the high voltage circuits and components.	P-2
IMMR		TST Electrical/Electronic		MTST	
<b>Electrical/Electronic</b>		Systems Task Count		Electrical/Electronic	
Systems Task Count				Systems Task Count	
P-1	33	P-1	36	P-1	36
P-2	3	P-2	9	P-2	14
P-3	1	P-3	14	P-3	10
Total	37	Total	59	Total	60

# **HEATING, VENTILATION, AND AIR CONDITIONING (HVAC)**

For every task, the following safety task must be strictly enforced: Comply with personal and environmental safety practices associated with eye/foot/hand/hearing protection, clothing, hand tools, power equipment, lifting practices, and ventilation. Handle, store, and dispose of fuels/chemicals/materials in accordance with federal, state, and local regulations.

Inspection, Maintenance, and Minor Repair (IMMR) - 540 Hours VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) A. General	Truck Service Technology (TST) - 740 Hours VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) A. General	Master Truck Service Technology (MTST) - 1040 Hours VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) A. General
1. Research vehicle service information, including refrigerant/oil type, vehicle service history, service precautions, and technical service bulletins.	1. Research vehicle service precautions, including refrigerant/oil type, vehicle service history, service precautions, and technical service bulletins.	1. Research vehicle service P-1 information, including refrigerant/oil type, vehicle service history, service precautions, and technical service bulletins.
2. Identify heating, ventilation, and air conditioning (HVAC) components and configuration.	2. Identify heating, P-1 ventilation, and air conditioning (HVAC) components and configuration.	2. Identify heating, P-1 ventilation, and air conditioning (HVAC) components and configuration.
3. Use appropriate electronic P-1 service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings.	3. Use appropriate electronic P-1 service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings.	3. Use appropriate electronic P-1 service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings, verify repairs; clear diagnostic codes only when directed.
	4. Identify and interpret P-1 heating and air conditioning problems.	4. Diagnose heating and air P-1 conditioning problems; determine needed action.

	5. Identify refrigerant type; test for contamination; select and connect proper gauge set/test equipment; record temperature and pressure readings.	P-1	5. Identify refrigerant type; test for contamination; select and connect proper gauge set/test equipment; record temperature and pressure readings.	P-1
	6. Demonstrate knowledge of A/C system performance test.	P-1	6. Perform A/C system performance test; determine needed action.	P-1
	7. Demonstrate knowledge of A/C system leak test.	P-1	7. Perform A/C system leak test; determine needed action.	P-1
	8. Inspect condition of refrigerant oil removed from A/C system; determine needed action.	P-1	8. Inspect condition of refrigerant oil removed from A/C system; determine needed action.	P-1
	9. Determine oil type and oil capacity for system application and/or component replacement.	P-1	9. Determine oil type and oil capacity for system application and/or component replacement.	P-1
VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) B. Refrigeration System Components	VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) B. Refrigeration System Components		VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) B. Refrigeration System Components	
1. Inspect A/C compressor drive belts, pulleys, and tensioners; verify proper belt alignment.	1. Inspect, remove, and replace A/C compressor drive belts, pulleys, and tensioners; verify proper belt alignment.	P-1	1. Inspect, remove, and replace A/C compressor drive belts, pulleys, and tensioners; verify proper belt alignment.	P-1
2. Check A/C system operation; visually inspect A/C components for signs of leaks; check A/C monitoring system (if applicable).	2. Check A/C system operation including system pressures; visually inspect A/C components for signs of leaks; check A/C monitoring system (if applicable).	P-1	2. Check A/C system operation including system pressures; visually inspect A/C components for signs of leaks; check A/C monitoring system (if applicable).	P-1

3. Inspect A/C condenser for P-1 airflow restrictions; determine needed action.	3. Inspect A/C condenser for airflow restrictions; determine needed action.	P-1	3. Inspect A/C condenser for airflow restrictions; determine needed action.	P-1
4. Inspect evaporator P-1 housing water drain.	4. Inspect evaporator housing water drain; determine needed action.	P-1	4. Inspect evaporator housing water drain; perform needed action.	P-1
	5. Inspect A/C compressor assembly; check compressor clutch air gap; determine needed action.	P-1	5. Inspect, test, service, and/or replace A/C compressor assembly; check compressor clutch air gap.	P-1
	6. Inspect AC system hoses, lines, fittings, O-rings, seals, and service valves; determine needed action.	P-1	6. Inspect, service, and/or replace A/C system hoses, lines, fittings, O-rings, seals, and service valves.	P-1
	7. Inspect receiver/drier or accumulator/drier; determine needed action.	P-1	7. Inspect, remove, and/or replace receiver/drier or accumulator/drier.	P-1
	8. Inspect expansion valve or orifice (expansion) tube; determine needed action.	P-1	8. Inspect, remove, and/or replace expansion valve or orifice (expansion) tube.	P-1
	9. Demonstrate knowledge of A/C system conditions that cause the protection devices (pressure, thermal, and/or control module) to interrupt system operation.	P-2	9. Diagnose A/C system conditions that cause the protection devices (pressure, thermal, and/or control module) to interrupt system operation; determine needed action.	P-2
	10. Demonstrate knowledge of procedure to remove and reinstall evaporator.	P-3	10. Demonstrate knowledge of procedure to remove and reinstall evaporator.	P-2
	11. Demonstrate knowledge of procedure to inspect and/or replace condenser.	P-3	11. Demonstrate knowledge of procedure to inspect and/or replace condenser.	P-2

VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) C. Heating, Ventilation, and Engine Cooling Systems	VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) C. Heating, Ventilation, and Engine Cooling Systems	VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) C. Heating, Ventilation, and Engine Cooling Systems
1. Inspect engine cooling system and heater system hoses and pipes.	1. Inspect engine cooling system and heater system hoses and pipes; determine needed action.	1. Inspect engine cooling P-1 system and heater system hoses and pipes; determine needed action.
2. Inspect HVAC systemheater ducts, doors, hoses, cabin filters, and outlets.	2. Inspect HVAC system heater ducts, doors, hoses, cabin filters, and outlets; determine needed action.	2. Inspect HVAC system P-1 heater ducts, doors, hoses, cabin filters, and outlets; determine needed action.
3. Identify the source of A/C P-2 system odors.	3. Identify the source of A/C P-2 system odors; determine needed action.	3. Identify the source of A/C P-1 system odors; determine needed action.
	4. Identify temperature control problems in the HVAC system; determine needed action.	4. Diagnose temperature control problems in the HVAC system; determine needed action.
	5. Demonstrate knowledge of the procedures to remove, inspect, reinstall, and/or replace engine coolant and heater system components.	5. Demonstrate knowledge of the procedures to remove, inspect, reinstall, and/or replace engine coolant and heater system components.
VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) D. Operating Systems and Related Controls	VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) D. Operating Systems and Related Controls	VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) D. Operating Systems and Related Controls
1. Verify HVAC system blower motor operation; confirm proper air distribution; confirm proper temperature control.	1. Verify HVAC system blower motor operation; confirm proper air distribution; confirm proper temperature control; determine needed action.	1. Verify HVAC system P-1 blower motor operation; confirm proper air distribution; confirm proper temperature control; determine needed action.

	2. Inspect and test HVAC system blower motors, resistors, switches, relays, wiring, and protection devices.	2. Inspect and test HVAC system blower motors, resistors, switches, relays, wiring, and protection devices; determine needed action.
	3. Demonstrate knowledge of A/C compressor clutch control systems.	3. Diagnose A/C compressor P-2 clutch control systems; determine needed action.
	4. Demonstrate knowledge of the vacuum, mechanical, and electrical components and controls of the HVAC system.	4. Diagnose malfunctions in the vacuum, mechanical, and electrical components and controls of the HVAC system; determine needed action.
VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) E. Refrigerant Recovery, Recycling, and Handling	VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) E. Refrigerant Recovery, Recycling, and Handling	VI. HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) E. Refrigerant Recovery, Recycling, and Handling
	1. Demonstrate knowledge P-1 of correct use and maintenance of refrigerant handling equipment.	1. Demonstrate knowledge P-1 of correct use and maintenance of refrigerant handling equipment.
	2. Demonstrate knowledge P-1	
	of how to identify A/C system refrigerant; test for sealants; recover, evacuate, and charge A/C system; add refrigerant oil as required.	2. Demonstrate knowledge of how to identify A/C system refrigerant; test for sealants; recover, evacuate, and charge A/C system; add refrigerant oil as required.

IMMR HVAC Task Count		TST HVAC Task Count		MTST HVAC Task Count	
P-1 1	10	P-1	24	P-1	25
P-2	[	P-2	5	P-2	6
P-3	)	P-3	3	P-3	1
Total 1	11	Total	32	Total	32

# **CAB**

For every task, the following safety task must be strictly enforced: Comply with personal and environmental safety practices associated with eye/foot/hand/hearing protection, clothing, hand tools, power equipment, lifting practices, and ventilation. Handle, store, and dispose of fuels/chemicals/materials in accordance with federal, state, and local regulations.

Inspection, Maintenance, and Minor Repair (IMMR) - 540 Hours VII. CAB A. General	Truck Service Technology (TST) - 740 Hours VII. CAB A. General	Master Truck Service Technology (MTST) - 1040 Hours VII. CAB A. General
1. Research vehicle service p-1 information including, vehicle service history, service precautions, and technical service bulletins.	1. Research vehicle service p-1 information, including, vehicle service history, service precautions, and technical service bulletins.	1. Research vehicle service P-1 information, including vehicle service history, service precautions, and technical service bulletins.
2. Use appropriate electronic P-1 service tool(s) and procedures to check and record diagnostic codes; interpret digital multimeter (DMM) readings.	2. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings.	2. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings, verify repair; clear diagnostic codes only when directed.

VII. CAB B. Instruments and Controls	VII. CAB B. Instruments and Controls		VII. CAB B. Instruments and Controls	
1. Inspect mechanical key condition; check operation of ignition switch; check operation of indicator lights, warning lights and/or alarms; check instruments; record oil pressure and system voltage; check operation of electronic power take-off (PTO) and engine idle speed controls (if applicable).	1. Inspect mechanical key condition; check operation of ignition switch; check operation of indicator lights, warning lights and/or alarms; check instruments; record oil pressure and system voltage; check operation of electronic power take-off (PTO) and engine idle speed controls (if applicable).	P-1	1. Inspect mechanical key condition; check operation of ignition switch; check operation of indicator lights, warning lights and/or alarms; check instruments; record oil pressure and system voltage; check operation of electronic power take-off (PTO) and engine idle speed controls (if applicable).	P-1
2. Check operation of all accessories.	2. Check operation of all accessories.	P-1	2. Check operation of all accessories.	P-1
3. Demonstrate knowledge of operation of auxiliary power unit (APU)/electric power unit (EPU).	3. Demonstrate knowledge of operation of auxiliary power unit (APU)/electric power unit (EPU).	P-3	3. Demonstrate knowledge of operation of auxiliary power unit (APU)/electric power unit (EPU).	P-3
VII. CAB C. Safety Equipment	VII. CAB C. Safety Equipment		VII. CAB C. Safety Equipment	
1. Check operation of horns (electric and air); check warning device operation (reverse, air pressure, etc.); check condition of spare fuses, safety triangles, fire extinguisher, and all required decals; inspect seat belts and sleeper restraints; inspect condition of wiper blades and arms.	1. Test operation of horns (electric and air); test warning device operation (reverse, air pressure, etc.); check condition of spare fuses, safety triangles, fire extinguisher, and all required decals; inspect seat belts and sleeper restraints; inspect condition of wiper blades, arms, and linkage; determine needed action.	P-1	1. Test operation of horns (electric and air); test warning device operation (reverse, air pressure, etc.); check condition of spare fuses, safety triangles, fire extinguisher, and all required decals; inspect seat belts and sleeper restraints; inspect condition of wiper blades, arms, and linkage; determine needed action.	P-1

VII. CAB		VII. CAB		VII. CAB	
D. Hardware		D. Hardware		D. Hardware	
1. Check operation of wipers and washer; inspect windshield glass for cracks or discoloration; check sun visor; check seat condition, operation, and mounting; check door glass and window operation; verify operation of door and cab locks; inspect steps and grab handles; inspect mirrors, mountings, brackets, and glass.	P-1	1. Test operation of wipers and washer; inspect windshield glass for cracks or discoloration; check sun visor; check seat condition, operation, and mounting; check door glass and window operation; verify operation of door and cab locks; inspect steps and grab handles; inspect mirrors, mountings, brackets, and glass; determine needed action.	P-1	1. Test operation of wipers and washer; inspect windshield glass for cracks or discoloration; check sun visor; check seat condition, operation, and mounting; check door glass and window operation; verify operation of door and cab locks; inspect steps and grab handles; inspect mirrors, mountings, brackets, and glass; determine needed action.	P-1
2. Record all physical damage.	P-2	2. Record all physical damage.	P-2	2. Record all physical damage.	P-2
3. Lubricate all cab grease fittings; inspect and lubricate door and hood hinges, latches, strikers, lock cylinders, safety latches, linkages, and cables.	P-2	3. Lubricate all cab grease fittings; inspect and lubricate door and hood hinges, latches, strikers, lock cylinders, safety latches, linkages, and cables.	P-2	3. Lubricate all cab grease fittings; inspect and lubricate door and hood hinges, latches, strikers, lock cylinders, safety latches, linkages, and cables.	P-2
4. Inspect cab mountings, hinges, latches, linkages, and ride height.	P-1	4. Inspect cab mountings, hinges, latches, linkages, and ride height; determine needed action.	P-1	4. Inspect cab mountings, hinges, latches, linkages, and ride height; determine needed action.	P-1
5. Inspect quarter fender, mud flaps, reflectors, brackets, and reflective/conspicuity tape.	P-1	5. Inspect quarter fender, mud flaps, reflectors, brackets, and reflective/conspicuity tape; determine needed action.	P-1	5. Inspect quarter fender, mud flaps, reflectors, brackets, and reflective/conspicuity tape; determine needed action.	P-1
IMMR Cab Task Count		TST Cab Task Count		MTST Cab Task Count	
P-1 P-2	8 2	P-1 P-2	8 2	P-1 P-2	8 2
P-3	1	P-3	1	P-3	1
Total	11	Total	11	Total	11

## **HYDRAULICS**

For every task, the following safety task must be strictly enforced: Comply with personal and environmental safety practices associated with eye/foot/hand/hearing protection, clothing, hand tools, power equipment, lifting practices, and ventilation. Handle, store, and dispose of fuels/chemicals/materials in accordance with federal, state, and local regulations.

Comply with manufacturers and industry accepted safety practices associated with equipment lock out/tag out, pressure line release, implement support (blocked or resting on ground), and articulated cylinder devices/machinery safety locks.

Inspection, Maintenance, and Minor Repair (IMMR) - 540 Hours VIII. HYDRAULICS A. General	Truck Service Technology (TST) - 740 Hours VIII. HYDRAULICS A. General	Master Truck Service Technology (MTST) - 1040 Hours VIII. HYDRAULICS A. General
1. Research vehicle service promation, including vehicle service history, service precautions, fluid type, and technical service bulletins.	1. Research vehicle service information, including vehicle service history, service precautions, fluid type, and technical service bulletins.	1. Research vehicle service p-3 information, including vehicle service history, service precautions, fluid type, and technical service bulletins.
2. Verify placement of equipment/component safety labels and placards.	2. Verify placement of equipment/component safety labels and placards; determine needed action.	2. Verify placement of equipment/component safety labels and placards; determine needed action.
3. Identify hydraulic system components; locate filtration system components; service filters and breathers.	3. Identify hydraulic system components; locate filtration system components; service filters and breathers.	3. Identify hydraulic system components; locate filtration system components; service filters and breathers.
4. Check fluid level and condition; take a hydraulic fluid sample for analysis.	4. Check fluid level and condition; take a hydraulic fluid sample for analysis; determine needed action.	4. Check fluid level and condition; purge and/or bleed system; take a hydraulic fluid sample for analysis; determine needed action.

5. Inspect hoses and connections for leaks, damage, proper routing, and proper protection.	P-3	5. Inspect hoses and connections for leaks, damage, proper routing, and proper protection; determine needed action.	P-3	5. Inspect hoses and connections for leaks, damage, proper routing, and proper protection; determine needed action.	P-3
6. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings.	P-3	6. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings.	P-3	6. Use appropriate electronic service tool(s) and procedures to diagnose problems; check and record diagnostic codes; interpret digital multimeter (DMM) readings; clear diagnostic codes only when directed.	P-3
7. Read and interpret hydraulic system diagrams and schematics.	P-3	7. Read and interpret hydraulic system diagrams and schematics.	P-3	7. Read and interpret hydraulic system diagrams and schematics.	P-3
				8. Perform system temperature, pressure, flow, and cycle time tests; determine needed action.	P-3
				9. Perform system operational tests; determine needed action.	P-3
VIII. HYDRAULICS B. Pumps		VIII. HYDRAULICS B. Pumps		VIII. HYDRAULICS B. Pumps	
				1. Identify causes of pump failure, unusual pump noises, temperature, flow and leakage problems; determine needed action.	P-3
				2. Determine pump type, rotation, and drive system.	P-3
				3. Remove and install pump; prime and/or bleed system.	P-3

		4. Inspect pump inlet and outlet for restrictions and leaks; determine needed action.	P-3
VIII. HYDRAULICS C. Filtration/Reservoirs (Tanks)	VIII. HYDRAULICS C. Filtration/Reservoirs (Tanks)	VIII. HYDRAULICS C. Filtration/Reservoirs (Tanks)	
		1. Identify type of filtration system; verify filter application and flow direction.	P-3
		2. Identify causes of system contamination; determine needed action.	P-3
		3. Inspect, repair, and/or replace reservoir, sight glass, vents, caps, mounts, valves, screens, supply, and return lines.	P-3
VIII. HYDRAULICS D. Hoses, Fittings, and Connections	VIII. HYDRAULICS D. Hoses, Fittings, and Connections	VIII. HYDRAULICS D. Hoses, Fittings, and Connections	
		1. Diagnose causes of component leakage, damage, and restriction; determine needed action.	P-3
		2. Assemble hoses, tubes, connectors, and fittings.	P-3
VIII. HYDRAULICS E. Control Valves	VIII. HYDRAULICS E. Control Valves	VIII. HYDRAULICS E. Control Valves	
		1. Pressure test system safety relief valve; determine needed action.	P-3

		2. Perform control valve operation pressure and flow tests; determine needed action.	P-3
		3. Inspect, test, and adjust valve controls (electrical/electronic, mechanical, and pneumatic).	P-3
		4. Identify causes of control valve leakage problems (internal and external); determine needed action.	P-3
		5. Inspect pilot control valve linkages, cables, and PTO controls; adjust, repair, or replace as needed.	P-3
VIII. HYDRAULICS F. Actuators	VIII. HYDRAULICS F. Actuators	VIII. HYDRAULICS F. Actuators	
		1. Identify actuator type (single-acting, double-acting, multi-stage, telescopic, and motor).	P-3
		2. Identify the cause of seal failure; determine needed action.	P-3
		3. Identify the cause of incorrect actuator movement and/or leakage (internal and external); determine needed action.	P-3
		4. Inspect actuator mounting, frame components, and hardware for looseness, cracks, and damage; determine needed action.	P-3

				5. Remove, repair, and/or replace actuators.	P-3
				6. Inspect actuators for dents, cracks, damage, and leakage; determine needed action.	P-3
IMMR Hydraulics Task		TST Hydraulics Task		MTST Hydraulics Task	
Count		Count		Count	
P-1	0	P-1	0	P-1	0
P-2	0	P-2	0	P-2	0
P-3	7	P-3	7	P-3	29
Total	7	Total	7	Total	29

#### TASK LIST PRIORITY ITEM TOTALS (by accreditation level)

# **Inspection, Maintenance and Minor Repair** (IMMR)

```
P-1 = 141 90% = 127 tasks
P-2 = 28 70% = 20 tasks
P-3 = 18 25% = 5 tasks
```

Required Foundational Tasks = 48

Total Minimum Required Tasks = 200

#### Truck Service Technology (TST)

P-1 = 194	90% = 175  tasks
P-2 = 67	70% = 47  tasks
P-3 = 45	25% = 11  tasks

Required Foundational Tasks = 48

Total Minimum Required Tasks = 281

#### **Master Truck Service Technology (MTST)**

```
P-1 = 202 90% = 182 tasks
P-2 = 72 70% = 50 tasks
P-3 = 89 25% = 22 tasks
```

Required Foundational Tasks = 48

Total Minimum Required Tasks = 302

#### **DEFINITIONS – TECHNICAL TERMS**

- 1. ADJUST To bring components to specified operational settings.
- 2. ALIGN To restore the proper position of components.
- 3. ANALYZE Assess the condition of a component or system.
- 4. ASSEMBLE (REASSEMBLE) To fit together the components of a device or system.
- 5. BALANCE To establish correct linear, rotational or weight relationship.
- 6. <u>BATTERY LOW VOLTAGE/SLI</u> (starting, lighting, and ignition) 12 or 24 volt batteries used in common automotive and medium/heavy duty vehicles.
- 7. <u>BATTERY HIGH VOLATGE/TRACTION</u> High voltage batteries designed for powering vehicle traction motors.
- 8. BLEED To remove air from a closed system.
- 9. <u>CAN</u> Controller Area Network. CAN is a network protocol (SAE J2284/J1939/ISO 15765-4) used to interconnect a network of electronic control modules.
- 10. <u>CHARGE</u> To bring to a specified state, e.g., battery or air conditioning system.
- 11. <u>CHECK</u> To verify condition by performing an operational or comparative examination.
- 12. <u>CLEAN</u> To rid component of foreign matter for the purpose of reconditioning, repairing, measuring or reassembling.
- 13. DEGLAZE To remove a smooth glossy surface.
- 14. DEMONSTRATE To show the understanding of components or systems.
- 15. DESCRIBE To represent or give an account of the component or system.
- 16. DETERMINE To establish the procedure to be used to perform the necessary repair.
- 17. <u>DETERMINE NECESSARY/NEEDED ACTION</u> Indicates that the diagnostic routine(s) is the primary emphasis of a task. The student is required to perform the diagnostic steps and communicate the diagnostic outcomes and corrective actions required addressing the concern or problem. The training program determines the communication method (worksheet, test, verbal communication, or other means deemed appropriate) and whether the corrective procedures for these tasks are actually performed.

- 18. <u>DIAGNOSE</u> To identify the cause of a problem.
- 19. <u>DISASSEMBLE</u> To separate a component's parts as a preparation for cleaning, inspection or service.
- 20. DISCHARGE To empty a storage device or system.
- 21. <u>DISCONNECT/DECOMMISSION/DEPOWER</u> To physically and electrically separate high voltage circuits and components from the high voltage battery/power source.
- 22. <u>EVACUATE</u> To remove air, fluid or vapor from a closed system by use of a vacuum pump.
- 23. FLUSH To internally clean a component or system.
- 24. HIGH VOLTAGE Voltages of 30 volts AC or 60 volts DC and greater.
- 25. <u>HONE</u> To restore or resize a bore by using rotating cutting stones.
- 26. IDENTIFY To describe the component or system.
- 27. <u>INSPECT</u> To verify condition of component or system via visual examination.
- 28. <u>INSULATION</u> Protective materials that are non-conductive appropriately rated for the voltages present in the circuit or device.
- 29. INTERPRET To explain the operation/condition of component or system.
- 30. <u>ISOLATION</u> The physical and electrical separation between the high voltage propulsion system circuits and the vehicle chassis.
- 31. JUMP START To use an auxiliary power supply to assist a battery to crank an engine.
- 32. LOCATE Determine or establish a specific spot or area.
- 33. LOW VOLTAGE Voltages of less than 30 volts AC or 60 volts DC.
- 34. MEASURE To determine existing dimensions/values for comparison to specifications.
- 35. NETWORK A system of interconnected electrical modules or devices.
- 36. <u>ON-BOARD DIAGNOSTICS (OBD)</u> Diagnostic protocol which monitors computer inputs and outputs for failures.
- 37. <u>PARASITIC DRAW</u> Electrical loads which are still present when the ignition circuit is OFF.

- 38. <u>PERFORM</u> To accomplish a procedure in accordance with established methods and standards.
- 39. <u>PERFORM NECESSARY ACTION</u> Indicates that the student is to perform the diagnostic routine(s) and perform the corrective action item. Where various scenarios (conditions or situations) are presented in a single task, at least one of the scenarios must be accomplished.
- 40. PURGE To remove air or fluid from a closed system.
- 41. <u>REMOVE</u> To disconnect and separate a component from a system.
- 42. <u>REPAIR</u> To restore a malfunctioning component or system to operating condition.
- 43. REPLACE To exchange a component; to reinstall a component.
- 44. RESURFACE To restore correct finish.
- 45. <u>SERVICE</u> To perform a procedure as specified in the owner's or service manual.
- 46. <u>SERVICE DISCONNECT</u> A device for deactivation of an electrical circuit when conducting checks and services of the high voltage vehicle electrical propulsion system.
- 47. TEST To verify condition through the use of meters, gauges or instruments.
- 48. <u>TORQUE</u> To tighten a fastener to specified degree or tightness (in a given order or pattern if multiple fasteners are involved on a single component).
- 49. <u>VERIFY</u> To confirm that a problem exists after hearing the customer's concern; or to confirm the effectiveness of a repair.
- 50. <u>VOLTAGE DROP</u> A reduction in voltage (electrical pressure) caused by the resistance in a component or circuit.

# Page Intentionally Blank

#### TOOLS AND EQUIPMENT

Local employer needs and the availability of funds are key factors for determining each program's structure and operation. The Program Standards recognize that not all programs have the same needs, nor do all programs teach 100 % of the tasks. Therefore, the basic philosophy for the tools and equipment requirement is as follows: for all tasks which are taught in the program, the training should be as thorough as possible with the tools and equipment necessary for those tasks. In other words, if a program does not teach a particular task, the tool from the tool list associated with that task is not required (unless of course it is required for a task that is taught in another area).

The tool lists are organized into four basic categories: Hand Tools, Personal Protective Equipment, General Lab/Shop Equipment, and Specialty Tools and Equipment. The specialty tools section is further separated into the eight truck categories. When referring to the tools and equipment list, please note the following:

- A. The organization of the tool list is not intended to dictate how a program organizes its tool crib or student tool sets (i.e., which tools should be in a student set, if utilized, and which should be in the tool crib or shop area).
- B. Quantities for each tool or piece of equipment are determined by the program needs; however, sufficient quantities to provide quality instruction should be on hand.
- C. For Specialty Tools and Equipment, the program need only have those tools for the level being accredited.
- D. Programs may meet the equipment requirements by borrowing special equipment or providing for off-site instruction (e.g., in a dealership or independent repair shop). Use of borrowed or off-site equipment must be appropriately documented.
- E. No specific brand names for tools and equipment are specified or required.
- F. Although the Program Standards recommend that programs encourage their students to begin to build their own individual tools sets prior to entry into the industry, there is no requirement to do so. NOTE: Industry surveys indicate that most (90%) employers require that a candidate for employment provide his/her own basic hand tool set in order to be hired as an entry-level truck technician.

Page 113 of 119

## **HAND TOOLS**

#### Contained in individual sets or the tool crib in sufficient quantities to permit efficient instruction.

Chisels:	Scraper - 1" Wide or Larger
Cold 5/8", 3/4"	Screwdriver - Blade Type:
Combination Wrenches:	1", 6", 9", and 12"
Standard (3/8" - 1") (up to 1 1/4" optional)	Offset
Metric (6mm - 19mm) (up to 24mm optional)	Screwdriver - Phillips:
Digital Multimeter (DMM) - Minimum 10 Meg	
Ohm Impedance	1" #2
Files and handles:	6" #1, #2
Coarse 12"	12" #3
Fine 12"	Socket Set - 1/4" Drive:
Half Round 12"	3/16" - 1/2" Standard Depth
Flare Nut Wrench Set:	3/16" - 1/2" Deep
3/8" - 3/4"	4mm - 13mm Standard Depth
7mm - 19mm	4mm - 13mm Deep
Flashlight/Inspection Light/Drop Light	Extensions - Short, Medium, and Long
Hammers:	Ratchet Handle
16 oz. Ball Peen	Universal Joint
	Socket Set - 3/8" Drive (12-point recommended, Non-
24 oz. Ball Peen	Impact or Chrome):
Soft Face	3/8" - 3/4" Standard Depth
Hex Key Wrench Sets:	3/8" - 3/4" Deep
Standard (.050" - 3/8") (7/16" - 1/2" optional)	10mm - 19mm Standard Depth
Metric (2mm - 12mm)	10mm - 19mm Deep
Inspection Mirror	Extensions - Short, Medium, and Long
Machinists/Mechanics Steel Rule	Ratchet Handle
Magnetic Pickup Tool	Socket Set - 1/2" Drive (Non-Impact or Chrome):
Pliers:	1/2" - 1 1/8" Standard Depth
Adjustable (Tongue & Groove)	1/2" - 1 1/8" Deep
Electrical - Crimper/Stripper	13mm - 24 mm Standard Depth
Locking	13mm - 24 mm Deep
Needle Nose	Breaker Bar
Side Cutters	Extensions - Short, Medium, and Long
Slip Joint	Ratchet Handle
Pry Bar	Universal Joint Set $-1/4$ ", $3/8$ ", and $1/2$ " drive
Punches:	Tape Measure - 25'
Aligning	Tire Marker/Crayon/Pen
Brass	Tire Pressure Gauge (Truck)
Center	Tire Tread Depth Gauge
Pin (3/16" - 3/8")	
	Tool Box
Starter (3/16" - 3/8")	Wire Brush
Taper	

## PERSONAL PROTECTIVE EQUIPMENT

Personal Protective Equipment (PPE) such as the items listed below should be available for all staff and students in accordance with OSHA and/or state requirements and as needed for the tasks being taught. Safety glasses are required to be worn at all times by everyone in the lab/shop area.

Aprons	Eye Protection – Goggles (required for tasks with splash hazards)
	1
Chemical Resistant Gloves	Hearing Protection
Closed Toed Shoes/Boots (Sturdy Leather	Face Shields
Upper and Safety Toe recommended)	
Cut Resistant Gloves	N95/KN95 Masks
Eye Protection – Safety Glasses (with side	
panels)	

## GENERAL LAB/SHOP EQUIPMENT

The tools and equipment on this list are used in general lab/shop work but are not generally considered to be individually owned hand tools. A well-equipped, accredited program should have all of these general tools and equipment readily available and in sufficient quantity to provide quality instruction. A few items on this General Lab/Shop Equipment list are specifically needed for programs accredited at the Truck Service Technology (TST) level and/or the Master Truck Service Technology (MTST) level. Those are indicated by the appropriate acronym.

Adjustable Wrenches (up to 18")	Filter Wrenches - Small, Medium, and Large
Air Blow Gun – Rubber Tip (per OSHA	
requirements)	Funnels
A/C Condenser/Radiator Fin Comb Set	Gear Oil Dispenser
Axle Shaft Removal Tool/Puller	Grease Gun
Belt Tension Gauge	Grinder (Bench or Pedestal)
Belt Wear Gauge	Hack Saw
Bushing Driver Set	Hammers:
C-Clamps	48 oz. Ball Peen
Chisel Holder	24 oz. Brass
Cleaning Tank (per OSHA and Local Requirements)	12 lb. Hand Sledge
Clutch Adjusting Tools	Heat Tool/Gun
Combination Wrench Sets:	Hydraulic Press – 20 Ton Minimum (TST and MTST Programs)
Standard 1 1/16" – 1 1/2"	Impact Driver Set (Manual/Hand)
Metric 21 mm – 32 mm	Impact Wrenches:
Standard Offset 3/8" – 3/4"	1/2" Drive (Air or Electric) with Impact Sockets
Metric Offset 7 mm – 15 mm	3/4" Drive (Air or Electric) with Impact Sockets
Coolant Conditioner Test Kit (Test Strips)	1" Drive (Air or Electric) with Impact Sockets
Cooling System Pressure Tester and Adapters	Impact Universal Joints – 3/8", 1/2"
Creepers	Jacks – Bottle-style, Air Jack, Frame Jack, etc.
Diagnostic Information Platform – PC with appropriate software and/or internet access for electronic service information	Laser Belt Alignment Tool (optional)
Dial Indicator Set – Magnetic Base	Lifting Chains (TST and MTST Programs)
Digital or Analog Caliper - Standard and Metric	Lifting Eyes (TST and MTST Programs)
Drain Pans	Method for removing brake/clutch dust contamination (Parts Cleaner) meeting EPA standards
Drills:	Micrometers (Digital or Analog):
3/8" variable speed, reversible	Outside - Standard Set (0" - 6")
1/2" variable speed, reversible	Outside - Metric Set (0 mm - 150 mm)
Drill Bit Set: 1/16" - 1/2"	Inside - Standard Set (0" - 6")
Electronic Service Tool - PC or Data Scan Tool with	
Appropriate Software	Depth - Standard Set (0" - 6")
Extractor Set (Broken Bolt)	Pipe Wrenches (24" or larger)
Feeler gauges - Blade Type:	Pliers:
0.005" - 0.050"	Snap Ring - Internal
0.005 mm – 0.070 mm	Snap Ring - External

Portable Crane/Engine Hoist – 2 Ton Minimum (MTST Programs)	Tire Cage (MTST Programs)
Pressure Gauge Set (TST and MTST Programs):	Tire Dolly (optional)
0-150 psi	Tire Gauge – Master (For Tire Gauge Calibration Checks)
0-300 psi	Tire Inflator Chuck – Truck
Puller Sets (TST and MTST Programs):	Tire Pressure Gauge – Truck
Two-Jaw	Torch Set: Oxy-Acetylene (optional)
Three-Jaw	Torque Angle Gauge (TST and MTST Programs)
Refractometer (Coolant/Battery)	Torque Multiplier with Adapters (TST and MTST Programs) (optional)
Safety (Jack) Stands – Minimum 6 Ton	Torque Wrenches:
Seal Puller/Installer	1/4" Drive (at least 150 lb. in. capacity)
Socket Sets:	3/8" Drive (at least 100 lb. ft. capacity)
3/4" Drive Set	1/2" Drive (at least 250 lb. ft. capacity)
Axle Nut Sockets	3/4" Drive (at least 600 lb. ft. capacity)
Crow's Feet (Standard and Metric)	Tubing Cutter/Flaring Set (Standard and Metric)
Hex Key Drivers (Standard 3/16" – 3/4" and Metric 4mm – 19mm)	Valve Core Replacement Tool – Tire
Torx ® Drive T15 – T55	Wheel Chocks
Torx ® Drive E4 – E18	Wheel Dolly (optional)
Wheel Fastener Socket Set	Wheel Seal Puller and Driver Set
Soldering Tool/Gun	Wheel Weight Tool
Stop Watch (optional)	12V Electrical Circuit Loading/Testing Tool (optional)
Tap and Die Sets (Standard and Metric)	
Thermometer / Hand-held Infrared	
Thread Chaser Set	

## SPECIALTY TOOLS AND EQUIPMENT

#### WITHIN EACH ACCREDITATION CATEGORY

This section covers the tools and equipment a lab/shop should have for training in any given specialty area. This equipment is specialized and it must be available in the lab/shop or to the program through a local business. No specific type or brand names are identified because they will vary in each local situation.

For all tasks which are taught in the program, the training should be as thorough as possible with the tools and equipment necessary for those tasks. In other words, if a program does not teach a particular task, the tool from the tool list associated with that task is not required.

DIESEL ENGINES	IMMR	TST	MTST	
Charge Air Cooler Tester			✓	
Cooling System Vacuum Fill Equipment	✓	<b>✓</b>	✓	
Diagnostic Smoke Machine (optional)		<b>✓</b>	✓	
Diesel Exhaust Fluid (DEF) Refractometer	✓	<b>✓</b>	✓	
Engine Stands		<b>✓</b>	✓	
Fan Hub Wrenches		✓	✓	
Fuel System/Air Induction System Dust Cover Cap Set		✓	✓	
Fuel System Priming Tool (optional)	✓	✓	✓	
Injector Removal Tool(s)		✓	✓	
Liner Installer (universal)			✓	
Liner Puller (universal)			✓	
Manometer - (Water) or Magnehelic Gauge (optional)			✓	
Oil Sample Retrieval System (optional)	✓	✓	✓	
Oscilloscope		✓	✓	
Precision Straight Edge		✓	✓	
Protrusion Gauge (Cylinder Liner Height)			✓	
Ring Compressor			✓	
Ring Expander(s)			✓	
Soft Jaw Vise or Adapters	✓	✓	✓	
Vibration Damper Puller (optional)		✓	✓	

DRIVE TRAIN	IMMR	TST	MTST	
3/4" Drive Pinion Nut Sockets		✓	<b>✓</b>	
Aligning Studs - 3/8", 1/2", & 5/8"		✓	<b>✓</b>	
Blind Hole/Pilot Bearing Puller		✓	<b>✓</b>	
Clutch Disc Aligning Tools		✓	✓	
Clutch Jack and/or Transmission Jack Attachments		✓	✓	
Protractor (Angle Gauge)		✓	✓	
Transmission Jack		✓	✓	
U-Joint Puller		✓	✓	
Yoke Puller		✓	✓	

BRAKES	IMMR	TST	MTST	
Air Pressure Gauge Set	✓	<b>✓</b>	✓	
Bearing Packer (optional)	✓	✓	✓	
Bearing Race Installer	✓	✓	✓	
Brake Bleeder	✓	✓	✓	
Brake Fluid Tester or Test Strips	✓	✓	✓	
Brake Lining Thickness Gauge	✓	✓	✓	
Brake Rotor (Disc) Micrometer	✓	✓	✓	
Brake Spring Caging Bolts	✓	✓	✓	
Brake Spring Tool for Foundation Brakes		✓	✓	
Disc Caliper Tool for Compressing Caliper Pistons		<b>✓</b>	✓	
Drum Brake Gauge	✓	<b>✓</b>	✓	
Slack Adjuster Installation Index Tool (Templates)	✓	✓	<b>✓</b>	
Trailer Electrical Cord Tester	✓	✓	✓	

SUSPENSION AND STEERING	IMMR	TST	MTST	
Air Hammer with Chisels		✓	✓	
Alignment Equipment: Minimum to perform tasks (including tandem				
alignment)		✓	✓	
Ball Joint Separator		✓	✓	
Fifth Wheel Test Pin	✓	✓	✓	
Pitman Arm Puller		✓	✓	
Power Steering Analyzer		✓	✓	
Tape Measure (50')	✓	✓	✓	
Tire Square	✓	✓	✓	

ELECTRICAL/ELECTRONIC SYSTEMS	IMMR	TST	MTST	
Battery Charger (AGM/Gel Compatible)	✓	✓	✓	
Battery Terminal Adapters	✓	<b>✓</b>	✓	
Die Type Terminal Crimper (optional)	✓	<b>✓</b>	✓	
Oscilloscope		✓	✓	
Inductive (Clamp-on) Ammeter	✓	✓	✓	
Jumper Cable Set (Heavy-Duty) or Auxiliary Power Supply (Jump Box)	✓	✓	✓	
Low Amperage Automatic Charger or equivalent device to maintain shop				
batteries	✓	✓	✓	
Starting, Charging, and Battery System Tester – capacitive type	✓	<b>✓</b>	✓	
Terminal Repair Kits	✓	<b>✓</b>	✓	
Test Lead Kit	<b>✓</b>	✓	<b>✓</b>	
Insulation Tester/Multimeter and leads (optional) – must meet CAT III 600 Volt, CAT III 1000 Volt, or CAT IV 600 Volt rating		<b>√</b>	<b>✓</b>	
Electrical Insulating Gloves (recommended) – must meet CAT 0 1000				
VAC and 1500 VDC electrical safety glove rating – may have expired				
certification if used for demonstration only		✓	✓	
Insulated Retrieval Hook (optional)		✓	✓	

HEATING, VENTILATION, AND AIR CONDITIONING	IMMR	TST	MTST	
A/C Leak Detection Tool (Halogen or UV Dye)	✓	<b>✓</b>	✓	
A/C Manifold Gauge Set meeting EPA Regulations and SAE "J" Standards		<b>✓</b>	✓	
A/C Oil Injector Tool (optional - for R-1234yf)		✓	✓	
A/C Recovery/Recharging and/or Recycling Station meeting EPA				
Regulations and SAE "J" Standards		✓	✓	
A/C Refrigerant Identifier		✓	✓	
Non-Leather Gloves	✓	<b>✓</b>	✓	
Heater Hose Clamp-Off Tool		✓	✓	
Measuring Cup		✓	✓	
Micron Meter (Electronic Vacuum Gauge) – (optional)		<b>✓</b>	✓	
Orifice Tube Remover		✓	✓	
Portable Vacuum Pump (may be included with				
Recovery/Recycling/Recharging Station)		✓	✓	
Spring Lock Coupler Removers (optional)		<b>✓</b>	✓	
Thermometer	✓	<b>✓</b>	✓	
Valve Core (Shrader Type) Replacement Tool		✓	✓	

HYDRAULICS	IMMR	TST	MTST	
Fittings and adapters for specific applications			✓	
Hose Crimper Tool and Pump (either air over hydraulic or hand pump)-				
(optional)			✓	
1000 PSI Liquid Filled or Electronic Gauge and Hose Assembly			✓	
5000 PSI Liquid Filled or Electronic Gauge and Hose Assembly			✓	
Pressure/Flow Meter			✓	
Thermometer (up to 250 degrees) Standard or Infrared			✓	

###